

OEM PN	OEM Description	Date Of Price	List	Quantity
18228(DR)	Superseded From: J&N 121-12000, 500-12098			0
065(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4
067(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4
10008053(Delco Remy)	mounting shim, SD210, 260			20
10244209(Delco Remy)	Bracket, Dual Alternator, 6.5L Turbo			0
10271089(Delco Remy)	Alternator, made by Valeo, Like CS-130D,1997 Chev Lumina APV, Olds Silhouette, Pont			0
103893(Delco Remy)	expansion plug, 40,50MT			12
103906(Delco Remy)	Key, Woodruff, 5/32" x .3 x .750 ?#8?			20
10450983(Delco Remy)	Regulator, AD Series			1
10454622(Delco Remy)	drive, 5-10MT, 9 tooth, CW rotation			1
10455024(Delco Remy)	Starter, Delco-Remy 5MT, 10455024, 323-411, Olds 1991...			0
10455053(Delco Remy)	SD210 Series Starter for Delco 1.3 kW, 12 Volt, CW Rotation Design: DD (Direct Drive) Drive			0
10455301(Delco Remy)	10MT, 12 volt, 4 x 4 sealed, our suburban is a match			0
10455513-(Delco Remy)	STARTER, KOHLER 25 098 09-s, 10455513 DELCO REMY MADE IN KOREA.			1
10455513(DR)	Kohler 25 098 09-s			0
10455516(DR)	replacement group by lester 6744			0
10456422(Delco Remy)	drive, 5-10MT, 9 tooth, CW rotation			0
10456456(Delco Remy)	brush holder 28MT			0
10456457(DR)	Pos Brush			0
10456461(Delco Remy)	6003 bearing, double sealed			37
10456462(Delco Remy)	bearing, 10mmID x 30mmOD x 9mmW			11
10456463(Delco Remy)	bearing, Nippondenso & others			2
10456465(Delco Remy)	stop colar, 10MT industrial			7

OEM PN	OEM Description	Date Of Price	List	Quantity
10456466(Delco Remy)	armature 28MT 12 v, CW			0
10456489(Delco Remy)	terminal kit, battery, square, CS-130			0
10457016(Delco Remy)	conversion kit, to convert standard 42MT to one w/ OCP(over crank protection).			0
10457103(Delco Remy)	conversion kit, 25SI 12V.regulator conversion kit, to use in a 26SI where originally set up for			1
10457117(Delco Remy)	Armature, Delco-Remy 28MT, 24v, CW			0
10457127(Delco Remy)	conversion kit, 25SI 24V.regulator conversion kit, to use in a 26SI where originally set up for			0
10457993(Delco Remy)	Shim, "Z", Lester 3544, 3564, 3562, 3569, 3563, 3565, 3572, .040"			0
10459013-(Delco Remy)	Alternator, 21SI Equivalent			0
10459021(Delco Remy)	This Delco No is a rebuilt Leece Neville 2800JB 90 amp, most likely a 21 or 22SI equivalent			0
10459037-(Delco Remy)	Alternator, 21SI Equivalent			0
10459069(Delco Remy)	27SI T100			0
10459141-(Delco Remy)	Alternator, 21SI Equivalent			0
10459142-(Delco Remy)	Alternator, 21SI Equivalent			0
10459143-(Delco Remy)	Alternator, 21SI Equivalent			0
10459144-(Delco Remy)	Alternator, 21SI Equivalent			0
10459188-(Delco Remy)	Alternator, 21SI Equivalent			0
10459189-(Delco Remy)	Alternator, 21SI Equivalent			0
10461040(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
10461056(Delco Remy)	50MT, Type 300, 12 v strt			0
10461303(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
10461710(Delco Remy)	Starter, Wisconsin V4D Prestolite MBG-4141 banded simple post starter originally			0
10463025(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
10463531(Delco Remy)	CS130 Series Alternator for Delco 100-105 Amp, 12 Volt, CW Rotation			1

OEM PN	OEM Description	Date Of Price	List	Quantity
10463532(DelcoRemy)	CS130 Series Alternator for Delco 100-105 Amp, 12 Volt, CW Rotation			1
10463630(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0
1046383(Delco Remy)	Cover, CS130D, Back end, one of a few			0
10463966(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10464075(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0
10464086(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10464409(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10464418(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10465049(Delco Remy)	28MT Series OSGR Starter 12 Volt, CW, 10-Tooth Pinion			0
10465312(Delco Remy)	SD210 Series Starter for Delco 1.3 kW, 12 Volt, CW Rotation Design: DD (Direct Drive) Drive			0
10465490(Delco Remy)	SD210 Series Starter for Delco 1.3 kW, 12 Volt, CW Rotation Design: DD (Direct Drive) Drive			0
10465527(DR)	STARTER ASB, PG260L 12V			0
10465582(DR)	STARTER ASB, PG260L 12V			0
10467052(Delco Remy)	Rectifier For: Delco 17SI Series 120 Amp; 21SI Series 90-115 Amp/12 Volt, CS144 Series 108-			1
10467110(DR)	Pole Shoe Screw for 10MT with ground stud xternal			0
10467437-(Delco Remy)	w/o brg			0
10467602(Delco Remy)	Field case assy			1
10467614(Delco Remy)	71-1323 Drain Tube - Field Case			1
10467615(Delco Remy)	brush holder assy, Delco SD210, 260			2
10467625(Delco Remy)	Bolt, solenoid clamp 1/4"-20 x 1"			8
10467629(Delco Remy)	SHIELD-DR SD210/260			1
10467708(Delco Remy)	Armature Delco-Remy SD210			1
10467736(Delco Remy)	Housing, DE, SD210, Lester 6415			1

OEM PN	OEM Description	Date Of Price	List	Quantity
10467744(Delco Remy)	71-1324 Plug - Field Case			8
10468200(Delco Remy)	DE frame, offset-left, thread adj ear, CS-130, w/ brg			0
10468200-brg(Delco Re	DE frame, offset-left, thread adj ear, CS-130, no bearing			1
10468201(dr)				1
10468447(Delco Remy)	DE frame, offset-left,unthread adj ear, CS-130, w/ brg			0
10468447-brg(Delco Re	DE frame, offset-left,unthread adj ear, CS-130, no bearing			0
10468675(Delco Remy)	drive, PMGR, 9 tooth, 3 spline SD210 & 260			0
10468714(Delco Remy)	Stator, Delco-Remy, 130 amp/12 volt, Delco-Remy 21SI 115-130amp & CS144 108-124 amp			1
10469039(Delco Remy)	solenoid, PMGR			1
10469092(Delco Remy)	6203-2RS bearing17mmIDx40mmx12mmW, double rubber sealed			15
10469216(Delco Remy)	Stator, Delco-Remy, 130 amp/12 volt, Delco-Remy 21SI 115-130amp & CS144 108-124 amp			1
10469356(Delco Remy)	tolerance ring-SRE,plastic, for use w/ wai6-100-4 brg			10
10469631(DR)	Field pole shoe screw with external ground stud for large frame units			2
10469875(Delco Remy)	Spacer, CS-130 with 21-139-1HD frame, 28.5mm OD x 1mmL x 17mm ID			0
10470161(Delco Remy)	Clamp, Starter Solenoid, SD210, 260			1
10470411(Delco Remy)	needle bearing SRE, cs-144			1
10470412(Delco Remy)	Spacer, Rotor, CS-144, 25.5mm x 6.5mm (.256) some measured .248-.254			9
10470414(Delco Remy)	cover, (slip ring), cs-144			10
10470419(DR)	FRAME DE, CS144			0
10470431(DR)	Race, Inner, rotor, use w/ 8-122			1
10470439(Delco Remy)	Stator, 145-160amp / 12 volt, Delco-Remy21SI 145-160 amp, CS144 140-145 amp, WAI 8			0
10470444(Delco Remy)	Cover, Alternator, CS-130, Saturns, Heat Shield, SRE,			1
10470606(Delco Remy)	Rotor, Delco-Remy 21 SI, 12 volt, 130/145/160 amp, 1.7-1.8 Ohms, 6.7-7.1 amps, use w/ C-			0

OEM PN	OEM Description	Date Of Price	List	Quantity
10470609(Delco Remy)	For: Delco 21SI, 22SI Series 130-160 Amp/12 Volt, CS144 Series 124 Amp IR/EF Alternators			0
10470688(Delco Remy)	Stator, 70 amp / 24 volt, 21SI 50-70amp, would probably work in a CS144 24 volt.			0
10470690(Delco Remy)	Rotor, Delco-Remy 21 SI, 24 volt, 50/70 amp, 9.5-10.7 Ohms, 2.2-2.5 Amps, Original Design			0
10470757(DR)	Drive, 9T, CW, Roller, 25.4 GOD, 80.5 LOA, 3 spline 12mmID			0
10470770(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
10470773(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
10470875(Delco Remy)	Stator, 70 amp / 24 volt, 21SI 50-70amp, would probably work in a CS144 24 volt.			0
10470886(DR)	REGULATOR, INT DELCO 12V			1
10470887(Delco Remy)	28-122 Rotor 80 Amp/12 Volt For: Delco CS121 Series 61-80 Amp IR/EF Alternators			1
10471056(Delco Remy)	Stator, 145-160amp / 12 volt, Delco-Remy21SI 145-160 amp, CS144 140-145 amp, WAI 8			0
10471332(Delco Remy)	SRE Frame for CS-130 for Jeep & Chry, Foot Like Saturn Frame			0
10471478(Delco Remy)	CS-130 rotor 85-105Amp,			2
10471917(DR)	Nut, M8 1.25x13mmx5mmT. Solenoid post, DR SD series & PM Series			4
10471975(Delco Remy)	46-1400 Cover - S.R.E. Frame For: Delco CS121 Series IR/EF Alternators			1
10472019(Delco Remy)	Field Case, PG200			1
10472023(Delco Remy)	CE Frame, PG200			1
10472095(Delco Remy)	Rectifier For: Delco CS144 Series 124-140 Amp IR/EF Alternators Note: Used w/ 22-133, 22-			1
10472207(Delco Remy)	6000 bearing, double sealed			8
10472397(Delco Remy)	Stator 74 Amp/12 Volt For: Delco CS121 Series, 55-74 Amp IR/EF Alternators			1
10472518(Delco Remy)	connector assy, part of OCP kit 10457016			0
10472526(Delco Remy)	Field Case, PG200			1
10472540(Delco Remy)	Stator, Delco-Remy, 130 amp/12 volt, Delco-Remy 21SI 115-130amp & CS144 108-124 amp			1
10472565(Delco Remy)	drive, 12 T, CW, mini tork			0

OEM PN	OEM Description	Date Of Price	List	Quantity
10472645(Delco Remy)	Lead, 1/4" eye, #8 eye, x 4" long, 26SI & Maybe some generators			0
10472665(Delco Remy)	28-122 Rotor 80 Amp/12 Volt For: Delco CS121 Series 61-80 Amp IR/EF Alternators			1
10472724(DR)	ROTOR-DR CS144 145A			0
10472882(Delco Remy)	Stator, Delco-Remy, 130 amp/12 volt, Delco-Remy 21SI 115-130amp & CS144 108-124 amp			1
10472935(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
10472936(DR)	NDL BRG-DR 21SI			0
10473403(Delco Remy)	6203-2RS bearing17mmIDx40mmx12mmW, double rubber sealed			15
10473700(Delco Remy)	drive, PMGR, 9 tooth, 3 spline SD210 & 260			0
10473701(Delco Remy)	shift lever, SD-210, 260			2
10473703(Delco Remy)	Plug - Shift Lever Support For: Delco SD210, SD260 Series DD Starters Note: Late Style, used			1
10473706(DR)	Bearing, 17mmID x 47mmOD x 14mm Wide, DE bosch,chry, ford, Hit			4
10473711(Delco Remy)	bearing, SRE, 10MM			15
10473712(Delco Remy)	tolerance ring SRE, palstic, use w/ wai 6-100-4&6-2000-4 brg			19
10473726(Delco Remy)	Field Case, PG200			1
10473793(Delco Remy)	Plunger, SD210, 260 Starter			2
10474090(Delco Remy)	CS-130 baffle for Rotor 105 Amp 10474093, alt #10479998			5
10474093(Delco Remy)	CS-130 Rotor 105 Amp, use baffle 10474090			0
10474407(Delco Remy)	28-122 Rotor 80 Amp/12 Volt For: Delco CS121 Series 61-80 Amp IR/EF Alternators			1
10474532(Delco Remy)	Bearing, CS-144, Ford 3G, 10 mm x 26mmOD x 8mm wide, w/ two Plastic Tol rings			2
10474532-(Delco Remy)	Bearing, CS-144, Ford 3G, 10 mm x 26mmOD x 8mm wide, w/ two Plastic Tol rings			2
10475002(Delco Remy)	Screw, M4x.7x21mmL E5 Torx, Thread forming, w/ Attached Washer			10
10475002-(Delco Remy)	screw w/ washer attached, M4x0.7x21MM,E5 tork,see 1989650CS-130,D			91
10475023(Delco Remy)	bearing, 15mm(.590) x 35mm(1.378) x 11mm(.433), double sealed			11

OEM PN	OEM Description	Date Of Price	List	Quantity
10475284(Delco Remy)	Housing, DE, SD210, Lester 6415			1
10475287(Delco Remy)	DE frame SD series, with shim problem-see bulletin			0
10475298(Delco Remy)	Housing, DE, SD210, Lester 6415			1
10475578+10475580(DR)	PLANETARY GEAR-DR PG260M, N w/o needle brg 10475580			3
10475584(Delco Remy)	Drain Tube - C.E. Frame For: Delco PG260F2, PG260M Series PMGR			2
10475588(DR)	armature			0
10475602(DR)	BH ASSY-DR PG260M FOR:Delco PG260M Series PMGR Starters			1
10475616(DR)	DRIVE, STR PG260M 12V 9251, perkins			0
10475626(DR)	PLANETARY SHAFT-DR PG260M			1
10475632(Delco Remy)	STATIONARY GEAR-DR PG260M			2
10475632(DR)	STATIONARY GEAR-DR PG260M, N			2
10475635(Delco Remy)	SCREW M5 X 0.8 X 11MM E6 TORX			26
10475636(Delco Remy)	Screw For: Delco PG260F1, PG260M Series PMGR			8
10475637(DR)	BOLT M5 X 0.8 X 102MM HEX			10
10475639(DR)	LVR SUPPORT-DR PG260M, N			1
10475642(DR)	COVER-DR PG260M, N			1
10475646(Delco Remy)	SOL-DR PG260d,F1,F2,G,H,L,M 3-TERM, also believed PG260N			0
10475737(Delco Remy)	Screw w/ Insulator, M4x.7x21mmL E5 Torx, Thread forming, w/ Attached Washer			20
10475745(Delco Remy)	Insulator, Stator Leads Through SRE frame, CS-130D			2
10475746(Delco Remy)	Brush holder assy, CS-130D			0
10475748(Delco Remy)	Rotor, 100-105 amp 12 volt CS-130D			3
10475750(Delco Remy)	Slip Ring, CS-130D			3
10475751(Delco Remy)	Slip Ring, CS-130D			3

OEM PN	OEM Description	Date Of Price	List	Quantity
10475758(Delco Remy)	rectifier 9SI , fits 1994 CS			0
10475768(Delco Remy)	Cover, Back, CS130D, Early Clip, Low Ht			0
10475768-(Delco Remy)	Cover, CS130D, Back end, one of a few, Taller than 46-1403, Fits higher Press Fit Diodes			2
10475908(DR)	GASKET-DR PG260M			8
10476337-(Delco Remy)	This version has attached washer			14
10476382(Delco Remy)	Mounting Bushing - S.R.E. Frame For:			1
10476394(DR)	pulley 1V, .669 x 2.5"x.395(10MM)			4
10476418(DR)	NLA-needle bearing SRE, cs-144			1
10476482(DR)	Brush holder, w/o brushes			0
10476484(DR)	Brush, CS-130D, Grnd side, and AD244			6
10476487(DR)	Brush, CS-130D, Positive, and AD244			6
10476603(DR)	GROMMET, PG260			6
10476604(DR)	SHIFT LEVER-DR PG260M, N			1
10476635(Delco Remy)	Busing, 10mm Pivot hole, CS-130, D			1
10476647(DR)	CE FRAME-DR PG260M			1
10477431(Delco Remy)	Grease, Plunger, Delco-Remy "Nyo Gel 774L"			0
10477434(Delco Remy)	Grease, Plunger, Delco-Remy "Nyo Gel 774L"			0
10477626(Delco Remy)	Frame, SRE, Lester 8107, Saturn Saddle, w/o bushing in pivot hole			0
10477626-(Delco Remy)	Frame, SRE, Lester 8107, Saturn Saddle, add bushing in pivot hole			1
10479013(Delco Remy)	Starter 37MT 24 volt			0
10479611(Delco Remy)				0
10479615(Delco Remy)				0
10479628(DR)	Starter, 28MT			0

OEM PN	OEM Description	Date Of Price	List	Quantity
10479630(DR)	Starter, 28MT			0
10479805(Delco Remy)	adapter plug, external CS-121 to Nippondenso applications			0
10479896(Delco-Remy)	CS130 Series Alternator for Delco 100 Amp, 12 Volt, CW Rotation, Reg. Type: IR			0
10479901(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
10479906(Delco Remy)	CS130 Series Alternator for Delco 100 Amp, 12 Volt, CW Rotation, Reg. Type: IR			0
10479912(Delco Remy)	CS130 Series Alternator for Delco 100 Amp, 12 Volt, CW Rotation, Reg. Type: IR			0
10479962(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
10479976(Delco Remy)	CS130 T100 105 amp			0
10479993(Delco Remy)	CS130 Series Alternator for Delco 100 Amp, 12 Volt, CW Rotation, Reg. Type: IR			0
10479994(Delco Remy)	CS130 Series Alternator for Delco 100 Amp, 12 Volt, CW Rotation, Reg. Type: IR			0
10480018(Delco Remy)	Alternator, CS-144, 140 amp, 4:30 regulator position, w/ regulator 35-119, pulley 24-1255			0
10480027(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
10480065(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0
10480079(Delco Remy)	Alternator, CS-130D, 150 Amp, 96-98 Buick, Chev, Olds, Pont 2.4L CAUTION: MATCH			0
10480084(Delco Remy)	ALT-DR CS130 7:00 W/24-1255			0
10480096(Delco Remy)	1-1606-01DR CS121 Series Alternator for Delco			0
10480111(Delco Remy)	Alternator, CS-144, 140 amp, 7:30 regulator position, w/ regulator 35-127, pulley 24-1250			0
10480136(DelcoRemy)	CS130 Series Alternator for Delco 100-105 Amp, 12 Volt, CW Rotation			1
10480137(DelcoRemy)	CS130 Series Alternator for Delco 100-105 Amp, 12 Volt, CW Rotation			1
10480138(Delco Remy)	Alternator, CS-144, 140 amp, 1:30 regulator position, w/ regulator 35-127, pulley 24-1255			0
10480139(Delco Remy)	Alternator, CS-144, 140 amp, 1:30 regulator position, w/ regulator 35-127, pulley 24-1255			0
10480171(Delco Remy)	Alternator, CS-144, 140 amp, 4:30 regulator position, w/ regulator 35-136, pulley 24-1250			0
10480182(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0

OEM PN	OEM Description	Date Of Price	List	Quantity
10480184-Core(DR)	CS130D 102amp			1
10480200(Delco Remy)	Alternator, CS-144, 140 amp, 1:30 regulator position, w/ regulator 35-127, pulley 24-1255			0
10480202(Delco Remy)	Alternator, CS-144, 140 amp, 1:30 regulator position, w/ regulator 35-127, pulley 24-1255			0
10480203(Delco Remy)	Alternator, CS-144, 140 amp, 7:30 regulator position, w/ regulator 35-127, pulley 24-1250			0
10480240(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10480264(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0
10480288-Core(DR)	CS130D			1
10480301(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10480307(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10480317(Delco Remy)	Alternator, CS130D, 1999 Malibu, uses 19009749 Regulator			0
10480320(Delco Remy)	Lester 8275, Unit #'s 10480320,10480321,10480322, 10480361,			0
10480321(Delco Remy)	Lester 8275, Unit #'s 10480320,10480321,10480322, 10480361,			0
10480322(Delco Remy)	Lester 8275, Unit #'s 10480320,10480321,10480322, 10480361,			0
10480351(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10480361(Delco Remy)	Lester 8275, Unit #'s 10480320,10480321,10480322, 10480361,			0
10480362(Delco Remy)	Lester 8275, Unit #'s 10480320,10480321,10480322, 10480361,			0
10480428(Delco Remy)	ALTERNATOR, AD237, 12V 125A			0
10488150(DR)	Nut, M8 1.25x13mmx5mmT. Solenoid post, DR SD series & PM Series			4
10488602(Delco Remy)	Cover, CS-130D Back			0
10489381(Delco Remy)	Drain Tube - C.E. Frame For: Delco PG260F2, PG260M Series PMGR			2
10490891(Delco Remy)	Cover, SRE, CS130D, One of a Few			0
10491531(Delco Remy)	Insulator, Stator Lead, Delco-Remy AD Series			2
10492753(DR)	BRUSH SPRING-DR 22SI ACE			16

OEM PN	OEM Description	Date Of Price	List	Quantity
10493298(DR)	insulator, top hat, 5/16" ID			11
10494472(Delco Remy)	Cover, for Brg, Delco-Remy AD Series			2
10494473(Delco Remy)	Insulator, B+ Term			2
10494474(Delco Remy)	Insulator, frame to + Rectifier, Delco-Remy AD Series 230,237,244			2
10494476(DR)	BRUSH HOLDER ASB, DELCO AD244+			2
10494503(DR)	RECTIFIER, AD230, AD237, AD244			1
10495188(Delco Remy)	Insulator, CE Terminal, Inside Starter			0
10495191(DR)	pulley 1V, .669 x 2.5"x.395(10MM)			4
10495192(DR)	PULLEY, 1GRV DELCO			4
10495204(Delco Remy)	Fan For: Delco CS121 Series IR/EF Alternators Dim: 17mm ID x 116mm OD			1
10495205(Delco Remy)	46-1400 Cover - S.R.E. Frame For: Delco CS121 Series IR/EF Alternators			1
10495208(Delco Remy)	Stator 74 Amp/12 Volt For: Delco CS121 Series, 55-74 Amp IR/EF Alternators			1
10495229(Delco Remy)	CS-121,130,144 Brush, ground w/ U thru screw connector, R-132, part			7
10495231(Delco Remy)	24-1257 5-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI, CS121, CS130, CS144 Series			0
10495350(Delco Remy)	CS-130 Stator, 105 amp			0
10495358(Delco Remy)	DE frame, offset-left, thread adj ear, CS-130, w/ brg			0
10495358-brg(Delco Re	DE frame, offset-left, thread adj ear, CS-130, no bearing			0
10495572(Delco Remy)	DE frame, offset right, thread adj ears, CS-130, w/ brg			2
10495572-brg(Delco Re	DE frame, offset right, thread adj ears, CS-130, no bearing			0
10495643(Delco Remy)	CS-130 rotor 85-105Amp,			2
10495681(Delco Remy)	CS-130 slip ring kit			0
10495681-subpart(Delc	slip ring, CS-130, less than the kit offered by 10495681			1
10495816(Delco Remy)	DE frame, short mtg ear w/ straightthread adj ears, w/ brg,CS-130			0

OEM PN	OEM Description	Date Of Price	List	Quantity
10495816-brg(Delco Re	DE frame, short mtg ear w/ straightthread adj ears, CS-130, no bear			0
10495828(Delco Remy)	THRUST COLLAR-DR			12
10495892(Delco Remy)	Retainer, Field Coil, SD210, 65.5mmL (2.58")			0
10495897(Delco Remy)	THRUST COLLAR-DR			12
10495916(Delco Remy)	Gear, Stationary, PG200			1
10495931(Delco Remy)	Armature Delco-Remy SD210			1
10495933(Delco Remy)	screw, 10-32 hex x 1/2" solenoid caps			30
10496032(Delco Remy)	DE frame, offset right, thread adj ears, CS-130, w/ brg			0
10496032-brg(Delco Re	DE frame, offset right, thread adj ears, CS-130, no bearing			0
10496109(Delco Remy)	center plate, 10MT 4 x 4 , industrial & marine applications			3
10496336(Delco Remy)	DE frame, 3 mtg ears, CS-130, w/ brg			0
10496336-brg(Delco Re	DE frame, 3 mtg ears, CS-130, no bearing			0
10496501(Delco Remy)	tolerance ring- SRE Bearing, metal,CS-130			18
10496542(Delco Remy)	Discontinued by Delco 1997 - D.E. Housing Aluminum For: Delco 27MT Series DD Starters			0
10496569(DR)	Retainer, Shift lever, 42MT .260" x .508 x .012			20
10496573(Delco Remy)	frame/housing assy, commutator end, part of 10457016 OCP kit.			0
10496576(DR)	O-ring, thermostat, .626 x .815 x .102			20
10496580(Delco Remy)	pulley, 52mmOD x 17mmbore, 6 groove, w/o hub			0
10496580-(Delco Remy)	pulley, 52mmOD x 17mmbore, 6 groove, w/hub			2
10496643(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
10496671(Delco Remy)	DE frame, long mount ear, straight unthred adj ear, 8mmx1.25, brg in			2
10496671-brg(Delco Re	DE frame, long mount ear, straight unthred adj ear, 8mmx1.25, no bea			1
10496750(Delco Remy)	terminal, battery, square,CS-130			3

OEM PN	OEM Description	Date Of Price	List	Quantity
10496873(Delco Remy)	Reman, 10MT, 12 volt, 4 x 4 sealed, our suburban is a match			0
10497100(Delco Remy)	Pulley, 5 groove, 2 5/8" OD, CS-121, 130			1
10497130(Delco Remy)	terminal kit, battery, round early stud,CS-130			0
10497172(Delco Remy)	conversion harness, for use w/ 42MT with OCP (over crank protection), whenbeing used to			0
10497302(Delco Remy)	Thru Bolt w/ Extension For: Delco 5MT, SD200, SD210, SD250, SD260 Series Starters Dim: 10-			4
10497317(Delco Remy)	28-122 Rotor 80 Amp/12 Volt For: Delco CS121 Series 61-80 Amp IR/EF Alternators			1
10497320(Delco Remy)	Stator 74 Amp/12 Volt For: Delco CS121 Series, 55-74 Amp IR/EF Alternators			1
10497522(Delco Remy)	Starter Drive 10-T, CW, 3-SPL Single Roller Clutch Type For: Delco 10MT, 20MT, 22MT,			0
10497789(Delco Remy)	connector, regulator to rec, CS-144			0
10498103(DR)	FAN, ALT 15SI 17SI CS144			1
10498145(Delco Remy)	stator, 85-100 amp, CS-130			2
10498156(DR)	Nut, M8 1.25x13mmx5mmT. Solenoid post, DR SD series & PM Series			4
10498209(Delco Remy)	terminal Lead & thermostat assy, part of OCP kit 10457016			0
10498211(Delco Remy)	retaining ring, part of OCP kit 10457016			10
10498301(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4
10498438(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bushing ID 14.3mm/.563",			0
10498446(Delco Remy)	Pulley, 5 groove, 2 5/8" OD, CS-121, 130			1
10498526(Delco Remy)	Shaft & Drive Assy, PG200			1
10498530(Delco Remy)	armature, PMGR, 24 teeth			0
10498563(Delco Remy)	CS-130 Stator, 105 Amp			0
10498623(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
10498663(Delco Remy)	connector, motor lead to solenoid, 40MT, 42MT with Standard solenoid (Not Semi Solid			1
10498717(Delco Remy)	Brg 15 mmID x 32 mm OD x 9 mmW			6

OEM PN	OEM Description	Date Of Price	List	Quantity
10498833(Delco Remy)	Mounting Bushing, CS-130, 10mm ID x 16mmOD x 20MMOAL w/ 22mm shoulder	2/17/2021	\$3.02	5
10498833-sub(DR)	.630OD x .868"shoulder od x .413ld x .620L shoulder x .763LOA			7
10498921(DR)	brake washer (leather), 9/16" x 15/16"OD, .120"thick, 5-10MT,SD210,SD260			43
10499094(Delco Remy)	brake washer - CE, leather, 1/2"ID, 5MT-SD210,SD260			59
10499095-brg(Delco Re	DE housing,CS-130,offset-right adj ear, 8MM			2
10499510(Delco Remy)	use 38-138 w/ clip for solder			20
10499635(Delco Remy)	Screw, 10-32 x 3 1/8 Hex CE frame			6
10499637(Delco Remy)	Screw Dim: 5/16-18 x 7/8 L Features: - Socket head, 1/4 drive - Chamfered point - Black oxide			8
10499643(Delco Remy)	Screw Dim: 5/16-18 x 7/8 L Features: - Socket head, 1/4 drive - Chamfered point - Black oxide			8
10499850(Delco Remy)	drive			1
10499854(Delco Remy)	drive, 9 tooth, CW, 3 spline, mini tork, 9/16" shaft			1
10499855(Delco Remy)	Drive			2
10499883(Delco Remy)	CE Frame, PG200			1
10500475(DR)	Drive, Roller, 9T, 1.14" / 29mm OD, CW, 6 Spiral Spl			0
10501995(DR)	BH ASSY-DR PG260D			2
10510639(DR)	Drive Housing for 8000043 Starter on PerCat.			0
10510640(DR)	Drive Housing for 8000043 Starter on PerCat.			0
10512651(DR)	SSL Connector kit w/ 2 small holes			0
10512651-(DR)	kit			1
10517108(DR)	BH ASSY-DR PG260M FOR:Delco PG260M Series PMGR Starters			1
10521332(DR)	Regulator, 18 & 28SI, one source says Stator A/C activation, may also be ignition per what			1
10527709(DR)	Regulator, 18 & 28SI, one source says Stator A/C activation, may also be ignition per what			1
106495(Delco Remy)	Lockwasher, #6			95

OEM PN	OEM Description	Date Of Price	List	Quantity
10DN Chrome Kit(Delco				0
10MT-Housing(Delco Re				1
10SI Chrome Kit(Delco				0
1100061(Delco Remy)	10DN 24V 30A Large Shaft fin type Sealed			0
1100068(Delco Remy)	10DN 12V 52A w/ Large Shaft			0
1100077(Delco Remy)	Alternator, 27 SI, 65 amp, 24v, 1 wire, programabler set point			0
1100180(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1100217(Delco Remy)	alternator, Delco-Remy, 12 SI, 78 amp, 12 volt, 4 groove			0
1100267(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1100444(Delco Remy)	original # crossed to Ace 717			0
1100735(Delco Remy)	10DN 12V 61A Tapped for Tach			0
1100812(Delco Remy)	10DN 12V 22A Sealed			0
1100928-Core(Delco Re	10SI Series Alternator for Delco 63 Amp, 12 Volt, CW Rotation			1
1101259(Delco Remy)	Alternator, CS-130			0
1101291(Delco Remy)	alternator, CS-121-74 amp 12 v,			0
1101319(Delco Remy)	74 amp 7:00, w/ 6 grv pulley, 88-89 chev cavalier 2.8L,90-91 3.1L, 9			0
1101320-core(DR)	CS-121			1
1101354(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101355(Delco Remy)	Generator, 3 brush, 2 brg			0
1101356(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101357(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101358(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101363(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1101367(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101371(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101373(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101375(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101377(Delco Remy)	Generator			0
1101379(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101380(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101383(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101384(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101392(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101413(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101414(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101416(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101417(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101423(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101425(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101432(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101577(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
1101626(Delco Remy)	adapter plug, external CS-121 to Nippondenso aplications			0
1101649(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
1101689(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101689-Core(Delco Re	Starter Gernerator Core			2
1101690(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1101691(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
1101692(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
1101693(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101695(Delco Remy)	Starter Generator, obsolete B&S			0
1101863(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101864(Delco Remy)	field coil set, Lester 9193, 12v, CW, Poleshoe 2 7/8" x 2 1/8", motor/generator w/ armature			2
1101864-(Delco Remy)				0
1101864--(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101870(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101873(Delco Remy)				0
1101874(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101875(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101876(Delco Remy)	Generator, 12 Amp, Aviation, uses Regulator 1118383			0
1101879(Delco Remy)	Generator, 25 Amp, Aviation, Gear Driven, Group 93G, On File. Uses Regulator 1118384			0
1101888(DR)	1101888 (35 AMP) on TCM E165,E185, E225, SOME WERE 1101879 20 AMP			0
110188-Core(DR)	70a 15SI			1
1101890(Delco Remy)	Generator, 20 amp, Aviation			0
1101898(Delco_Remy)	Generator, Aviation, 12V, 35amp, Gear Driven, 6-6.5ohm field,			0
1101898(Delco-Remy)	Generator, Gear Driven, 12V, 35 amp, Aviation 1960's vintage, pre FAA Strict laws and			0
1101899(Delco Remy)	Generator-Aviation			0
1101899-Core(Delco Re	Core, Generator, Aviation			0
1101901(Delco Remy)	Generator, Aviation, 15 amp Beechcraft			0
1101901-Core(Delco Re	Generator, Aviation, 15 Beechcraft - Core			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1101901RX(Delco Remy)	Generator, Aviation, 15 Beechcraft - Overhaul Exchange			0
1101945(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101967(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
1101968(Delco Remy)	STarter / Gen - DR 1101968 + Pulley 1949358			0
1101970(Delco Remy)	Starter Generator, 12v, CW			0
1101970-(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101973(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101974-Core(Delco Re	Starter / GeneratorTEC H60, Delco-Remy Group 93-J (NLA)			1
1101980(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101981(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101984(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101989(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101992(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101993(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101996(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
1101996-Pulley(Delco	Pulley, 3" OD x .670B x 3/8" w/ 1/8" key, single grove			0
1101997(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
1101998(Delco Remy)	Starter - Generator, Long Field case, CCW, 12 v, 15 amp, International Cub Cadet & others.			0
1102096(Delco Remy)				1
1102096-core(Delco Re	Delco-Remy 1102096 generator, 12 volt, Lester 9005			1
1102096-fields(Delco	fields, generator, 12 volt, lester 9005			1
1102096-housing(Delco	housing, field, from Delco-Remy1102096			1
1102096-pulley(Delco	pulley, Delco-Remy1102096 generator, single groove 3/8" 2 13/16" OD			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1102096-retainer(Delc	plate, retainer for bearing, Delco-Remy 1102096, Lester 9005			1
1102096-thrubolt(Delc	through bolt, 8", Delco-Remy 1102096, Lester 9005			2
1102336-Housing(DR)	Housing, complete with fields, Corvair, 1964 generator			0
1102497(Delco Remy)	63 amp 10SI			0
1102617(Delco Remy)	Alternator, CS-130			0
1103113(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1103114(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1103193(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105052-Core(Delco Re	Generator - Core			0
1105052RX(Delco Remy)	Generator, 40 amp			0
1105064(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105065(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105078(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105088(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105097(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105427(Delco Remy)	12SI Series Alternator for Delco 78 Amp, 12 Volt, CW Rotation Reg. Type: IR (Internal			1
1105477(Delco Remy)	alternator, 27 SI, Delco-Remy, type 202, 30 amp 24 volt, N grnd, with AC tap, 12:00, IR, EF			0
1105697(Delco Remy)	CS121 74amp			0
1105701(Delco Remy)	3 ear mount			0
1106822-BHN(Delco Rem	Brush Holder, Negative, Deisel Generator, 1106800 Series			1
1106822-BHP(Delco Rem	Brush Holder, Positive, Deisel Generator			1
1106822-PoleShoe(Delc	Pole Shoe, Diesel Generator, 1106800 Series			2
1107251(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1107263(DR)	Wisconsin Starter			0
110730(Delco Remy)	L.W., Split, 3/8"ID x 11/16"OD x .075"T			0
1107343(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1107344(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1107350(Delco Remy)	LikeStarter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020			0
1107390(DR)	Wisconsin Starter			0
1107496(Delco Remy)	10 MT			0
1107496-Housing(Delco)	Housing only, 10 MT			1
1107510(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1107522(Delco Remy)	LikeStarter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020			0
1107540(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1107540-(Delco Remy)				0
1107578(Delco Remy)	LikeStarter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020			0
1107588(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1107588-(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1107605(Delco Remy)	Starter, Min Moline Model UBE,UBN, UBU, (last digit is engine code related-common			0
1107659(Delco Remy)	Starter, Min Moline Model UBE,UBN, UBU, (last digit is engine code related-common			0
1107782(DR)	Wisconsin Starter			0
1107867(DR)	Lucas Case starter			0
1107871(Delco Remy)	starter			0
1108038(Delco Remy)	Starter, 6 V, early 8/10MT Farmall, Standard 3 term solenoid mounted at mtr post.			0
1108306(Delco Remy)	8MT, 12 volt starter, Corvair			0
1108336(Delco Remy)	Starter, Delco Remy 1108336 for K-662, Lester 4243, use 6712, 1109433			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1108386(Delco Remy)	10MT type 101			0
1108448(DR)	Starter, PG260L, Mercury Marine			0
1108636(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1108641(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1108643(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1108652(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1108697(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1108776-Core(DR)				1
1108802-Core(DR)	DELCO 40MT STARTER ADDL INFO: DYER GEAR STYLE			1
1109062-Core(DR)	10MT			2
1109140(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1109189(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1109196(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1109208(DR)	Starter, 28MT			0
1109219(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1109219-(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1109253(Delco Remy)	Starter, Like 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1109253-(Delco Remy)	Starter, 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1109258(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1109263(Delco Remy)	Starter, Like 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1109263-(Delco Remy)	Starter, 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1109272(Delco Remy)	Starter 22/27MT Like28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-			0
1109272-(Delco Remy)				0

OEM PN	OEM Description	Date Of Price	List	Quantity
1109424(DR)	Wisconsin Starter			0
1109425(DR)	Wisconsin Starter			0
1109426(DR)	Wisconsin Starter			0
1109433(Delco Remy)	Starter, Delco Remy 1108336 for K-662, Lester 4243, use 6712, 1109433			0
1109482(DR)	Starter, PG260L, Mercury Marine			0
1109514(Delco-Aviatio)	Aviation Starter	7/26/2009	\$339.30	0
1109532(Delco Remy)	5MT, Starter, Delco-Remy, Shim 14057993 may be required, "Z" type.			0
1109563(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1109563-(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1109647(Delco Remy)	Starter, 50MT, 24 volt			0
1109657(Delco Remy)	Starter			0
1109684(DR)	Aviation flat Key drive Starter from 1960's			0
1109688(DR)	Starter, Aviation, Offset GR originally w/ Spring Drive, Group 70 on file, Assembly on file			0
1109961(Delco Remy)	Starter, 50MT, 24 volt			0
1109971(Delco Remy)	Starter, 50MT, 24 volt			0
1109977(Delco Remy)	Starter, 50MT, 24 volt			0
1109997(Delco Remy)	Starter, 50MT, 24 volt			0
1113007(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113010(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113038(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113041(Delco Remy)	Starter ,Delco-Remy, Manual Switch 30-35MT			0
1113050(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113052(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1113056(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113059(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113066(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113216(Delco Remy)	Starter, Delco-Remy 30MT 12 volt, CW type 7F, 12 tooth for Detroit Diesel 4/53			0
1113266(Delco Remy)	Delco-Remy starter, 28MT,C-6471 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113267(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113269(Delco Remy)	Delco-Remy starter, 28MT,C-6471 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113270(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113273(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1113273-(Delco Remy)				0
1113274(Delco Remy)	Starter, 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1113275(Delco Remy)	Starter, Delco-Remy 28MT, A Retrofit for replacement of older 20/27MT, Used on			0
1113276-	likely a good replacement and link to more.			0
1113276(Delco Remy)	Starter, 28MT, can replace Lester 17037, or Nippondenso's Lester 16658, 12 volt CW 10			0
1113276-(Delco Remy)	28MT replacement for Mitsubishi			0
1113278(Delco Remy)	Starter, Delco-Remy 28MT, A Retrofit for replacement of older 20/27MT, Used on			0
1113279(Delco Remy)	28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-Chalmers, Lister-			0
1113279-(Delco Remy)				0
1113280(Delco Remy)	28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-Chalmers, Lister-			0
1113281(Delco Remy)	28MT Series OSGR Starter 12 Volt, CW, 10-Tooth Pinion			0
1113282(Delco Remy)	Starter, 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1113295(Delco Remy)	Delco-Remy starter, 28MT,C-6471 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113296(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1113341(Delco Remy)	Starter, John Deere, 720 Gas, mounts under tractor in box, manual start switch, brush			0
1113589(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113589-(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113590(Delco Remy)	Delco-Remy starter, replace 27MT 1113590,1998401			0
1113590-(Delco Remy)	Delco-Remy starter, 28MT,C-6471 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113593(Delco Remy)				0
1113593-(Delco Remy)				0
1113598(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1113598-(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1113646(Delco Remy)	Starter, 35MT Int Rot, 12 volt, CW, 12 T,270degree (330?),drive 4-282, Nose 1946013			0
1113656(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
1113672(Delco Remy)	Starter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020 1969-			0
1113818(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113824(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113825(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113831(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113842(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113845(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113846(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113849(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113850(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113851(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113855(Delco Remy)	40MT, 24 volt, 11 tooth			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1113858(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113872(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113876(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113883(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113887(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113892(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113895(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113898(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113900(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113905(Delco Remy)	40MT starter, 1945500 arm, 1974929 coils, 801403 L. Housing, 11 t CW 1894211 drive,			0
1113905-(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113914(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113920(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113923(Delco Remy)	40MT starter, 24 volt, armature 1945500, 1974929 coils, no jag housing 1979534, 12t			0
1113926(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113935(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113948(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113952(Delco Remy)	Starter, 40MT, 24 volt			0
1113952-(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113955(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113956(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113957(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113958(Delco Remy)	40MT, 24 volt, 11 tooth			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1113965(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113966(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113968(Delco Remy)	40MT, 24 volt, 11 tooth			0
1114088(Delco Remy)	STR-DR 40MT 12V 11T 486 CW			0
1114098(Delco Remy)	40 MT starter, 1961320 arm, 1974778 coils, 1979534 no jag L. H. , 1894211 11 T CW drive,			0
1114098-(Delco Remy)	STR-DR 40MT 12V 11T 486 CW			0
1114098-Armature(Delc	armature, 40 MT, 12 volt			1
1114098-Core(Delco Re	40 MT starter, 1961320 arm, 1974778 coils, 1979534 no jag L. H. , 1894211 11 T CW drive,			0
1114178(Delco Remy)	40MT 12 volt			0
1114197(Delco Remy)	Starter, 40MT 12 volt			0
1114197-(Delco Remy)	STR-DR 40MT 12V 11T 486 CW			0
1114218(Delco Remy)	Solenoid, 12 v, insulated base, 4 post, 5/16-24x19/32, 2 13/64 centers, UL Listed			1
1114223(Delco Remy)	Solenoid, 12 v, insulated base, 4 post, 5/16-24x19/32, 2 13/64 centers, UL Listed			1
1114227(Delco Remy)	solenoid, 3 terminal, 12 volt grnd flat base, Continuous Duty.			0
1114251(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114253(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114287(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114322(Delco Remy)	Solenoid, early short like 7-940			0
1114322-Sub(Delco Rem	Cut tail of 7-946 to fit			1
11144255-257(Delco Re	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114458(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114493(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114514(Delco Remy)	5MT/10MT solenoid, Short			5

OEM PN	OEM Description	Date Of Price	List	Quantity
1114515(Delco Remy)	5MT/10MT solenoid, Short			5
1114531(Delco Remy)	5MT/10MT solenoid, Short			5
1114545(Delco Remy)	solenoid, 6 volt, Delco-Remy			1
1114578(Delco Remy)	Solenoid 12 Volt, 3-Terminal For: Delco PG200, PG250 Series PMGR; SD210, SD260 Series DD			1
1114582(Delco Remy)	Solenoid 12 Volt, 3-Terminal For: Delco PG200, PG250 Series PMGR; SD210, SD260 Series DD			1
1114584(Delco Remy)	66-143Solenoid 12 Volt, 3-Terminal For: Delco SD205, SD255 Series DD Starters Used On:			0
1114593(Delco Remy)	SOL-DR PG260d,F1,F2,G,H,L,M 3-TERM, also believed PG260N			0
1114599(Delco Remy)	SOL-DR PG260d,F1,F2,G,H,L,M 3-TERM, also believed PG260N			0
1114609(DR)	SOLENOID ASB, DELCO 12V			0
1114710(Delco Remy)	Starter, 40MT, 24 volt			0
1114710-(Delco Remy)	40MT, 24 volt, 11 tooth			0
1114715(Delco Remy)	40MT, 24 volt, 11 tooth			0
1114727(Delco Remy)	40MT, 24 volt, 11 tooth			0
1114728(Delco Remy)	40MT, 24 volt, 11 tooth			0
1114772(Delco Remy)	Starter, 40MT, 24 volt			0
1114773(Delco Remy)	Starter, 40MT, 12 volt			0
1114895(Delco Remy)	STR-DR 40MT 12V 11T 486 CW			0
1115501(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115501-core(Delco Re	solenoid 35MT 12V - core			0
1115502(Delco Remy)	solenoid, 40/50MT late style heavy duty, Square face,12 volt, cu con			0
1115508(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115508-core(Delco Re	solenoid 35MT 12V - core			0
1115510(Delco Remy)	solenoid 35MT 12V			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1115510-core(Delco Re	solenoid 35MT 12V - core			0
1115516(Delco Remy)	solenoid, 40/50MT late style heavy duty, Square face,12 volt, 1/2-13			0
1115518(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115521(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115522(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115528(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115529(Delco Remy)	solenoid 35MT 12V			0
1115529-(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115530(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115531(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115540(Delco Remy)	solenoid 35MT 12V			0
1115540-(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115540-core(Delco Re	solenoid 35MT 12V - core			0
1115541(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115543(Delco Remy)	sol 35MT 24v			0
1115546(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt, Delco-Remy - no longer available			0
1115547(Delco Remy)	solenoid, 40,50MT, 24 volt, Square face			0
1115548(Delco Remy)	solenoid, 40,50MT, 24 volt, Square face			0
1115556(Delco Remy)	solenoid, 40/50MT late style heavy duty, Square face,12 volt, cu con			0
1115557(Delco Remy)	solenoid, 40-50MT, 24 volt			0
1115557-core(Delco Re	solenoid core, 24 volt, 40-50MT			2
1115558(Delco Remy)	solenoid, 24V reverse terminals			0
1115559(Delco Remy)	sol 24V 40 MT truck square face			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1115559-(Delco Remy)	solenoid, 40,50MT, 24 volt, Square face			0
1115561(Delco Remy)	solenoid, 40/50MT late style heavy duty, Square face,12 volt, 1/2-13 bat is x 1 5/8, mot			0
1115574(Delco Remy)	solenoid, 40,50MT, 24 volt, Square face			0
1115575(Delco Remy)	solenoid, 40/50MT late style heavy duty, Square face,12 volt, silvered contacts			0
1115575is silver(Delc	is same as 1115556 except silver			0
1115582(Delco Remy)	solenoid 35MT 12V			0
1115582-(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115584(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115589(Delco Remy)	solenoid, 12 V, 37MT, 3/8" motor stud, 3/8" bat stud, S on RH, no Return term on left, grnd			0
1115591(Delco Remy)	solenoid, 12 V, 37MT, 3/8" motor stud, 1/2" bat stud, S on RH, no Return term on left, Grnd			0
1115593(Delco Remy)	solenoid, 12 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115593-core(Delco Re	core-solenoid, 12 volt, 37/42MT			0
1115594(Delco Remy)	solenoid, 24 V, 37MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115595(Delco Remy)	solenoid, 24 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115596(Delco Remy)	solenoid, 12 V, 37MT, 3/8" motor stud, 3/8" bat stud, S on LH, no Return term on right,			0
1115597(Delco Remy)	solenoid, 24 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on LH, Return term on right,			0
1115598(Delco Remy)	solenoid, 12 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on LH, Return term on right,			0
1115599(Delco Remy)	solenoid, 37MT,24 V, 3/8 studs, S on RH, Return onLeft, ins base			0
1115600(Delco Remy)	solenoid, 37MT,24 V, 1/2" studs, S on LH, Return on Right, ins base			0
1115601(Delco Remy)	solenoid, 24 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115602(Delco Remy)	solenoid, 12 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115603(Delco Remy)	solenoid, 12 V, 37MT, 1/2" motor stud, 1/2" bat stud, S on RH, no Return term on right,			0
1115604(Delco Remy)	solenoid, 24 V, 37MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1115605(Delco Remy)	solenoid, 37MT,24 V, 1/2" studs, S on RH, Return onLeft, ins base			0
1115607(Delco Remy)	solenoid, 40,50MT, 24 volt, Square face			0
1115608(Delco Remy)	solenoid, 24 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115609(Delco Remy)	solenoid, 12 V, 37MT, 1/2" studs-motor term w/ inverted tapped hole, S on RH, no Return			0
1115610(Delco Remy)	solenoid, 12 V, 37MT, 1/2" motor term with inverted hole, 1/2" bat stud, S on LH, no			0
1115612(Delco Remy)	solenoid, 12 V, 37MT, 1/2" motor term inverted tapped hole, 1/2" bat stud, S on RH,			0
1115613(Delco Remy)	solenoid, 12 V, 37MT, 1/2" studs-motor term w/ inverted tapped hole, S on RH, no Return			0
1115616(Delco Remy)	magnetic switch (solenoid) 4 terminal remote flat mount configuration)			0
1115619(Delco Remy)	solenoid, 24 V, 37MT, 1/2" studs-motor term w/ inverted tapped hole, S on RH, no Return			0
1115622(Delco Remy)	Solenoid, 24V, 37MT, 1/2-13 motor & Bat Stud, Switch term on right, no return term,			0
1115623(Delco Remy)	Solenoid, 12V, 37MT, 1/2-13 motor & Bat Stud, Switch term on left, no return term,			0
1115624(DR)	SOL-DR 42MT 12V, Conventional, now Obsolete from delco replaced by SSL tyep			1
1115634(Delco Remy)	Solenoid, 24V, 41MT, 1/2-13 motor & Bat Stud, Switch term on right, no return term,			0
1115639(Delco Remy)	Solenoid, 12V, 41MT, 1/2-13 motor & Bat Stud, Switch term on right, no return term,			0
1115640(Delco Remy)	Solenoid, 24V, 42MT, 1/2-13 motor & Bat Stud, Switch term on right, left hand return			0
1115642(DR)	SOL-DR 42MT 12V, Conventional, now Obsolete from delco replaced by SSL tyep			1
1115643(Delco Remy)	Solenoid, 12V, 37MT, 1/2-13 motor & Bat Stud, Switch term on right, left hand return			0
1115839(Delco Remy)	Regulator/Resistor Package			0
1115851(Delco Remy)	Regulator/Resistor Package			0
1115894(Delco Remy)	Regulator/Resistor Package			0
1116111(Delco Remy)	Regulator, CS130, 9SI			0
1116360(DR)	VOLT REG DR			0
1116378(Delco Remy)	regulator, mechanical			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1116387(Delco Remy)	regulator, 15SI			2
1116388(Delco Remy)	regulator, 24Volt 27SI truck			2
1116389(Delco Remy)	regulator, 12V 27SI truck			3
1116392(Delco Remy)	regulator			2
1116393(Delco Remy)	regulator, Delco-Remy 20DN, 12 v neg			0
1116404(Delco Remy)	regulator, 24Volt 27SI truck, 10SI			2
1116405(Delco Remy)	voltage regulator, Delco-Remy, 24V, Web type			1
1116406(Delco Remy)	Regulator, 12 volt, Webbed terminals w/ stud			2
1116408(Delco Remy)	Digital regulator, D675, P-L-F-S Terminals,external sense			6
1116410(Delco Remy)	regulator, CS,			0
1116411(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
1116411-(Delco Remy)	Regulator, Heavy duty ver of 411, CS-130			0
1116412(Delco Remy)	Digital regulator, D678, P-L-I-S Terminals, CS-144			1
1116413(Delco Remy)	digital volt regulator, cs-144,PLFS says most!, replaces marked 413, 430 better.			0
1116413--(Delco Remy)	19009730 can replace according to DuBois			0
1116413(DR)				5
1116424(Delco Remy)	regulator, cs-144,			0
1116425(Delco Remy)	regulator, CS series,			0
1116426(Delco Remy)	regulator, CS series,			0
1116427(Delco Remy)	regulator, CS series,			0
1116428(Delco Remy)	regulator, CS series, Better than 1116408			0
1116428..(Delco Remy)	digital volt regulator, cs-144,PLFS, is better			6
1116429(Delco Remy)	regulator, CS series, Better than 1116411			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1116429-(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, better than 411			5
1116429--(Delco Remy)	Use better 1116436			0
1116430(Delco Remy)	regulator, CS series,			5
1116430--(Delco Remy)	19009730 can replace according to DuBois			0
1116432(Delco Remy)	regulator, CS series,			0
1116434(Delco Remy)	regulator, CS series,			0
1116435(DR)	VOLT REG DR			0
1116436(Delco Remy)	2.5 sec delay, internal temp comp, 14.7V, 14.7 remote set, no "L" term drive, 300 ohm I-L, no			0
1116436-(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
1116437(Delco Remy)	released to supersede 1116436 then 1116436 returned to service and 1			0
1116437-(Delco Remy)	Use better 1116436			0
1116437--(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
1116438(DR)	REGULATOR, INT DELCO 12V			1
1116439(DR)	REGULATOR, INT DELCO 12V			1
1116440(Delco Remy)	regulator, CS series, on Toyota's			1
1116440-(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
1116441(DR)	REGULATOR, INT DELCO 12V			1
1116443(Delco Remy)	regulator, CS series,			0
1116445(Delco Remy)	Voltage Regulator, for CS Series, w/ instrument cluster, 10 sec Load response. Light circuit			0
1116445-(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
1116445--(Delco Remy)	19009730 can replace according to DuBois			0
1116445(DR)				5
1116737(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1116751(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116753(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116755(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116761(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116766(Delco Remy)	Regulator/Resistor Package			0
111680(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
1116809(Delco Remy)	Regulator/Resistor Package			0
1116809(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116810(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116816(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116816?? Here ok(DR)	1116816 is labled as a cut out.			0
1116902(Delco Remy)	Relay, Generator Paralleling			0
1117089(Delco Remy)	30DN type 250 alternator, 60 amp, 4 long pole, early design fits in generator brackets. group			0
1117241(Delco Remy)	alternator, Delco-Remy 25SI, 75 amp, 12 volt, type 400			1
1117244-Core(DR)	alternator, Delco-Remy 25SI, 75 amp, 12 volt, type 400-core			2
1117251(Delco Remy)	alternator, 25SI type 400, 75 amp, 12 volt			0
1117880-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117894-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117905-(Delco Remy)	21SI - Replacement-Alternator, 22SI, IR/EF 145 amp 12 volt, 1 wire, Neg Grnd, 5/16"-18 Batt			0
1117906(Delco Remy)	Delco-Remy 21SI 12V 145-160A, 1 wire			0
1117916(Delco Remy)	Delco-Remy 21SI 12V 130A, 1 wire			0
1117925-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117931-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1117942-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117943-(Delco Remy)	21SI - Replacement-Alternator, 22SI, IR/EF 145 amp 12 volt, 1 wire, Neg Grnd, 5/16"-18 Batt			0
1117951-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117953-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117954-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117955-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117956-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1118033(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1118053(Delco Remy)	Solenoid, Early Oval with Keyed Plunger & 5/16"female thread in plunger, 24 v, 4			0
1118082(Delco Remy)	Solenoid, Early Oval with Keyed Plunger & 5/16"female thread in plunger, 24 v, 4			0
1118090(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1118095(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			0
1118113(DR)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1118145(Delco Remy)	Solenoid, early short			1
1118145-(Delco Remy)	Solenoid, early short like 7-940			0
1118145-Sub(Delco Rem	Cut tail of 7-946 to fit			1
1118171(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1118173(Delco Remy)	Solenoid, Early Oval with Keyed Plunger & 5/16"female thread in plunger, 24 v, 4			0
1118174(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1118175(Delco Remy)	Solenoid, Early Oval with Keyed Plunger & 5/16"female thread in plunger, 24 v, 4			0
1118266(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd			1
1118279(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1118282(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1118287(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1118291(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
111830(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
1118306(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd, A circuit			1
1118339(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1118347(Delco Remy)	Voltage Regulator, Generator, 8-12 amp, 3 unit, 3 bolt mount, pos grnd, 24 volt, Use VR-			0
1118381(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
1118383-(Delco Remy)	Aviation Regulator PN matching this item except 12amp is all that is required.			0
1118383(DR)	Regulator 1118383 lower amp than 1118384, equal to 1118383 for Ercoupe model 415-c w/			0
1118384(Delco-Remy)	Regulator, 25 amp	3/14/2008	\$59.64	0
1118736(DR)	Regulator 12 Volt/26-31 Amp, Dual Polarity Three-Unit Type Aviation PN ?			0
1118737(Delco Remy)	VR-DR GEN 24V			1
1118779(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
1118780(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
1118786(Delco Remy)	Voltage Reg, Delco-Remy Generator, 6 v Pos, A circuit, Round Mount, 3 Term			0
1118791(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd			1
1118792(Delco Remy)	volt reg, 12 v, gen mount, 2 unit, pos/neg grn, 3 terminal, can use 13913, and don't hook up			2
1118793(Delco Remy)	Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes w/ VRK-1454			1
1118823(Delco)	Solenoid Switch, 12V, Round base, grnd base.			0
1118957(Delco Remy)	Voltage Regulator, Generator, 8-12 amp, 3 unit, 3 bolt mount, pos grnd, 24 volt, Use VR-			0
1118971(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd			1
1118972(Delco Remy)	volt reg, 12 v, gen mount, 2 unit, pos/neg grn, 3 terminal, can use 13913, and don't hook up			2
1118976(Delco Remy)	Voltage Regulator, 25 amp, Aviation			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1118981(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
1118982(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
1118983(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd, A circuit			1
1118985(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd, A circuit			1
1118988(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
1118991(Delco Remy)	volt reg, 12 v, gen mount, 2 unit, pos/neg grn, 3 terminal, can use 13913, and don't hook up			2
1118997(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
1118999(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
1119000(Delco Remy)	Regulator 12 Volt/26-31 Amp, Dual Polarity Three-Unit Type For: Delco Generators Used			0
1119003(Delco Remy)	Regulator 12 Volt/26-31 Amp, Dual Polarity Three-Unit Type For: Delco Generators Used			0
1119144(Delco Remy)	Voltage Regulator, 15 Amp, Aviation, Beechcraft			0
1119153(Delco Remy)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1119156(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg, 48-52 amp			0
1119165(Delco Remy)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1119168(Delco Remy)	Regulator, Generator, 3 unit, Type A, Pos or Neg Grnd, 32-36amp, mechanical.			0
1119232(Delco Remy)	Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes w/ VRK-1454			1
1119282(Delco Remy)	Voltage Regulator, Generator, 8-12 amp, 3 unit, 3 bolt mount, pos grnd, 24 volt, Use VR-			0
1119305(Delco Remy)	Regulator, Generator, 3 unit, Type A, Pos or Neg Grnd, 32-36amp, mechanical.			0
1119310(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1119515(Delco Remy)	Regulator 12 Volt, B-Circuit, 14.2 Vset, Neg. Grd.			0
1119519(Delco Remy)	Regulator 12 Volt, B-Circuit, 14.2 Vset, Neg. Grd.			0
1119576(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
1119577(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1119605(Delco Remy)	regulator, 12 v, neg ground, generator, NLA by Delco-Remy			0
1119804(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1119809(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			0
1119832(Delco Remy)	sol 40,50 MT 24v truck early oval face			0
1119834(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			0
1119835(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			1
1119840(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			0
1119848(Delco Remy)	sol 40MT 24v truck early round			0
1119851(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/8 cu, motor 1/2-13 x 1			1
1119853(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			1
1119862(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			0
1119879(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			1
1119895(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
11198950(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
11198952(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1119948(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			0
1119968(Delco Remy)	Early 35/2x Solenoid, 3/8" B+, 5/16" motor, pointed plunger.			1
113597(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
113702(DR)	Oil cup, 1/4" socket, metal			8
113739(Delco Remy)	nut 1/4" - 20 x 7/16" hex x 7/32"T			100
114998(Delco Remy)	Oil Cup 5/16"			10
11500760(DR)	nut, hex, M8-1.25 x 13MMOD, bosch & CS-144 bat term			118

OEM PN	OEM Description	Date Of Price	List	Quantity
11505767(Delco Remy)	snap ring, shift lever, 5-8-10-20-25-27MT			195
11506101(Delco Remy)	Nut			0
11516285(Delco Remy)	Bolt, Metric, Bracket Kit			0
11516294(Delco Remy)	Bolt, Metric, Bracket Kit			0
11516350(Delco Remy)	bolt, Hex			0
11516357(Delco Remy)	?? Dual Alternator Kit Part			0
115903(Delco Remy)	Screw, 6-32 x 1/2"			156
1160024(Delco Remy)	solenoid, 24 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on LH, Return term on right,			0
116004(Delco Remy)	nut 1/4" - 20 x 7/16" hex x 7/32"T			100
116430-(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430, 430 has more protection			0
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1198442(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1198442-(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
12011248(Delco Remy)	Long bat bolt part of Side Terminal Adapter package (1846855), with long batt bolt			0
12011249(Delco Remy)	Contact spacer, part of Side Terminal Adapter package (1846855), with long batt bolt			0
120238(Delco Remy)	Hex Nut Dim: 1/2-13 x 3/4 F x 5/16 T Features: Zinc-Yellow Plated			7
120361(Delco Remy)	nut, 10-24 x 3/8"			107
120375(Delco Remy)	nut 1/4" - 20 x 7/16" hex x 7/32"T			100
120614(DR)	NUT 1/4-28 X 7/16, Brass			18
120757(Delco Remy)	Screw, 10-32 x 5/8, Flat Head, Brush Holder, etc			0
121743(DR)	nut for generator post 12-24 7/16 hex 4mm thin			96
122077(Delco Remy)	Bolt, 5/16-18 x 2 1/2"			8
12303399(Delco Remy)	Starter, Ford 4/12"			0

OEM PN	OEM Description	Date Of Price	List	Quantity
12322585(DR)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
12323774(DR)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
12334741(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
12336863(Delco Remy)	Switch, Manual, starter, 2 terminal, 2 bolt, Remote mount (non Starter Mount)			0
12337822(DR)	Hex Nut For: Delco Heavy Duty Alternators, Leece-Neville Alternators Dim: 5/8-18 x 15/16			9
124542(Delco Remy)	Key #2 Woodruff Key - 3/32" x 1/2", FAA/PMA PN may require paperwork.			8
124545(DR)	Woodruff Key, #5 - NLA			13
124546(DR)	#6 WOODRUFF KEY, 5/32" X 5/8"			8
124548(Delco Remy)	Key, Woodruff, 5/32" x .3 x .750 ?#8?			20
1246249(Delco Remy)	Shim, GM, single bolt, Horseshoe with tab			0
12554209(Delco Remy)	Label, Decal, showing Belt run for Dual Alt Kit 6.5L Turbo			0
12555010(Delco Remy)	Belt, Dual Alt Kit 6.5L Turbo			0
12556504(Delco Remy)	Pulley, Dual Alter Kit 6.5L Turbo, Left Side Idler			0
125609(DR)	Oiler cup, 3/16"			0
12563863(DR)	STARTER ASB, PG260L 12V			0
12594490(DR)	Starter PG260D			0
12SI Chrome Kit(Delco				0
132243(Delco Remy)	Screw, 1/4 - 20 x 3/8			0
132255(Delco Remy)	Screw, Hex 1/4"-20 x 5/8" , Solenoid attachment, 10MT			2
132900(Delco Remy)	Screws, Brg retainer, 10-32 Shallow head			93
134551(Delco Remy)(De	nut 1/4" - 20 x 7/16" hex x 7/32"T			100
134566(DR)	Nut, Hex 3/8-16 x 5/8" , 1/4"thin, 10 MT solenoid			9
134566-??(Delco Remy)	Hex Nut, 3/8-16 x 9/16" hex, sol term			3

OEM PN	OEM Description	Date Of Price	List	Quantity
141541(Delco Remy)	Screw, Round Hd, 6-32 x 5/32"			18
141602(Delco Remy)	Screw Dim: 10-32 x 5/8 L Features: Slotted Pan Head Thread Cutting Zinc Plated			1
1494(Delco Remy)	solenoid, 6 volt, Delco-Remy			1
15721539(Delco Remy)	Support, Dual Alt Kit 6.5L Turbo			0
15723(DR)	Oil cup, 1/4" socket, metal			8
15750871(DR)	130A 12 V AD244 Lester 8292			0
15750871-core(DR)	AD244 130a			1
171734(Delco Remy)	Screws, Brush, 10-32x5/8"			9
1838409-?	see history on 11/11/11 DR 1107820? Rebuild as this may not be good industry cross			0
1838410-?	see history on 11/11/11 DR 1107820? Rebuild as this may not be good industry cross			0
1838667(Delco Remy)	Center Plate for International w/ 5/8" shaft			1
1838670(Delco Remy)	Intermediate Plat, 5/8 Straight Shaft			0
1838670-(Delco Remy)				1
1838670--(Delco Remy)	Bushing			9
1839345(Delco Remy)	bushing, drive end, .503 ID x .565 x .780, 10-20-25-27MT			17
1840633(Delco Remy)	screw , hex 6-32 x 1/4", coil lead, solenoid,40-50MT			0
1842072(DR)	Insulating Washer, Fiber, 0.41" / 10.5mm ID, 0.75" / 19mm OD			104
1842859(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1843041(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1
1844504(Delco Remy)	Starter Drive 10-T, CW			1
1845826(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
1846529(DR)	PULLEY, 1GRV PRESTO			0
1846614(Delco Remy)	Armature, 12 volt, CW rotation, rebuilt(Lester number), 25/27MT John Deere & Others			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1846787(DR)	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
1846855(Delco Remy)	Side Terminal Adapter package, with long batt bolt (12011248), & contact spacer (12011249),			0
1846864(Delco Remy)	Screw w/ Insulator For: Delco 10SI, 12SI, 15SI, 17SI, 21SI, 27SI Series Alternators Dim: 8-32 x			8
1846900(Delco Remy)	bat term kit, standard, 10-15SI			4
1847387(Delco Remy)	Lead, Post to Brush, Generators			0
1847807(Delco Remy)	Screw w/ attached washer, thread cutting, 40MT brush plate			15
1848837(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
1850147(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1850447(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1850748(Delco)	Brush Plate, Aviation 2 Brush Gear Driven, PN was: 1101876,1850748,1860380,1873956,			0
1850844(Delco Remy)	Starter Drive 10-T, CW			1
1851153(Delco Remy)	Shield, Chaff & Grass for SRE 10SI Type 116, 136 Series, for Farm Equipment			1
1851178(Delco Remy)	cover, spark arresting, for Delco 10SI/Type 110 Series			1
1851427(Delco Remy)	drive			1
1851430(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1851546-?(DR)	JN shows as Larger OD and a bit thicker under PN461-12011			7
1851604(DR)	Insulator, Thru hole rubber, 40-50MT Ground Stud			29
1851612(Delco Remy)	Screw, 8-32 Triobular			0
1851632(Delco Remy)	insulator, 40, 50MT			19
1851714(Delco Remy)	Kit, Relay Terminal			0
1851960(Delco Remy)	Oring DE to lever housing			20
1851960-Close(DR)	thinner			19
1851961(Delco Remy)	Armature, Delco-Remy 1851961 long shaft, 35 MT, 3 spline, 15 7/8"			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1851970(Delco Remy)	PLUG-DR 30-35MT S-2883, 3/8"			10
1851991(Delco Remy)	Fields			0
1852007(Delco Remy)	Brush Holder For: Delco 10SI, 12SI, 27SI/Type 100, 200 Series IR/EF Alternators Note: Used in			15
1852040(Delco Remy)	Rotor Delco-Remy 27SI Type 200, 12 volt, 80 amp			0
1852043(Delco Remy)	Bracket, for voltage adjustment block. 27SI programmable.			1
1852097(Delco Remy)	Clip - Brush Holder For: Delco 10SI, 15SI, 17SI, 27SI/Type 100, 200 Series IR/EF Alternators			3
1852101(Delco Remy)	SRE frame, 10SI			1
1852410(Delco Remy)	drive, 9 tooth, CW, 3 spline, clutch drive			1
1852604(DR)	Gasket, solenoid cap, 35mt round			1
1852834(DR)	FRAME SRE, DELCO, 10 DN			2
1852860(Delco Remy)	Armature, Marine J1171, When Ordering, check on collar, last recd had one and needed,			0
1852880(Delco Remy)	brush, 20,22,25,27MT, 12 volt, 3/4 x 3/4 x 5/16, 8mmT x 19mmW x 19mmL			12
1852885(Delco Remy)	Brush, Delco-Remy			10
1852888(Delco Remy)	Brush, 24V, R-124H			12
1852890(Delco Remy)	brush, 3/4 x 3/4 x 3/8, 24 volt, 20,22,27MT, centered hole, 4 sided			0
1852890-(Delco Remy)	brush, 20,22,25,27MT, 12 volt, 3/4 x 3/4 x 5/16, 8mmT x 19mmW x 19mmL			12
1852892(Delco Remy)	brushes, 12 volt, r-134, Delco-Remy 1852892			4
1852894(Delco Remy)	solenoid, 42 MT			0
1852894-core(Delco Re	solenoid, 42MT core			1
1852928(Delco Remy)	Negative Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
1852929(Delco Remy)	Positive Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
1852934(Delco Remy)	Frame 10Dn			2
1852934(DR)	SRE HSG-DR 10DN			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1854540(Delco Remy)	drive, 9 tooth, CW rotation			1
1856339(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL			9
1856669(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1
1857032(Delco Remy)	Connector, relay terminal			1
1857150(Delco)	Seal, Aviation Key drive starter			0
1857271(DR)	contact disc, disk only			1
1858603(Delco Remy)	Spacer, Fan, 17mm x 22.23mm x 9.5mmL			17
1858749(Delco Remy)	terminal post, #12-24 x 1 3/16", part of kit S-829-A			14
1858753(Delco Remy)	Insulating Washer, Fiber,Inside Diameter: 0.224in - 5.7mm, Outside Diameter: 0.689in -			46
1859020(Delco Remy)	drive, 9 tooth, CW rotation			1
1859546(Delco Remy)	drive, 9 tooth, CW rotation			1
1860380(Delco)	Brush Plate, Aviation 2 Brush Gear Driven, PN was: 1101876,1850748,1860380,1873956,			0
1861076(Delco Remy)	Insulator			104
1861076(DR)	Insulating Washer, Fiber, 0.41" / 10.5mm ID, 0.75" / 19mm OD			104
1861356(Delco Remy)	drive, 9 tooth, CW rotation			1
1862383(Delco Remy)	Bushing, non prefit, .462 ID x .633 x .740, often reamed to .4965, 20, 22, 25, 27MT			17
1862383-(Delco Remy)	Bushing, non prefit, .462 ID x .633 x .740, often reamed to .4965, 20, 22, 25, 27MT			17
1862383--(Delco Remy)	Bushing, .501ID x .626OD x .725 L			10
1864530(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1865182(Delco Remy)	expansion plug, CE end cap, 11/16"OD			98
1867150(Delco Remy)	OIL SEAL, armature shaft on Aviation unit 1109656			8
1867434(Delco Remy)	Insulator - Brush Plate For: Delco 40MT Series DD Starters Note: Used in 69-101, 69-102			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1867781(Delco Remy)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1867781(DR)	cutout			1
1867897(DR)	armature, starter CW			1
1868714(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1868804(Delco Remy)	Drive, CCW, 10 tooth			0
1869573(Delco Remy)	bracket, mounting, for capacitor			8
1869755(Delco Remy)	bushing, prefit, .629ID x .756OD x .865 Long. 40-50MT			11
1870542(Delco Remy)	Rotor, Delco-Remy 27SI Type 200, 24 volt, 65 amp, for Lester 7197			0
1871380(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1871382(Delco Remy)	Seal, 1.503OD x .906ID x .390T (may be .312T depending on cross data/availability)			1
1871382-(Delco Remy)	Seal, 1.503OD x .906ID x .390T (may be .312T depending on cross data/availability) listed			0
1871566(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1871659(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1871662(Delco Remy)	Armature 30 MT			0
1871693(Delco Remy)	DE Plate, Generator, cast iron			1
1872405(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1872411(Delco Remy)	Thru bolt, 5/16 - 18 x 9 7/8"			0
1872450(Delco Remy)	Armature 30 MT			0
1872505(DR)	ARMATURE, DELCO 6V			0
1872508(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1872618(Delco Remy)	Flat Washer For: Delco Heavy Duty Alternators Replaces: Delco 1872618,			15
1872986(DR)	CONTACT-DR 5-27MT 3/8-16 X 1-3/16 L; Solenoid B+			5
1873054(Delco Remy)	armature, generator, 12 v short Delco-Remy small nut, 6-12 volt, 10"OAL, 1/2" Step Thread,			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1873354(DR)	ARMATURE, DELCO 6V, 10 MT No spline	1/17/2010	\$51.44	0
1873354(DR)	ARMATURE, DELCO 6V, 10 MT No spline	1/17/2010	\$51.44	0
1873789(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1
1873830(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1873956(Delco)	Brush Plate, Aviation 2 Brush Gear Driven, PN was: 1101876,1850748,1860380,1873956,			0
1875627(Delco Remy)	Rectifier, 10SI			3
1875687(Delco Remy)	drive, 5-10MT, 9 tooth, CW rotation			0
1875852(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1876080(Delco Remy)	Wire lead, rect to regulator stud, neg ground.			6
1876163(Delco Remy)	rotor, 10SI, 63 amp			4
1876358(Delco Remy)	Connector, Strap, fields to solenoid			3
1876366(Delco Remy)	Armature, 12 volt, CW rotation, rebuilt(Lester number), 25/27MT John Deere & Others			0
1876367(Delco Remy)	Fields			0
1876367-(Delco Remy)	use ST-370, ST-867 discontinued			1
1876681(Delco Remy)	screw w/o insulator, brushholder8-32 x 1 1/8"			0
1876681part of2(Delco)	screw, 8-32x1 1/16" hex washer head w/ dog point, 10-27 SI VR, Part			103
1876681partof(Delco R)	insulator, screw, VR attachment, 10-27 SI, part of OEM 1876681			190
1876805(Delco Remy)	Stator Seal Lead, 30 SI			0
1876806(Delco Remy)	seal foam, V.Reg terminal, SI except 30SI			85
1876813(Delco Remy)	bearing cover plug, no com end, 25SI			10
1876857(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
1876873(Delco Remy)	brushes, R-106, 15/16"L x 5/16"W x 3/16"T, 27SI types 200,202,205			4
1876873-(Delco Remy)	brushes, R-106S, 10SI brushholder in 27SI			10

OEM PN	OEM Description	Date Of Price	List	Quantity
1877002(DR)	DRIVE-DR 9T CW, Massey Ferg			0
1877007(Delco Remy)	pulley, 10DN, 1oSI, 2 grove, 1/2", 2 13/16"OD .67 bore			1
1877291(DR)	FIELD COIL, 8/10MT 12V			1
1877306(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
1877345(Delco Remy)	drive, 10 tooth, CW			0
1877345-(Delco Remy)				0
1877345-Roller(DR)	roller version			0
1877346(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear			0
1877347(Delco Remy)	drive			1
1877348(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear			0
1877353(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1877355(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
1877356(Delco Remy)	drive, 12 t, CCW, 9/16" shaft,			0
1878077(Delco Remy)	Armature 30 MT			0
1878249(Delco Remy)	brush, Delco-Remy			10
1878503(Delco Remy)	clamp, wire, ground & Switch solenoid terminal, 40-50MT			8
1880225(Delco Remy)	Brush, 3 Brush Generator, .750 x .740 x .250			27
1880635(DR)	Oil cup, 1/4" socket, metal			8
1880641(Delco Remy)	Oiler cup, 3/16"			0
1880641-(Delco Remy)	Oil Plug .193 OD (3/16")			10
1880870(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1881409(Delco Remy)	washer, flat, steel, #12 ID			94
1881625(Delco Remy)	CE frame for early 8-10 MT	5/12/2009	\$30.00	0

OEM PN	OEM Description	Date Of Price	List	Quantity
1881627(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1881636(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1881719(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1881771(Delco Remy)	Washer, Thrust, Drive End			0
1881818(Delco Remy)	armature, Delco-Remy, 6v, CW, Lester 1865			1
1881835(DR)	Brush Spring	10/30/2021	\$4.50	12
1881835sub(DR_NLA)	Brush Spring NLA - sub 156-12014			96
1881838(DelcoRemy)	FAA Brush			20
1881843(DR)	Cover Band, same as auto stock but different PN			0
1881865(Delco Remy)	Terminal 5/16-16x 1 3/8, Copper			11
1881870(DR)	Pole shoe			0
1882323(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1882908(Delco Remy)	fields, 6 volt, CW, Delco-Remy			1
1882908(DR)	FLD COIL-DR 6V			0
1882909(Delco Remy)	fields, 6 volt, CW, Delco-Remy			1
1882910(Delco Remy)	fields, 6 volt, CW, Delco-Remy, Lester 1865			1
1883730(DelcoRemy)	Bushing, Armature in DE frame for 1109656	2/13/2012	\$6.24	2
1883730(DR)	Bushing, Armature in DE frame for 1109656			2
1883864(Delco Remy)	Screw, Pole Shoe, 3/8 - 24 x 7/8" Flat Head			0
1883865(Delco Remy)	Thru Bolts, 5/16"-18x9 9/32"			4
1885029(DR)	field coils, R,H/Upper, FAA starter			0
1885030(DR)	field coils, L/H/ Lower, FAA starter			0
1885035(Delco)	Brass Washer #10			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1885058(DR)	Brush 6Volt			20
1885103(DR)	drive			0
1886098(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
188635(Delco Remy)	metal oiler cup, .257OD x .185L			25
188635Delco Remy(Delc	metal oiler cup, .257OD x .185L			25
1886496(Delco Remy)	Screw, 8-32 x 5/16", for Generator brush plate & oil chamber cover			0
1887021(Delco Remy)	Pole Shoe For: Delco 20MT, 22MT, 25MT, 27MT Series DD Starters Dim: 99mm L x 30mm			4
1887439(DR)	CE Frame, Aviation			0
1889960(Delco Remy)	regulator, 12 volt, neg ground, mechanical, C-600, 1889960			1
1891055(Delco Remy)	Rectifier, 10SI,20SI			3
1891918(Delco Remy)	Fields, 20-25MT 12v, CW, 3 29/32" x 1 3/16" pole shoe			1
1891927(DR)	bushing, CE, 10,20,22,25,27MT			7
1892182(DR)	Drive, 9T, CW, Roller, 25.4 GOD,80.5 LOA,3 spline 12mmID			0
1892201(Delco Remy)	Support - Brush Holder For: Delco 15GR, 22MT*, 27MT* Series Starters Note: *20-27MT			5
1892414(Delco Remy)	intermediate plate, marine, 3 7/8" OD			0
1892765(Delco Remy)	Mounting Bushing, All Large Frame SI Series, 1/2" ID x 7/8"OD x 13/16" L			2
1892786(DR)	CONTACT-DR 5-27MT 3/8-16 X 1-3/16 L; Solenoid B+			5
1892812(Delco Remy)	regulator, 25SI, Neg ground			0
1892824(Delco Remy)	Regulator, Voltage, 25SI, 24volt, neg grnd			1
1892899(Delco Remy)	drive, 9 tooth, CW, 3 spline, clutch drive			1
1893273(Delco Remy)	C.E. Frame, 5MT, SD200 (>>NLA<<) DD Starters Used On: (1981-77) AMC, Buick, Chevrolet,			2
1893277-(Delco Remy)	Fields, 5MT Long HT for 4.67" housing			2
1893277-Retainer(Delc				8

OEM PN	OEM Description	Date Of Price	List	Quantity
1893293(Delco Remy)	brush holder assy, 5MT			16
1893296(Delco Remy)	Brushes, R-116, 5MT			22
1893297(Delco Remy)	screw, #6 hex x 3/4", thrd cut			68
1893303(Delco Remy)	grommet field coil small, use w/ 71-1301			20
1893304(Delco Remy)	grommet, field coil, large, use w/ 71-1300			19
1893332(Delco Remy)	housing, Nose, Delco-Remy, 5MT			0
1893358(Delco Remy)	shift lever, large type, large button, w/ 1 1/2" fork ID			3
1893443(Delco Remy)	Starter Drive10-T, CW, 3-SPL For: Delco 15GR Series OSGR; 20MT, 25MT, 27MT Series DD			0
1893445(Delco Remy)	Starter Drive10-T, CW, 3-SPL For: Delco 15GR Series OSGR; 20MT, 25MT, 27MT Series DD			0
1893560(Delco Remy)	drive 12 tooth, CW, 40MT			1
1893561(Delco Remy)	drive, Positork / ratchet, 12 tooth, Rarer CCW, 5/8" shaft			0
1893562(Delco Remy)	drive, Positork / ratchet, rarer 13 tooth, CW, 5/8" shaft			0
1893675(Delco Remy)	pulley, single grove, 10DN, 3/8" w x 2 5/8" OD x .67			4
1893736(Delco Remy)	drive, 12 t, CCW, 9/16" shaft,			0
1894023(Delco Remy)	bushing			7
1894025(Delco Remy)	bushing for plunger rod on solenoid's 19851,19862,19879,19879-sc,Delco-Remy			0
1894211(Delco Remy)	drive, ratchet, 40MT, 11 tooth, new, CW, 5/8" shaft			1
1894213(Delco Remy)	drive 12 tooth, CW, 40MT			1
1894219(Delco Remy)	drive, Positork / ratchet, 12 tooth, Rarer CCW, 5/8" shaft			0
1894220(Delco Remy)	drive, power tork, 11 tooth, CW, 5/8" shaft			0
1894221(Delco Remy)	drive, 10 tooth, positork, CW rotation, 4.528 long, 5/8" shaft			1
1894468(Delco Remy)				9
1894474(Delco Remy)	stationary field coil, 24V, 20SI			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1894481(Delco Remy)	capacitor, 20SI, 1.5Uf, 10si industrial, 9/32" eye, 2" Lead			1
1894481-(Delco Remy)	Capacitor, .281" hole w/ lead, 10 DN			5
1894481(DR)	capacitor, 20SI w/o brkt. 2" LL, 1.5UF, 9/32" Eye			1
1894483(Delco Remy)	DE frame, 20SI			0
1894489(Delco Remy)	Regulator, 12 volt, Webbed terminals w/ stud			2
1894564(Delco Remy)	brush, R117, 10SI,15SI,21SI type 116 & 136			9
1894586(Delco Remy)	screw, hex, w/ att washer, 8-32 x 31/32", brush holder, cs-144			15
1894635(Delco Remy)	bushing, prefit, .630 x .756 x .85740-50MT, DE			24
1894637(Delco Remy)	bushing, .838 x .955 x 1.25, 40MT lever housing			9
1894638(Delco Remy)	bushing, prefit, .629ID x .756OD x .865 Long. 40-50MT			11
1894642(Delco Remy)	Oring, shift lever, 3/8"OD			46
1894643(Delco Remy)	Oring, shift lever, 1/2" OD			99
19009702(Delco Remy)	regulator CS130D			1
19009703(Delco Remy)	Regulator			0
19009705(Delco Remy)	Regulator, CS-130D 12v, type b, PLFS, 10 sec LRC			3
19009719(Delco Remy)	regulator CS130D, new ASVR version replacing 19009702			1
19009729(Delco Remy)	Regulator			0
19009729-NotCompatabl	see bullitensA later message rebuildernet online says they are compatible but the fault			3
19009730(Delco Remy)	Regulator			0
19009730-(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
19009730-notCompatabl	see bullitens-these are not interchangeableA later message rebuildernet online says they			0
19009733(Delco Remy)	Regulator			0
19009734(Delco Remy)	regulator, new ASVR version of 19009703			0

OEM PN	OEM Description	Date Of Price	List	Quantity
19009749(Delco Remy)	Regulator, CS130D, 1999 Malibu			0
19009751(Delco Remy)	Regulator			0
19009752(Delco Remy)	New ASVR version of 2.5 sec delay, internal temp comp, 14.7V, 14.7 remote set, no "L"			0
19009752-(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
19009755(Delco Remy)	Digital regulator, D675, P-L-F-S Terminals			6
19009763(DR)	Regulator, HD replacement of 19009705 (705)			0
19009763-HDs/s(DR)	s/s 705 to HD			3
19009769(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
19010112-Core(DR)	21SI 100amp, 12V			3
19010615(Delco Remy)	Starter, Marine, Delco-Remy 14MT CCW			0
19010617(Delco Remy)	Starter, Marine, Delco-Remy 14MT CW			0
19011150(Delco Remy)	Alternator, 33 SI Delco-Remy, IR/EF 110 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19011151(Delco Remy)	Alternator, 33 SI Delco-Remy, IR/EF 110 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19011152(Delco Remy)	Alternator, 33 SI Delco-Remy, IR/EF 135 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19011155(Delco Remy)	Alternator, 33 SI Delco-Remy, IR/EF 135 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19011157(Delco Remy)	Alternator, 34 SI Delco-Remy, IR/EF 110 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19011167(Delco Remy)	Alternator, 34 SI Delco-Remy, IR/EF 135 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19020300(Delco Remy)	Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 5/16" Batt term, universal R-term,			0
19020302(Delco Remy)	Alternator, 22SI, IR/EF 145 amp 12 volt, 1 wire, Neg Grnd, 5/16"-18 Batt term, universal R-			0
19020303(Delco Remy)	Alternator, 22SI, IR/EF 145 amp 12 volt, 1 wire, Neg Grnd, 5/16"-18 Batt term, universal R-			0
19020308(Delco Remy)	Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt term, universal R-term,			0
19020309-(Delco Remy)	Alternator, 21SI Equivalent			0
19020608(DR)	ALT-DR 7SI MARINE			0

OEM PN	OEM Description	Date Of Price	List	Quantity
19020615(Delco Remy)	ALTERNATOR, 7SI 12V 70A SAE1171/ISO 8846, 70 amp. 12V, 2 pin DM lead			0
1902105(Delco Remy)	Fields			1
19024518(DR)	drive			0
19024525(DR)	drive 11T 10 spiral			0
1902493(Delco Remy)	nut 1/4" - 20 x 7/16" hex x 7/32"T			100
1902746(Delco Remy)	washer, fiber, 1/4"ld x 3/4" OD x .090 thick			54
1903871(Delco-Remy)	Spring, Brush			0
1904170(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1904370(Delco Remy)	Screws, Brg retainer, 10-32 Shallow head			93
1904419(Delco Remy)	nut, copper coated, 3/8" - 16, 5/8" hex, posts, thinner than standard, part of kit S-866 and			8
1904419(DR)	nut, 3/8" - 16, 5/8" hex, posts, thinner than standard, part of kit S-866 and others			8
1904661(DR)	lockwasher, #12 x 3/8"			96
1904669(Delco Remy)	Insulating Washer 3/8" ID x 9/16"OD .094 Thick			98
1904669(DR)	Insulating Washer, Fiber, 0.37" / 9.4mm ID, 0.56" / 14.2mm OD			98
1904982(Delco Remy)	Post, BH Spring Pivot, Insulated Brush 40 MT			2
1905042(Delco Remy)	armature, 12V version of #221			0
1905406(Delco Remy)	Flat Washer For: Delco Heavy Duty Alternators Replaces: Delco 1872618,			15
19060319(DR)	Regulator CIRCUIT LENGTH MOUNTING 40.4LR 2.62 SECONDPLUG			2
19060345(DR)	Regulator CIRCUIT LENGTH MOUNTING 40.4LR 2.62 SECONDPLUG			2
1906049(Delco Remy)	Motor terminal for solenoid, 40-50MT, silvered, 1/2"-13 x 1 7/8"			2
1906051(Delco Remy)	connector, 50 MT			3
1906616(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
1906901(Delco Remy)	Brush, Delco-Remy Generator, 1.00"L x 1.59W x .308T x 2.188LL			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1906940(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .250T x 1.75LL			8
1906945(Delco Remy)	brush 12 volt 8&10 MT, R60, short side brush, .750 L x .625 W x .250 T, longer taper and			50
1906945-(DR)	Sub/ s/s to			56
1906958(Delco Remy)	brush, 30 & 35MT, 12 v, concave, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			21
1906963(Delco Remy)	brush, 30 & 35MT, 24 volt, concave, rectangular, 3/4 x 3/4 x 3/8", offset screw			0
1906973(Delco Remy)	brush, non insulated, grnd, .873w x .733l x .311th			12
1906976(Delco Remy)	Brush 6Volt	1/18/2010	\$5.25	20
1906976(Delco Remy)	Brush 6Volt	1/18/2010	\$5.25	20
1906984(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .250T x 1.75LL			8
1906986(Delco Remy)	brush, 24-32 volt, R-70 40MT			6
1906987(Delco Remy)	brush, 30 & 35MT, 12 v, concave, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			21
1906987-close(Delco R)	brush, 30 & 35MT, 12 volt, flat, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			12
1906988(Delco Remy)	brush, (Delco R-69), .750 x .750 x .375 x 1.90			30
1906989(Delco Remy)	brushes, 50MT			24
1906990(Delco Remy)	brush, 24-32 volt, 4 sided, 3/4 x 3/4 x 3/8, offset hole, flat com face, 30 & 35MT			12
1907138(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1907328(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1907475(Delco Remy)	Bracket, Brush Holder			4
1907495(Delco Remy)	Washer, Thrust, Drive End			0
1908456(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1908459(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1908545(Delco Remy)	L.H coil Used On: Generators, 12 volts, 1.000in - 25.4mm L x 1.874in - 47.6mm W,			0
1908546(Delco Remy)	R.H half Used On: Generators, 12 volts, 1.000in - 25.4mm L x 1.874in - 47.6mm W,			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1908550(Delco-Remy)	Brush Plate, Aviation 2 Brush Gear Driven, PN was: 1101876,1850748,1860380,1873956,	1/31/2011	\$45.00	0
1908554(Delco Remy)	Band Cover, with Air snout			0
1908556(Delco Remy)	Thru Bolt, Drilled			0
1908581(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1908624(DelcoRemy)	Solenoid Switch, 12V, Round base, grnd base.			0
1908742(Delco Remy)	Armature			0
1908744(DR)	Drive, starter, Aviation			0
1908745(Delco Remy)	Housing, DE			0
1908745-Bushing(Delco Remy)				0
1908829(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64			30
1909118(Delco Remy)	DE Plate, Generator, cast iron			1
1909121(Delco Remy)	gasket, brg retainer			8
1909204(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1909523(Delco Remy)	Insulator - Brush Plate For: Delco 40MT Series DD Starters Note: Used in 69-101, 69-102			1
1909771(Delco Remy)	DRIVE-DR 9T CW			0
1909810(Delco Remy)	Shift lever, Early 30MT non-solenoid			0
1909855(DR)	drive			0
1909885(DR)	drive			0
1909976(DR)	Brush 6Volt			20
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators			3
1910014(Delco Remy)	gasket, Brg Retainer, Deisel Generator, 1106800 Series.			1
1910035(Delco Remy)	Collar/Spacer, Diesel Generator, 1106800 Series			1
1910099(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10

OEM PN	OEM Description	Date Of Price	List	Quantity
1910299-5/16(DR)	not a match			0
1910379(DR)	Seal, clutch shaft on DR aviation starter 1109656			0
1910379(DR-NLA)	Seal, clutch shaft on DR aviation starter 1109656 Reported as NLA			0
1910404(Delco Remy)	DE Plate, Generator, cast iron			1
1910938(Delco Remy)	Armature 30 MT			0
1910966(Delco Remy)	Shock Mount, 3 bolt regulator			1
1910966-(Delco Remy)	another source of shock is Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes			1
1911263(Delco Remy)	bearing retainer, CS-144,CS-130			6
1911263(DR)	BRG RETAIN-DR 10-27SI S-1338 w/ felt seal			2
1911610(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
1911644(Delco Remy)	washer, 50MT			11
1912448(Delco Remy)	Plunger Boot, early short sol 7-940			0
1912448-(Delco Remy)				10
1912766(Delco Remy)	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x 117mmL, 9 t, cw			0
1913080(Delco Remy)	Washer, insulator, 3/16"ID x 3/8" OD x .100" thick, 40MT Brush holder			0
1913080??(Delco Remy)				98
1913100(DR)	Screw, Pole shoe			0
1913560(DR)	Armature, Generator, 6 or 12 v Delco-Remy Long DE shaft(1455)			0
1913598(DR)	Insulating Washer, Fiber, 0.37" / 9.4mm ID, 0.56" / 14.2mm OD			98
1913694(Delco Remy)	post, feild terminal, copper, 3/8"-16 x 11/16 x .175 slot			3
1913958(DR)	Insulating Washer, Fiber, 0.37" / 9.4mm ID, 0.56" / 14.2mm OD			98
1913958--(DR)	Insulating Washer, Fiber, 0.37" / 9.4mm ID, 0.56" / 14.2mm OD			98
1913959(DR)	Insulating Washer, Fiber, 0.41" / 10.5mm ID, 0.75" / 19mm OD			104

OEM PN	OEM Description	Date Of Price	List	Quantity
1914277(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1914341(Delco Remy)	drive, power tork, 12 tooth, CW, 3/4" shaft			1
1914373(Delco Remy)	Oring, shift lever, 3/8"OD			46
1914580(DR)	Screws, Brg retainer, 10-32 Shallow head 7/16"Long			93
1914589(DR)	Washer, flat, bat ground 42MT .5 x .937 x .067			0
1914593(Delco Remy)	Oring			3
1914593-thinner(DR)	.010 larger ID makes thinner oring			33
1914618(Delco Remy)	Pole Shoe, DR 54-1964, 1 3/4" H x 2 1/8" Wd			2
1914644(Delco Remy)	Plate, Brass, BH base, Insulated Brush, 40MT			4
1914647(Delco Remy)	washer, 50MT, 1/2" ID x 7/8"OD x .029" thick			25
1914842(Delco Remy)	thrust/brake washer, industrial/marine 10MT			194
1914869(Delco Remy)	DE housing bolts, 1/4" - 28, hex, 1" long, thread cut, 40MT			66
1914873-(Delco Remy)	Insulator triangles for field coils			200
1915172(Delco Remy)	hex nut, pulley, cs-144, .668"/17mm - 20 hex x 15/16" OD x .310 thic			11
19154(DR)	Oil cup, 1/4" socket, metal			8
1915571(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1915669(Delco Remy)	insulating washer, 1/4"ID with shoulder			100
1915717(Delco Remy)	screw, 10-32 hex x 3/8", terminal clamp, 40-50MT			3
1915740(Delco Remy)	fan & pulley assy, 30 DN			0
1915898(Delco Remy)	Drive, CCW, 10 tooth			0
1916272(Delco Remy)	Oring lever housing to field housing frame/case, 40MT			4
1916272-close(DR)	oring			0
1916324(DelcoRemy)	Brush Spring, Generator			30

OEM PN	OEM Description	Date Of Price	List	Quantity
1916388(Delco Remy)	Bushing			0
1916388?(Delco Remy)	Bushing, intermediate			0
1916439(Delco Remy)	oil wick			10
1916529-(DR)	short sub			6
1916909-(Delco Remy)	Starter, Min Moline Model UBE,UBN, UBU, (last digit is engine code related-common			0
1917084(Delco Remy)	Screw For: Delco 30-35MT, 40MT, 50MT Series Starters Dim: 1/4-20 x 5/16 L Features: - Hex			6
1917836(DR)	insulator, 1/4"ID, for contact disk			100
1917855(DR)	armature, starter CW			1
1918047(Delco Remy)	Seal, Oil, Lever housing, 50MT			3
1918405(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1918866(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1
1919267(Delco Remy)	Armature, 10 MT, 6 Spline, Straight, 2 3/4" OD, .750 Spline, .560 Drive, .495 nose			1
1919576(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1919600(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1920400(Delco Remy)	oil wick			10
1920427(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1920922(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1921288(Delco Remy)	Starter, Marine, Delco-Remy 14MT CCW			0
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators			93
1921369(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded			7
1921805(Delco Remy)	Oring, shift lever, 1/2" OD			99
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"			13
1922266(Delco Remy)	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x 117mmL, 9 t, cw			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1922338(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1
1922457(Delco Remy)	Insulating washer, fiber for bolts			4
1922609(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1922701(DR)	field coil set 30 amp cw 1959 vet			0
1922818(Delco Remy)	Drive, CCW, 10 tooth			0
1923046(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1923194(Delco Remy)	Fields, CCW, Early 6 V- left hand			1
1923195(Delco Remy)	Fields, CCW, Early 6 V = right hand			1
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded			7
1923295(Delco Remy)	Brush, Delco-Remy	7/12/2021	\$4.18	
1923535(Delco Remy)	armature, generator, Delco-Remy 1102096 unit			1
1923625(Delco Remy)	Fields, 12V, CW, 1 3/4" H x 2 1/8"W, 35Amp			0
1923684(Delco Remy)	Fields, 6/12 Volt, CW Early 12 volt, 2 1/8"HT x 1 7/32"W			0
1923684-(Delco Remy)				0
1923687(Delco Remy)	Fields, 6/12 Volt, CW Early 12 volt, 2 1/8"HT x 1 7/32"W			0
1923907(Delco Remy)	bushing drive end, .472ID, 8-10MT			33
1923907-1(Delco Remy)	Bushing, first undersize.			19
1923907split(Delco Re	bushing, drive end, 8-10MT .475 W split			19
1924586(Delco Remy)	Shift Fork			0
1925031(Delco Remy)	Fields, Mooney 50 amp Generator 11019156. 5-7.0 Ohms. 2 pole 2 x 1 13/16"H.			0
1925079(DR)	Prestolite Rubber Cush Barrel drive 10T,CW,15.9MMID x 39.4mmG x 116-			0
1925079-(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1925285(Delco Remy)	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x 117mmL, 9 t, cw			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1925348(Delco Remy)	drive, 9 tooth, CW, 3.876 l x .985 gear OD			1
1925515(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1925871(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1926604(Delco Remy)	Grommet for Motor lead on Early 20/35MT starters with solenoids such as 13850,13510.			0
1926619(Delco Remy)	Motor Lead Connector from Series/Shunt field such as 1975271, now replaced by 1932696,			0
1926622(Delco Remy)	brush spring, Y, 8-10,20, 25MT			86
1926761(Delco Remy)	DE frame from Delco-Remy 1102096			0
1927343(Delco Remy)	Armature, Lester 1726 Unit			0
1927344(DR)	CONTACT-DR 5-27MT 3/8-16 X 1-3/16 L; Solenoid B+			5
1927518(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1927842(Delco Remy)	Armature			0
1927848(Delco Remy)	retaining ring, 7/16"ID,5-10MT,SD210,SD260,PMGR			481
1927849(Delco Remy)	stop collar, 7/16", 5-10MT,SD210,SD260PMGR			44
1927850(Delco Remy)	thrust collar(plain), 7/16" ID, 5-10MT			293
1927853(Delco Remy)	insulator, pole shoe, 8-10MT			201
1928021(Delco Remy)	stop colar, 10MT industrial			7
1928021-smaller OD	the one on heavy duty no good I think.			4
1928022(Delco Remy)	drive retaining ring			105
1928023(Delco Remy)	Thrust Washer			60
1928500(Delco Remy)	Post, BH Spring Pivot, Ground Brush 40 MT			2
1928966(Delco Remy)	comm end plate, 10-20-27MT			0
1929404(Delco Remy)	Armature, 12 v, 10MT, Industrial 6 spline helix CW, 11.812" Shaft, 23 bar, DE=.500, CE=.560,			2
1930277(Delco Remy)	Foot Switch, Starter			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1930496(Delco Remy)	Switch, Starter manual operated, side aux term, curved starter mount, no pivot top			1
1930694(DR)	Brush Grnd Lead to CE frame			16
1931129(Delco Remy)	Pole Shoe, 10 MT w/ Notch			8
1931771(Delco Remy)	Jumper, Brush to Brush, Starters early 40-30 MT style			0
1931783(Delco Remy)	insulator, 35MT motor stud, smaller than 1/2" (?3/8 or 7/16")			8
1931797(Delco Remy)	Armature, 30 MT, Short Shaft			0
1932031(Delco Remy)	drive, 11 tooth, power tork, CW, 3/4" shaft			0
1932103(Delco Remy)	Drive			0
1932105(Delco Remy)	CE Frame, Early 30MT Starters, NLA from Delco, Need stock - Pot metal style, bushing			1
1932131(Delco Remy)	switch, Delco-Remy, mechanical, rocker type			2
1932181(DR)	FIELD COIL, 8/10MT 12V			1
1932182(DR)	FIELD COIL, 8/10MT 12V			1
1932190(Delco Remy)	bushing, .472 x .520 x .5"long, 5,8,10MT			117
1932506(Delco Remy)	Brush, Delco-Remy			
1932545(Delco Remy)	drive, power tork, 12 tooth, CW, 3/4" shaft			1
1932603(Delco Remy)	drive, power tork, 13 tooth, CW, 3/4" shaft			0
1932604(Delco Remy)	drive, power tork, 12 tooth, CCW, 3/4" shaft			0
1932605(Delco Remy)	drive, power tork, 12 tooth, CW, 3/4" shaft			1
1932872(Delco Remy)	Armature, 30MT			0
1932882(Delco Remy)	Intermediate Plate			0
1932886(Delco Remy)	Motor Stud			0
1932886-(Delco Remy)	Motor Stud, 3/8, mechanical switch tapered head			5
1932887(Delco Remy)	Insulator			104

OEM PN	OEM Description	Date Of Price	List	Quantity
1932890(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1932897(DR)	DRIVE, STR DELCO			2
193311(Delco Remy)	gasket, expansion plug			100
193311Delco Remy(Delc	gasket, expansion plug			100
1933404(Delco Remy)	drive, power tork, 11 tooth, CCW, 3/4" shaft			0
1933604(DR)	Stick Drive - see OLE for breakdown			0
1933705(DR)	DRIVE, STR DELCO			2
1933809(Delco Remy)	Switch, Starter manual operated, side aux term, curved starter mount, no pivot top			1
1933960-(DR)	Stick Drive - see OLE for breakdown			0
1933999(Delco Remy)	Bushing, 35 MT Intermediate, I believe was equal to non pre fit like Ace 4484 which gets			9
1933999-(Delco Remy)	Bushing, 35 MT Intermediate, I believe was equal to non pre fit like Ace 4484 which gets			4
1933999-?(DR)	group 71G calls this PN a snap ring			4
1934355(DR)	Intermediate support bushing plate, aviation			0
1934478(Delco Remy)	pole shoes, 35/40MT			8
1934488(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1934779(Delco Remy)	Switch, Starter manual operated, side aux term, curved starter mount, no pivot top			1
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered			10
1935258(Delco Remy)	DE Housing, Early 30 MT on J.D.			1
1935259(Delco Remy)	Armature, 30MT			0
1935316(Delco Remy)	Brush Substitute for Early 30MT			96
1935331-(Delco Remy)	Starter, Min Moline Model UBE,UBN, UBU, (last digit is engine code related-common			0
1935406(Delco Remy)	intermediate plate			0
1935414(Delco Remy)	Drive, JD 720			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1935416(Delco Remy)	Armature			0
1935421(Delco Remy)	DE housing, nose for J.D. starter 1113341			0
1935681(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1935827(DR)	Drive, 9T, CW, Roller, 25.4 GOD, 80.5 LOA, 3 spline 12mmID			0
1935851(Delco Remy)	Armature, 12 v, 8/10MT, Industrial 6 spline, 11.562" Shaft, 27 bar, DE=.469, CE=.560 - With washer, steel, lever housing, 40 MT			0
1936466(Delco Remy)				7
1937117(Delco Remy)	Fields, 40 MT 24V, CW			0
1937121(Delco Remy)	Fields, 40 MT 24V, CW			0
1937310(Delco Remy)	Seal 1.254 x .658 x .263			8
1937718(DR)	OIL SEAL-DR 37MT			5
1938178(Delco Remy)	ARMATURE, 10MT 12V			2
1938376(Delco Remy)	Clip - Shift Lever Pin For: Delco 30MT, 35MT Series Internal			23
1938637(DR)	FAA PN - Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance			0
1938716(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1938743(DR)	bushing, comm end, .564ID, 5-10-15-20-25-27MT			28
1938743-(DR_PMA)	62-1501 is aviation substitute for 1938743, except 1938743 is a match			28
1939093(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1939106(DR)	Armature, 12V, CCW, 6 Spiral Spl.			0
1939109(DR)	DRIVE, STR DELCO REBLT			0
1939857(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1939889-(Delco Remy)	field coil, Lester 9193, 12v, CW, Polshoe 2 7/8" x 2 1/8", motor/generator w/ armature			2
1939890-(Delco Remy)	field coil Lester 9193, 12v, CW, Polshoe 2 7/8" x 2 1/8", motor/generator w/ armature			2
1939904(Delco Remy)	armature, Delco-Remy generator, Lester 242, 14 segment, CCW/CW			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1939907(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1939908(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1939952(Delco Remy)	Fields			1
1939999(DR)	bushing, CE, 10,20,22,25,27MT			4
1940047(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1940134(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1940313(DR)	Armature with tach			0
1940345(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1940385(DR)	C.E. Frame cast iron, 10MT, 20MT*, 25MT*, DD Starters with Step Down Field Case			1
1940454-(DR)	Stick Drive - see OLE for breakdown			0
1940477(Delco Remy)	brushholder, ground, 10,30-35MT			22
194064(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
1941087(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1941111(Delco Remy)	Thru bolt, 10MT, w/ extension, 1/4-20 x 5 7/8"			9
1941113(Delco Remy)	Plunger, 10MT etc, Long			1
1941157(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
1941378(DR)	Solenoid post			5
1941448(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1941519(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1941657(Delco Remy)	drive, 12 t, CCW, 9/16" shaft,			0
1941978(Delco Remy)	lock washer, pulley, cs-144, 11/16" split, 1"OD			146
1942009-(DR)	Stick Drive - see OLE for breakdown			0
1942063-(DR)	Stick Drive - see OLE for breakdown			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1942241(Delco Remy)	Lever Housing 35 MT Internal Indexing			1
1942244(Delco Remy)	Armature, 30MT			0
1942245(Delco Remy)	Shift Lever, 30/35MT			1
1942249(DR)	Stop Collar, 30/35MT, dont use the small dia stop collar			4
1942258(DR)	BUSHING, DELCO			0
1942597(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear			0
1942969(Delco Remy)	sealing washer, battery & motor terminals on solenoid caps, 40-50MT			9
1943222(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1943307(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear			0
1943504(Delco Remy)	field assy, HT 2 3/16 x 1 9/32, CCW, 12 volt, 10MT			0
1943510(Delco Remy)	Fields, 24 v, 30 amp, 1 3/4" ht x 2 1/8 w			0
1943578(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1943580(Delco Remy)	Bushing, Drive End			2
1943628(Delco Remy)	bushing, CE, 40 MT			6
1943680(Delco Remy)	brushes, (R-95), concave surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided			4
1944312(Delco Remy)	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
1944639(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1944836(Delco Remy)	insulator, 40, 50MT			19
1945022(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1945350(Delco Remy)	Field Coils			1
1945356(Delco Remy)	end cap, inspection cover, 35,37,40,41,42,50MT			16
1945409(Delco Remy)	Terminal Plate For: Delco 40MT, 50MT Series DD Starters Note: Used in 66-109, 66-110			2
1945468(Delco Remy)	Connector, solenoid to motor stud, 40 MT			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1945476(Delco Remy)	gasket, DE housing to Lever housing, 50MT			11
1945477(Delco Remy)	71-1105 Gasket - Brush Cover Plate			2
1945484(Delco Remy)	shift lever, 35,40,50 MT			1
1945500(Delco Remy)	armature 24 v, 40 MT			1
1945506(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1945508canuse(Delco R)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1945509(Delco Remy)	bushing, prefit, .630 x .756 x .85740-50MT, DE			24
1945515(Delco Remy)	frame, CE, 40MT			2
1945617(Delco Remy)	Frame, Com End, 35MT, Cast			2
1945620(Delco Remy)	Spring, Brush, 35MT, may work on :22,25 & 27MT			6
1945804(Delco Remy)	shaft, shift lever, 5 & 10MT			1
1945840(Delco Remy)	armature, 24V,CW,Lester 2097, 50MT			1
1945849(Delco Remy)	brush holder 50 MT			0
1945860(Delco Remy)	O-Ring, lever Housing, Delco-Remy 50MT, 4 1/2ID x 4 3/4OD			11
1945963(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1946012(Delco Remy)	Gasket - D.E. Hsg. to Lever Hsg. For: Delco 30MT, 35MT Series Internal Rotatable DD			10
1946072-(DR)	Stick Drive - see OLE for breakdown			0
1946095(Delco Remy)	35,40,50MT D.E. housing, .66" mt holes,			0
1946299(DR)	HOUSING DE, 30/35MT			1
1946394(Delco Remy)	Connector, Solenoid to motor terminal, 35MT			3
1946400(Delco Remy)	brush 12 volt 10 MT, R97, long side brush, .750 L x .625 W x .250 T, quicker taper and longer			2
1946427(Delco Remy)	brush, insulated, .873 x .733l x .311th, (R- 110)Delco-Remy			1
1946434(Delco Remy)	brushes, (R-95), concave surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided			4

OEM PN	OEM Description	Date Of Price	List	Quantity
1946435(Delco Remy)	brush, R-108, 30 DN			4
1946437(Delco Remy)	brush, non insulated, grnd, .873w x .733l x .311th			12
1946445(Delco Remy)	brush, 3/4 x 3/4 x 3/8, 24 volt, 20,22,27MT, centered hole, 4 sided			0
1946484(Delco Remy)	brush, 30 & 35MT, 12 volt, flat, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			12
1946491(Delco Remy)	brush, 7/8 x 13/16 x 3/8, 12 volt, 35MT, 6 sided			12
1946542(Delco Remy)	insulator, 35MT motor stud,3/8"			6
1946594(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1946720(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1946725(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1946745(Delco Remy)	comm end plate, 8MT			0
1946900(Delco Remy)	Insulator			0
1946928(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1947262(Delco Remy)	housing, shift lever, Jag style, 40MT			2
1947353(Delco Remy)	Armature, 10MT, Shaft S-1002			0
1947353-Core(Delco Re	Armature, 10MT, Shaft S-1002			0
1947544(DR)	Armature, 12V, CCW, 6 Spiral Spl.			0
1947620(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1947802(DR)	Armature, Generator, 6 or 12 v Delco-Remy Long DE shaft(1455)			0
1947803(Delco Remy)	Housing, drive end, .41" mount hole 30/35MT, Ductile iron, takes 4480BR bushing			1
1947890(DR)	SPRING, GEN DELCO	2/16/2013	\$11.25	2
1947912(Delco Remy)	Starter Drive 10-T, CW, 3-SPL Single Roller Clutch Type For: Delco 10MT, 20MT, 22MT,			0
1948512(Delco Remy)	71-1105 Gasket - Brush Cover Plate			2
1948515(Delco Remy)	brush holder 40MT 8 brush early type			3

OEM PN	OEM Description	Date Of Price	List	Quantity
1948516(Delco Remy)	plate, brush stand, starter, 40MT?			1
1948519(Delco Remy)	washer, plunger, 50MT, 30-37MT, .843 ID x 1.4 OD (13/16 x 1 13/32)			13
1948520(Delco Remy)	retainer,spring plunger, Delco-Remy,37,42,50MT & others			13
1948521(Delco Remy)	spring, 35/50MT			6
1948522(Delco Remy)	plunger, 40MT			0
1948526(Delco Remy)	retainer, Plunger spring, 35/50MT			4
1948529(Delco Remy)	shaft/pin, for shift lever			2
1948531(Delco Remy)	drive, ratchet, 40MT, 11 tooth, REBUILT, CW			1
1948536(Delco Remy)	84-1421 Screw Dim: 5/16-18 x 1-1/2 L Features: Socket Head, 1/4 Drive Chamfered			10
1948537(Delco Remy)	Screw Dim: 5/16-18 x 7/8 L Features: - Socket head, 1/4 drive - Chamfered point - Black oxide			8
1948659(Delco Remy)	Terminal Plate For: Delco 40MT, 50MT Series DD Starters Note: Used in 66-109, 66-110			2
1948688(DR)	PIN-DR 30-35MT LVR to Plunger			1
1948746(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1948791(Delco Remy)	ball & roller bearing grease, by the tube			0
1948894(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1948993(Delco Remy)	Housing, drive end, .41" mount hole 30/35MT, Ductile iron, takes 4480BR bushing			1
1949109(Delco Remy)	field coil, 12/24v 40MT			1
1949184(DR)	Superseded From: J&N 121-12000, 500-12098			0
1949186(DR)	NLA motor stud			5
1949187(DR)	Superseded From: J&N 121-12000, 500-12098			0
1949190(Delco Remy)	armature, 35MT, John Deere Applications			0
1949243(Delco Remy)	Armature, 10MT HT Version of 1867. No Split collar, .560 CE, .500 DE, 23 Bar, 11.812LOA, 6			0
1949248(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4

OEM PN	OEM Description	Date Of Price	List	Quantity
1949327(Delco Remy)	Grommet, rectangular, field coil thru housing, 10 MT			68
1949355(Delco Remy)	Pulley 3/8" belt x 2 5/8 OD 70-100amp, FORD & Delco			4
1949356(Delco Remy)	pulley, single grove, 10DN, 3/8" w x 2 5/8" OD x .67			4
1949357(Delco Remy)	pulley, single grove, 10DN, 3/8" w x 2 5/8" OD x .67			4
1949358(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1949406(Delco Remy)	Housing, drive end, .41" mount hole 30/35MT, Ductile iron, takes 4480BR bushing			1
1949497(DR)	C.E. Frame cast iron, 10MT, 20MT*, 25MT*, DD Starters with Step Down Field Case			1
1949606(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1949619(Delco Remy)	plug, DE Mounting Hole, 40-50MT			2
1950001(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear			0
1950029(Delco Remy)	insulating washer, fiber, 3/8ID x 7/8" OD x 3/32 T, 35MT stud			32
1950057(Delco Remy)	drive, 9Tooth CW, 3.78 L x 1.435, 9/16" shaft gear-mini tork			0
1950111(Delco Remy)	gasket, Solenoid cover, 35-50MT, round face solenoids			3
1950307(Delco Remy)	Industrial 8MT armature			0
1950307-(Delco Remy)	Armature, 10MT, Shaft S-1002			0
1950546(Delco Remy)	Brushholder, 8-30 MT, Hi-impact plastic, tapped 8x32			9
1951069(Delco Remy)	housing, shift lever, no Jag style, 40MT			0
1951073(Delco Remy)	frame, CE, 40MT			2
1951180(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1951254(Delco Remy)	Armature, 50MT 24V Long shaft, 15 7/8"			0
1951491(Delco Remy)	Fields, 12V, CW, 1 3/4" H x 2 1/8"W, 35Amp			0
1951567(Delco Remy)	Shift Fork, narrow, 10MT			11
1951658(Delco Remy)	Shift lever, 8MT-----looks to be discontinued!!!!!!			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1951788(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear			0
1951837(Delco Remy)	35,40,50MT D.E. housing, .66" mt holes,			0
1951875(Delco Remy)	35,40,50MT D.E. housing, .66" mt holes,			0
1952410(Delco Remy)	drive, 9 tooth, CW, 3 spline, clutch drive			1
1952427(Delco Remy)	gasket, solenoid mount, 5-10 MT			19
1952524(Delco Remy)	Switch, Starter manual operated, side aux term, curved starter mount, no pivot top			1
1952524-(Delco Remy)	switch, Delco-Remy, mechanical			2
1952535(DR)	FIELD COIL, 8/10MT 12V			1
1952603(DR)	C.E. Frame cast iron, 10MT, 20MT*, 25MT*, DD Starters with Step Down Field Case			1
1952795-(DR)	Stick Drive - see OLE for breakdown			0
1952832(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1952882(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1953041(Delco Remy)	Plunger, 10MT etc, Long			1
1953071(Delco Remy)	pulley, 2 grove 1/2", 3 1/8" OD, 7/8" bore, w/ key			1
1953115-(DR)	Stick Drive - see OLE for breakdown			0
1953236(Delco Remy)	Ground Strap, 40MT			0
1953237(Delco Remy)	thrust washer, 50MT, CE			7
1953244(Delco Remy)	battery post, silvered, 1/2" -13 x 2 1/4"			2
1953880(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1953882(Delco Remy)	DE Frame JD 3020 & more 53-64 generators			1
1954211(Delco Remy)	insulator, 1/4"ID, for contact disk			100
1954479(Delco Remy)	Armature			0
1954785(Delco Remy)	diode, 30 DN, Neg, replacement 1954789			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1954789(Delco Remy)	diode, 30 DN, Neg			1
1954842(DR)	Drive, 9T, CW, Roller, 25.4 GOD, 80.5 LOA, 3 spline 12mmID			0
1954861(Delco Remy)	contact disk, 12, 24, 32 volt, on solenoids 19851, 19862, 19879, 19879-sc, Delco-Remy PN			0
1954976(Delco Remy)	switch, Delco-Remy, mechanical, 6-12 V, single terminal, Insulated base.			2
1955270(Delco Remy)	Fields, Motor - generator, 12 V, CCW 2 7/8" HT x 2 1/8"W			0
1955271(Delco Remy)	Fields, Motor - generator, 12 V, CCW 2 7/8" HT x 2 1/8"W			0
1955303(Delco Remy)	oil felt for bushing			100
1955597(Delco Remy)	Fields			1
1955805(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1955937(Delco Remy)	Armature, 12 v, 8/10MT, Industrial 6 spline, 11.562" Shaft, 27 bar, DE=.469, CE=.560			2
1955946(Delco Remy)	grommet, round short, 15MT/GR, 20-27MT, FC-FH			14
1955951(Delco Remy)	Fields, 20-25MT 12v, CW, 3 29/32" x 1 3/16" pole shoe			1
1955959(Delco Remy)	drive, 9Tooth CW, 3.78 L x 1.435, 9/16" shaft gear-mini tork			0
1955989(Delco Remy)	insulator, 50MT			1
1955994(DR)	Oilite Location Used: CE & DE Housings			6
1956135(Delco Remy)	cap, brushholder, 30DN			0
1956139(Delco Remy)	insulating bushing, 30 DN			8
1956171(Delco Remy)	gasket, 30 DN			1
1956210(Delco Remy)	Drive, 9 tooth, CW, Barrel Drive, 3.655 LOA, 1.145 Gear OD, .615 ID bushing			0
1956226(Delco Remy)	contact disc assembly			2
1956231(Delco Remy)	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x 117mmL, 9 t, cw			0
1956384(Delco Remy)	Fields, 20-25MT 12v, CW, 3 29/32" x 1 3/16" pole shoe			1
1956903(Delco Remy)	Armature, 30 MT L/H			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1956939(Delco Remy)	intermediate plate, marine, 3 7/8" OD			0
1956975(Delco Remy)	Thru bolt, 10-24 x 2 1/8", hex, washer head, 10-17SI, also ford 55A			101
1957017(Delco Remy)	Bushing, intermediate plate, Plate 53-111, .7560 ID x .8165OD x .375 L			0
1957069(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1957073(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1957846(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1958197-(Delco Remy)	wai has same as 1964685			2
1958229(DR)	Stator			1
1958509(Delco Remy)	grease slinger, seal DE, 25 SI			4
1958565(Delco Remy)	Rotor, 10SI, 42 amp			2
1958598(Delco Remy)	Armature, L.H. Thread Corvair unit 1102336			1
1958621(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1958621-(DR)	original spring substitute- special low clearance design			0
1958679(Delco Remy)	Spring, Plunger, 5-10, 20 etc MT			3
1958731(Delco Remy)	Starter Drive 10-T, CW, 3-SPL Single Roller Clutch Type For: Delco 10MT, 20MT, 22MT,			0
1959381(DR)	Stator			1
1959389(DR)	INSUL-DR 10DN 25SI			51
1959455(Delco Remy)	Capacitor, .5UF, 1/4" hole w/ 1 3/4"lead, 10 DN, 10SI, 27SI,29SI. Can use 46-1107 for better			5
1959458(Delco Remy)	Armature, 35MT 6 sline, L/H			0
1959514(Delco Remy)	Screw, 8-32-3/4, for thick brush			13
1959523(Delco Remy)	insulating washer,10 DN			114
1959531(DR)	Stator			1
1959827(DR)	FRAME SRE, DELCO, 10 DN			2

OEM PN	OEM Description	Date Of Price	List	Quantity
1959828(Delco Remy)	Rectifier 10DN			3
1959829(Delco Remy)	Positive Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
1959830(Delco Remy)	Negative Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
1960370-(DR)	Stick Drive - see OLE for breakdown			0
1960536(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1960750(DR)	RETAINER, CAPACITOR 10DN			20
1960853(Delco Remy)	fields, Delco-Remy, 12 v, CW			0
1960866(Delco Remy)	Armature, 12 volt, CW rotation, rebuilt(Lester number), 25/27MT John Deere & Others			0
19608864(Delco Remy)	ground lead, 8-10MT			14
1960954(GM)	Gear And Shaft lube for Starters			0
1961320(Delco Remy)	armature, 40 MT,12 volt			1
1961408(Delco Remy)	Pulley, 2 V 3/8" belt, 2 5/8" OD, Ford			0
1961531(DR)	Stator			1
1961703(Delco Remy)	armature, 25MT, Reverse, 6 spline			0
1961867(Delco Remy)	bearing retainer, Delco 20SI, 27SI/Type 200, 29SI Series IR/EF Alternators			1
1962025(DR)	Stator			1
1962276(Delco Remy)	Lock Washer, #10, internal Plate type for centerplate screw			89
1962407(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1962412(Delco Remy)	DE Frame, Starter Generator, Bearing Style.			0
1962546(Delco Remy)	Bolt, 5/16-18 x 2 1/2"			8
1962559(Delco Remy)	should be 1962599			0
1962567(Delco Remy)	pulley, 2 grove 1/2", 3 1/8" OD, 7/8" bore, w/ key			1
1962599(Delco Remy)	D.E. Housing Cast Iron, Wet Clutch For: Delco 10MT, 20MT, 22MT, 27MT, SD300 Series DD			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1962601(Delco Remy)	gasket, solenoid DE Housing, 10,20-22-25-27MT			1
1962602(Delco Remy)	C.S. Frame For: Delco 10MT, 20MT, 22MT, 25MT, 27MT, SD300 Series, Wet Clutch DD			3
1962603(Delco Remy)	gasket, SRE or DE ? plate			19
1962604(Delco Remy)	intermediate Plate			1
1962606-(Delco Remy)	Bushing, .756 x 1.254 x .400 long, Delco-Remy center plate			10
1962606--(Delco Remy)	Bushing, .752 x 1.255 x .395 long, Delco-Remy center plate			10
1962934(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1962998(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1963139(Delco Remy)	Spacer, Fan, 17mm x 22.23mm x 9.5mmL			17
1963470(Delco Remy)	Drive, 9 tooth, CW, Barrel Drive, 3.655 LOA, 1.145 Gear OD, .615 ID bushing			0
1963643(DR)	DRIVE, STR PRESTO			1
1963808(DR)	DRIVE-DR 9T CW, Massey Ferg			0
1964244(Delco Remy)	Fields, Motor - generator, 12 V, CCW 2 7/8" HT x 2 1/8"W			0
1964294(Delco Remy)	screw, pole shoe			40
1964351(DR)	FRAME SRE, DELCO, 10 DN			2
1964354(Delco Remy)	Negative Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
1964410(Delco Remy)	Thrust washer			6
1964516(Delco Remy)	insulator, 50MT			2
1964682(Delco Remy)	Brush Holder			2
1964685(Delco Remy)	brush, r-99, 10 DN, field			2
1964688(Delco Remy)	brush, R-100, 10 DN			20
1964702(DR)	Stator			1
1964716(Delco Remy)	use R-31			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1964716-(Delco Remy)	Brush, 3 Brush Generator, .750 x .740 x .250			27
1964758(Delco Remy)	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
1964857(Delco Remy)	O-Ring or square ring, Lever housing, 37,40,41,42,50MT			96
1965093(Delco Remy)	Insulator, BH Mount			2
1965104(Delco Remy)	Screw, Large fold over retainer head 10-24X1/2			95
1965279(JN)	FRAME SRE, DELCO, 10 DN			2
1965358(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1965472(Delco Remy)	insulator, 50MT			3
1965723(DR)	Drive, 9T, CW, Roller, 25.4 GOD, 80.5 LOA, 3 spline 12mmID			0
1965724(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
1965730(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
1965923(DR)	Drive, 9T, CW, Roller, 25.4 GOD, 80.5 LOA, 3 spline 12mmID			0
1966263(Delco Remy)	Gasket - C.E. Frame to Field Case For: Delco 30MT, 35MT Series Internal			6
1966265(Delco Remy)	Frame, Com End, 35MT, Cast			2
1966391(Delco Remy)	grommet, round long, 8-10MT			45
1966923(Delco Remy)	pin, brushholder, 10 MT			8
1966963(Delco Remy)	gasket, 30 DN			1
1967042(Delco Remy)	armature, 35MT			0
1967044(Delco Remy)	Armature, 35MT, 13 1/4" w/ setscrew & keyway			0
1967045(Delco Remy)	Armature 12 Volt, CW Rotation (Ref. No. 2080) For: Delco 35MT Series Internal Rotatable DD			0
1967046(Delco Remy)	Armature, 35MT Straight spline			1
1967224(Delco Remy)	Frame, Com End, 35MT, Cast			2
1967607-Make?(Delco R				5

OEM PN	OEM Description	Date Of Price	List	Quantity
1967779(Delco Remy)	drive, ratchet, 40MT, 11 tooth, new, CW, 5/8" shaft			1
1967907(Delco Remy)	CE Frame			0
1967952(Delco Remy)	drive, 10 tooth, positork, CW rotation, 4.528 long, 5/8" shaft			1
1968396(Delco Remy)	screw, pole shoe			40
1968457(DR)	Lever housing, internally rot 35MT			1
1968656(Delco Remy)	Screw Dim: 10-32 x 5/8 L Features: Slotted Pan Head Thread Cutting Zinc Plated			1
1968775(Delco Remy)	field assy, HT 2 3/16 x 1 9/32, CCW, 12 volt, 10MT			0
1968780(Delco Remy)	12 point cap screw package, each contains 3 of 2 1/2" x 5/8 - 11 and 3 of length 1 3/4" for			0
19688355(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
1968884(Delco Remy)	gasket, bearing retainer, 25SI			10
1968891(Delco Remy)	grease slinger, seal DE, 25 SI			1
1968930(Delco Remy)	insulator, rectifier, 25SI			2
1968945(Delco Remy)	Screw, Hardened, 10 - 24 x 13/16 hex w/ thread lock compound			10
1968990(Delco Remy)	Mounting Bushing, All Large Frame SI Series, 1/2" ID x 7/8"OD x 13/16" L			2
1968991(Delco Remy)	thru bolt, 10-24 x 3 5/8", w/ nylon lock thread (HEAT HOUSING TO GET OUT W/O BREAKING)			10
1968996(Delco Remy)	grommet, lead support, 5 slot square, 25SI			11
1969002(Delco Remy)	Post bolt, output terminal, Red, Neg ground			1
1969046(Delco Remy)	spacer, 27SI, ?20SI			6
1969053(Delco Remy)	bat term bolt, S.A.E., w/ insulator, 10-15SI			97
1969110(Delco Remy)	Regulator, Voltage, 25SI, 24volt, neg grnd			1
1969323ifmodified (Del	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1969329(DR)	FRAME SRE, DELCO, 10 DN			2
1969481(Delco Remy)	fan, 25,27,29,30,40SI			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1970145.(Delco Remy)				103
1970227(Delco Remy)	cap, relay terminal, 25SI			8
1970384(Delco Remy)	Spacer, rotor to frame, 27SI, 33.5mmOD x 14.5mm L			0
1970395(Delco Remy)	gasket, rectifier cover back			9
1970454(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1970455(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1970455canuse(Delco R)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1970544(Delco Remy)	drive, 10 tooth CCW, 3.75L, 1.255 gear, 6 spline, spiral, spragg, .5625 bushing ID, better			0
1970548(Delco Remy)	armature, Lester 2280			1
1970589(DR)	Spacer, USED BETWEEN THE FAN & D.E. BEARING ON DELCO 10SI ,10DN ALTERNATORS			3
1970593(Delco Remy)	fan, 20SI			0
1970594(Delco Remy)	drive, 10 tooth CCW, 3.75L, 1.255 gear, 6 spline, spiral, spragg, .5625 bushing ID, better			0
1970711(Delco Remy)	drive 12 tooth, CW, 40MT			1
1970803(Delco Remy)	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
1970988(Delco Remy)	gasket, shift lever bolt, 10,20-27MT			100
1971025(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1971106(Delco Remy)	screw w/ washer & seal, 10-32 hex x 5/8", 40-50MT			63
1971147(Delco Remy)	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x 117mmL, 9 t, cw			0
1971411(Delco Remy)	Capacitor, .5UF, 1/4" hole w/ 1 3/4"lead, 10 DN, 10SI, 27SI,29SI. Can use 46-1107 for better			5
1971465(Delco Remy)	Stator, 24 volt, 50 amp, 25 SI			1
1971523(Delco Remy)	brush, 10SI alt, R-103			40
1971528(Delco Remy)	diode trio, 10-17 SI			12
1971568(Delco Remy)	Armature, 12 v, 10MT, Industrial 6 spline helix CW, 11.812" Shaft, 23 bar, DE=.500, CE=.560,			2

OEM PN	OEM Description	Date Of Price	List	Quantity
1971639(Delco Remy)	Stator 72 Amp/12 Volt For: Delco 10SI Series 37-63 Amp; 10SI/Type 116, 136 Series 72 Amp			0
1971639-(Delco Remy)	Stator 42 Amp/12 Volt For: Delco 10SI Series 37-63 Amp; 10SI/Type 116, 136 Series 72 Amp			4
1971707(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
1971986(Delco Remy)	Stator 72 Amp/12 Volt For: Delco 10SI Series 37-63 Amp; 10SI/Type 116, 136 Series 72 Amp			4
1971993(Delco Remy)	Retainer, Brg			1
1971993(DR)	BRG RETAIN-DR 10-27SI S-1338 w/ felt seal			2
1972119(Delco Remy)	Switch, Mechanical, foot operated, 2 terminal, push post button, Like on Small engine			0
1972157(Delco Remy)	Voltage Regulator, can use 12961, B type, 3 Unit 27-31amp 12 V, P or N			0
1972691(Delco Remy)	Screw, Hex 1/4"-20 x 5/8" , Solenoid attachment, 10MT			2
1972776(Delco Remy)	Screw Dim: 10-32 x 5/8 L Features: Slotted Pan Head Thread Cutting Zinc Plated			1
1972977(Delco Remy)	Oil Wick, CE, 1/2" OD x 1 15/16" long			3
1973350(Delco Remy)	Spacer, Fan, 17mm x 22.23mm x 9.5mmL			17
1974157(Delco Remy)	comm end plate, 10-20-27MT			0
1974183(Delco Remy)	field, 12 volt, CW rotation, low torque, 10MT			0
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"			1
1974396(Delco Remy)	drive, 8MT ? corvaire?			0
1974778(Delco Remy)	Field Coils, CW, 12 V, 40MT			1
1974786(Delco Remy)	Armature			0
1974862(Delco Remy)	bearing, needle, .670 x .937 x .683 10SI type 116 & 136			10
1974920(Delco Remy)	fields fields			0
1974924(Delco Remy)	field, 12 volt, CW rotation, low torque, 10MT			0
1974929(Delco Remy)	fields, CW, 24 volt, Delco-Remy, 40MT			0
1975046(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1975112(Delco Remy)	drive, power tork, 11 tooth, CW, 5/8" shaft			0
1975127(DR)	INSUL-DR 20- 25MT CE frame			10
1975249*(Delco Remy)	Fields			1
1975313(Delco Remy)	Rectifier Assy, 15SI Neg Grnd, Regular fine fins, 25 amp diodes, 70-85 amp Units			2
1975322(Delco Remy)	needle bearing,15SI			7
1975325(Delco Remy)	spring, brush, CS-130, see 1989659			0
1975325-(Delco Remy)				492
1975326(Delco Remy)	Thru Bolt w/ Extension Dim:			3
1975328(Delco Remy)	diode trio, 10-17 SI			12
1975333(Delco Remy)	Rotor 108 Amp/12 Volt			0
1975349(DR)	FAN, ALT 15SI 17SI CS144			1
1975350(Delco Remy)	Spacer, Fan, 17mm x 22.23mm x 9.5mmL			17
1975471(Delco Remy)	bat term kit, metric, 10-27SI,CS-144			0
1975471-(Delco Remy)				10
1975471-subpart(Delco Remy)	insulator, bat term, metric, 10-27SI,CS-144,			45
1975471-subpart1(Delco Remy)	hex nut w/ attached conical washer, 12-24 7/16"OD x .210, sub part			13
1975471-subpart2(Delco Remy)	battery terminal, part of kit oem 1975471,CS-130,external metric m6-			10
1975680(DR)	pulley 1V, .669 x 2.5"x.395(10MM)			4
1975736(Delco Remy)	Screw, Large fold over retainer head 10-24X1/2			95
1976128(Delco Remy)	C.S. Frame For: Delco 10MT, 20MT, 22MT, 25MT, 27MT, SD300 Series, Wet Clutch DD			3
1976474(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1976482(Delco Remy)	Screen, DE frame, marine, 10SI			2
1976832(Delco Remy)	insulator, pole shoe, 8-10MT			201

OEM PN	OEM Description	Date Of Price	List	Quantity
1976861(Delco Remy)	brushes, (R-95), flat surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided, used for			0
1976861-(Delco Remy)	brushes, (R-95), flat surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided, used for			0
1976861--(Delco Remy)	brushes, (R-95), concave surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided			4
1976882(Delco Remy)	Intermediate Plate			1
1976884(Delco Remy)	drive, ratchet, 40MT, 11 tooth, new, CW, 5/8" shaft			1
1977002(DR)	DRIVE-DR 9T CW, Massey Ferg			0
1977004(Delco Remy)	drive 11 tooth, CCW, positork / ratchet, 40MT			0
1977005(Delco Remy)	drive 12 tooth, CW, 40MT			1
1977006(Delco Remy)	drive, Positork / ratchet, rarer 13 tooth, CW, 5/8" shaft			0
1977011(Delco Remy)	drive, Positork / ratchet, 12 tooth, Rarer CCW, 5/8" shaft			0
1977064(Delco Remy)	Diode TRio, 27SI Type 200			0
1977357(Delco Remy)	brush spring, 10DN, 10SI, 12SI, 27SI			292
1977674(Delco Remy)	bearing retainer, CS-144,CS-130			6
1978026(DR)	FAN, ALT 15SI 17SI CS144			1
1978057(Delco Remy)	Fan w/ depressed center hub			2
1978059(Delco Remy)	Spacer 16.5 wide DE to Fan, used with 1978057 for 1100204			0
1978064(Delco Remy)	spacer-pulley 1"ODx3/8"long,CS-130			15
1978065(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4
1978067(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4
1978123(Delco Remy)	Fields, 27MT, 12volt, 1.1 1.3mil ohm, clockwise			2
1978137(Delco Remy)	C.E. Frame For: Delco 22MT*, 27MT* Series DD; 15GR Series OSGR Starters			2
1978146(Delco Remy)	Capacitor, 15SI type 200, 12SI-27SI, 1.5Micro Farad			3
1978146-(Delco Remy)	similar			5

OEM PN	OEM Description	Date Of Price	List	Quantity
1978281(Delco Remy)	Spring, Plunger, 5-10, 20 etc MT			3
1978292(Delco Remy)	Frame, CE, Str			1
1978297(Delco Remy)	plunger, short, 5-8-10-15-20-22-27MT, used w/ sol 66-100			2
1978754(Delco Remy)	oil wick, DE housing			2
1978756(Delco Remy)	plug, oil			6
1978873(Delco Remy)	Rotor, Delco-Remy 27SI Type 200, 24 volt, 65 amp, for Lester 7197			0
1979011(DR)	DE Frame,5.67" / 143.9mm Stator OD, 15SI			0
1979189(Delco Remy)	decal for OCP kit			0
1979364(Delco Remy)	solenoid cover plate repair kit, for solenoid 1115556			2
1979367(Delco Remy)	terminal plate, 50MT			2
1979368(Delco Remy)	insulator, 50 MT			1
1979369(Delco Remy)	Insulator - Terminal Plate For: Delco 40MT, 50MT Series DD Starters Note: Used in 66-106,			1
1979379(Delco Remy)	connector, 50 MT			3
1979385(Delco Remy)	screw, 10-32 hex x 1/2" solenoid caps			0
1979391(Delco Remy)	Brush Springs			19
1979413(Delco Remy)	solenoid kit			0
1979434(Delco Remy)	housing, shift lever, Jag style, 40MT			2
1979443(Delco Remy)	Discontinued by Delco 1997 - D.E. Housing Aluminum For: Delco 27MT Series DD Starters			0
1979451(Delco Remy)	nut, 50MT			10
1979498(Delco Remy)	solenoid kit			0
1979534(Delco Remy)	housing, shift lever, no Jag style, 40MT			0
1979600(Delco Remy)	lead wire, CE term to Sol, Sol to CE Ground stud.			7
1979635(Delco Remy)	hex nut w/ att washer, 10-32 x 3/8", Delco-Remy 40MT solenoid			10

OEM PN	OEM Description	Date Of Price	List	Quantity
1979721(Delco Remy)	Rectifier Assy, 15SI Neg Grnd, Regulator fine fins, 50 amp diodes, 70-105 amp units.			2
1979721-(Delco Remy)	can upgrade from 25 to 50 amp			2
1979773(DR)	SRE Frame 15SI			0
1979776-(Delco Remy)	terminal strap, 50MT, 1979776 is this plus motor term			2
1979776--(Delco Remy)	motor terminal, 50MT, 1979776 is this plus terminal strap			2
1979835(Delco Remy)	drive, power tork, 12 tooth, CW, 5/8" shaft			0
1979836(Delco Remy)	drive, power tork, 11 tooth, CW, 5/8" shaft			0
1979861-Core(Delco Re	10SI Series Alternator for Delco 63 Amp, 12 Volt, CW Rotation			1
1979917(Delco Remy)	shaft/pin, for shift lever			2
1979995(Delco Remy)	Thru Bolt, 1/4-20 x 5 1/2", 3/8Hex head			4
1979996(Delco Remy)	C.E. Frame For: Delco 22MT*, 27MT* Series DD; 15GR Series OSGR Starters			2
1984000(Delco Remy)	screw, 10-32 hex x 1/2" solenoid caps			30
1984430(Delco Remy)	fan, 12SI			0
1984445(Delco Remy)	27-103 Stator 78 Amp/12 Volt For: Delco 12SI Series 56-78 Amp IR/EF Alternators			0
1984454(Delco Remy)	rectifier, 12SI 56-78 A, 25A/200Volt diodes			2
1984459(Delco Remy)	diode trio, 10-17 SI			12
1984460(Delco Remy)	Frame, 12 SI, DE			1
1984462(Delco Remy)	brush holder, CS-121,130			2
1984464(Delco Remy)	Frame, DE			2
1984466(Delco Remy)	rotor, 12SI, 94amp,lester 7294			1
1984476(Delco Remy)	Spacer, 1" OD x 9/32" (.281 + or-.010?), 12 SI, 17SI and other OEM's, not CS-144 1985999			16
1984501(Delco Remy)	shift lever, small type, small button, 1 7/16" fork			2
1984511(Delco Remy)	drive, short, 2.71" lg, 9 tooth, 3 spline, 5MT			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1984527(Delco Remy)	grommet, field coil terminal, one pc, 5 MT			18
1984530(Delco Remy)	bushing, .474ID x .598OD x .500 lg, DE 5MT			20
1984563(DR)	CONTACT-DR 5-27MT 3/8-16 X 1-3/16 L; Solenoid B+			5
1984584(Delco Remy)	27-103 Stator 78 Amp/12 Volt For: Delco 12SI Series 56-78 Amp IR/EF Alternators			0
1984702(DR)	Stator			1
1984705(Delco Remy)	insulator, bat & motor terminal			2
1984826(Delco Remy)	resistor, w/ third plug in term, 17SI 200 Ohm			1
1984974(Delco Remy)	brush holder 50Mt late 6 brush			0
1985129(Delco Remy)	drive, 11 tooth, power tork, CW, 3/4" shaft			0
1985131(Delco Remy)	drive, power tork, 13 tooth, CW, 3/4" shaft			0
1985132(Delco Remy)	drive, power tork, 11 tooth, CCW, 3/4" shaft			0
1985138(Delco Remy)	Armature Delco-Remy SD210			1
1985150(Delco Remy)	use 10467601 for SD205/255. Thru bolt, SD205/SD255, caution-WAI says use the			0
1985235(DR)	BRAKE WASH 15/16 X 2-1/8			10
1985237(DR)	SHIFT LEVER-DR 37MT			1
1985243(Delco Remy)	Boot - Solenoid Plunger For: Delco 37MT, 41MT, 42MT Series DD			0
1985246(Delco Remy)	cup, oil			4
1985247(Delco Remy)	oil wick, lvr housing			3
1985249(Delco Remy)	armature, 12 v, 37MT 15.43"			0
1985262(Delco Remy)	drive, 12 tooth, 37MT			0
1985303(Delco Remy)	brush holder 37MT 4 brush 12-24v			0
1985304(Delco Remy)	Oring lever housing to sol			20
1985314(Delco Remy)	Brush Spring			4

OEM PN	OEM Description	Date Of Price	List	Quantity
1985320(Delco Remy)	Oring feild case to CE, 37,41,42MT,4.75"/120.6mmID x 5"/127mm OD			20
1985320-(DR)	oring			0
1985339(Delco Remy)	Nose housing, 5 MT, Lester 6311M & 6318			1
1985348(Delco Remy)	diode trio, 10-17 SI			12
1985445(Delco Remy)	capacitor, 20SI w/o brkt. 2" LL, 1.5UF, 9/32" Eye			1
1985445(DR)	capacitor, 20SI, 1.5Uf, 10si industrial, 9/32" eye, 2" Lead			1
1985476(Delco Remy)	28-101-9 Rotor 66 Amp/12 Volt For: Delco 12SI Series 56-66 Amp IR/EF Alternators Note:			0
1985495(Delco Remy)	Frame, SRE, Marine, 10SI			1
1985564(Delco Remy)	Starter Drive10-T, CW, 3-SPL For: Delco 15GR Series OSGR; 20MT, 25MT, 27MT Series DD			0
1985567(Delco Remy)	Discontinued by Delco 1997 - D.E. Housing Aluminum For: Delco 27MT Series DD Starters			0
1985617(Delco Remy)	washer, thrust, CE 42MT			1
1985622(Delco Remy)	Thru bolt 5 MT for 4.67" housing, w/ extension, 10-24 x 5 1/4"			4
1985741(Delco Remy)	drive, 9 tooth, CW, 3.876 l x .985 gear OD			1
1985801(Delco Remy)	rectifier, heavy duty, 17SI 97-108A, 50Amp 200 volt			0
1985947(Delco Remy)	armature, 12 v, 37MT 15.43"			0
1985964(Delco Remy)	Pulley, 6 groove, 2 1/4"			2
1985999(Delco Remy)	spacer, outside, 25.5mm x 5.9mm (.232 + or - .010?), CS-144, DR 1985999, not 1984476.			11
1986000(Delco Remy)	spacer, inside, 1"ODx3/8"lg,CS-144			15
1986019(Delco Remy)	Brush Spring, 20 & 27 MT			8
1986243(DR)	Field pole shoe screw with external ground stud for large frame units			2
1986244-(Delco Remy)	drive, 10 tooth, 37MT,CW improved double roller			0
1986244(DR)	TYPE Drive, S, BUSHING ID14., CLUTCH TYPE DOUBoller, GEAR OD39.,			0
1986466(Delco Remy)	oil wick			10

OEM PN	OEM Description	Date Of Price	List	Quantity
1986468(Delco Remy)	center plate, 10,20,22,25,27MT, industrial & marine applications			3
1986470(Delco Remy)	brake washer, industrial/marine 10MT			9
1986583(Delco Remy)	brush, R130, 12SI			31
1986591(DR)	DE Frame,5.67" / 143.9mm Stator OD, 15SI			0
1986928(DelcoRemy)	RETAINER RING-DR 37MT			48
1987049(Delco Remy)	roll pin, 3/16" x 3/4" long (.200 x .808), used in delco starters			100
1987054(Delco Remy)	Frame, DE			2
1987061(Delco Remy)	rec assy 50A, 200V diodes, 12SI,94AMP ALTERNATOR			3
1987086(Delco Remy)	Nose housing, 5 MT, Lester 6311M & 6318			1
1987152(DR)	drive, 10 tooth, 37MT,CW			0
1987324(Delco Remy)	diode trio, Delco-Remy 20SI			3
1987373(Delco Remy)	gasket, solenoid DE Housing, 10,20-22-25-27MT			1
1987391(Delco Remy)	plunger, short, 5-8-10-15-20-22-27MT, used w/ sol 66-100			2
1987614(Delco Remy)	baffle, fan, cs-144			1
1987648(Delco Remy)	PULLEY, 4 groove, 2"OD			1
1987869(Delco Remy)	Plug - Regulator Terminals For: Delco 10SI, 21SI, 22SI, 27SI/Type 200, 202 Series IR/EF			11
1987989(Delco Remy)	armature, 42 MT 12 v 17 3/4"			0
1988096(Delco Remy)	bushing, lever housing, 40MT			1
1988097(DR)	SHIFT LEVER-DR 42MT			2
1988100(Delco Remy)	Insulator, field coil, 42MT			1
1988111(Delco Remy)	feild coil, 12 volt, 40MT			1
1988128(Delco Remy)	CE terminal assembly			1
1988137(Delco Remy)	nose housing, 40MT			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1988138(Delco Remy)	oil wick, CE frame			0
1988139(DR)	PLUNGER ASSY-DR 37, 41, 42MT, conventional solenoid			10
1988140(DR)	PLUNGER ASSY-DR 37, 41, 42MT, conventional solenoid			10
1988204(Delco Remy)	Drive, exclusive to Long tractor & hard to get			0
1988322(Delco Remy)	Armature, 37MT 24V			0
1988339(Delco Remy)	Insulator, Field Coil Terminal, 42 MT			21
1988340(Delco Remy)	INSulator, Field Coil Terminal, Outside 42MT			21
1988381(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1988414(Delco Remy)	Brushholder, 8-30 MT, Hi-impact plastic, tapped 8x32			9
1988435(Delco Remy)	Armature, 37MT 24V			0
1988674(Delco Remy)	bearing retainer, CS-144,CS-130			6
1988775(DR)	PLUNGER ASSY-DR 37, 41, 42MT, conventional solenoid			10
1988873(Delco Remy)	capacitor, 1.5 micro farad, 27SI late style			3
1988970(Delco Remy)	screw w/ insulator, 8-32 x 1 3/16", hex, washer, for capacitor, CS-			20
1988971(Delco Remy)	screw, hex w/ att washer, 8-32 x 1 1/8" w/ dog point, rect cs-144			50
1988972(Delco Remy)	capacitor, 1.5 micro farad, 17SI & 21SI 120Amp			2
1988976(Delco Remy)	Rectifier For: Delco 17SI Series 120 Amp; 21SI Series 65-115 Amp/12 Volt, 50-70 Amp/24 Volt			1
1988985(Delco Remy)	diode trio, 17SI - 120A, 21SI			1
1988988(Delco Remy)	voltage regulator, 12SI-27SI type 100, 12 v/ 7 amp field			2
1988988-(Delco Remy)	voltage regulator, 12SI-27SI type 100, 12 v/ 8 amp field			3
1989030(Delco Remy)	4-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, CS144 Series IR/EF Alternators Used On:			1
1989037(DR)	Capacitor, .5UF, 1/4" hole w/ 1 3/4"lead, 10 DN, 10SI, 27SI,29SI. Can use 46-1107 for better			5
198921(Delco Remy)	drive, PMGR, 9 tooth, 3 spline,lester 6405			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1989232(Delco Remy)	Plunger Spring For: Delco PG100, PG150, PG200, PG250 Series PMGR; SD210, SD260			2
1989499(Delco Remy)	solenoid repair kit			1
1989581(Delco Remy)	CS-130 Fan, External			2
1989624(Delco Remy)	thru bolt, M5x0.8x66 or 67MM, E8 tork,CS-130,121			40
1989624-(Delco Remy)	thru bolt, repair 12-24 x 2 1/2" for M5x0.8x66 or 67MM, E8 tork,CS-130,121			10
1989628(Delco Remy)	lead cover, stator, CS-130			5
1989629(Delco Remy)	Spacer, rotor to DE frame CS-130, 3mm (.118)			8
1989630(Delco Remy)	spacer, CS-130, Fan to DE frame 25.5mm x 5.25 mm wide x 17mm ID (.672)			16
1989631(Delco Remy)	DE frame, long mount ears, straight thread adj ears, m8x1.25, CS-130			1
1989631-brg(Delco Rem	DE frame, long mount ears, straight thread adj ears, m8x1.25, CS-130			3
1989632(Delco Remy)	CS-130 rotor 85-105Amp,			2
1989640(Delco Remy)	Slip Ring, CS-130			1
1989646(Delco Remy)	6000 bearing, double sealed			8
1989647(Delco Remy)	terminal, battery, round, CS-130,CS-121			20
1989648(Delco Remy)	tolerance ring- SRE Bearing, metal,CS-130			18
1989649(Delco Remy)	nut, hex, w/washer, M5-.8 8mmOD x 4mm, CS-130			99
1989650(Delco Remy)	screw w/ washer attached, M4x0.7x22MM,E5 tork,see1989681,CS-130			91
1989651(Delco Remy)	brush holder assy, CS-121,130			0
1989652(Delco Remy)	insulator, bat term, CS-130			16
1989655(Delco Remy)	baffle, SRE, CS-130			3
1989656finned(Delco R	Frame, SRE, CS-130, Iceberg, 500% cooler per Dubois			2
1989658(Delco Remy)	CS-130,CS-121 rectifier assy,85-105amp with capacitor and zenners, 35A			84
1989658-(Delco Remy)	Rectifier, Heavy Duty, CS-130			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1989658--(Delco Remy)				2
1989658-improved(Delc				1
1989658subpart-cap(De	capacitor, part of 1989658,CS-130			0
1989659(Delco Remy)	brush spring, CS-144,CS-130, ?see also 1975325			492
1989660(Delco Remy)	Brush high side, CS-130 R-133, w/ screw tab connector			27
1989661(DR)	BRUSH, DELCO CS121/130/144			7
1989662(Delco Remy)	Brush Holder Only, CS-130			1
1989663(DR)	BRUSH, DELCO CS144			19
1989681(Delco Remy)	screw w/ washer attached, M4x0.7x22MM,E5 tork,see 1989650CS-130			91
1989690(Delco Remy)	thru bolt, 10-24 x 2 1/2", cs-144,			8
1989699(Delco Remy)	screw insulated, hex washer head, 8-32 x 1", regulator, cs-144			9
1989702(Delco Remy)	brush holder assy complete, CS-144			10
1989702-subpart(Delco	brush, R-131, CS-144			19
1989703(Delco Remy)	capacitor, CS-144			0
1989705(Delco Remy)	Stator, Delco-Remy, 130 amp/12 volt, Delco-Remy 21SI 115-130amp & CS144 108-124 amp			1
1989706(Delco Remy)	CS-144 SRE frame			0
198971(Delco Remy)	should be 1989711			2
1989711(Delco Remy)	Bearing, CS-144, Ford 3G, 10 mm x 26mmOD x 8mm wide, w/ two Plastic Tol rings			2
1989774(Delco Remy)	rectifier assy CS-144			1
1989783(Delco Remy)	brush, R-131, CS-144			19
1989889(DR)	single roller s/s to 1986244 still single roller			0
1990315(Delco Remy)	Starter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020 1969-			0
1990318(Delco Remy)				0

OEM PN	OEM Description	Date Of Price	List	Quantity
1990456(Delco Remy)	40MT, 24 volt, 11 tooth			0
1990483(Delco Remy)	STR-DR 40MT 12V 11T 486 CW			0
1993754(Delco Remy)				0
1993829(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
1993881(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
1993998(Delco Remy)	retainer,spring plunger, Delco- Remy,37,42,50MT & others			13
1996497(Delco Remy)	Switch, Manual, starter, 2 terminal, 2 bolt, Remote mount (non Starter Mount)			0
1998209(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1998218(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1998234(Delco Remy)	10MT, w/ short solenoid & 1 1/4" extension			0
1998294(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1998299(DR)	Wisconsin Starter			0
1998301(DR)	Wisconsin Starter			0
1998314(DR)	Starter, PG260L, Mercury Marine			0
1998330(Delco Remy)	Starter, Like 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1998333(Delco Remy)	22MT starter, type 150, 12 volt, CCW, SR5 drive, 9 tooth, 235 degrees, unavailable from			0
1998334(Delco Remy)	Starter 22/27MT Like28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-			0
1998334-(Delco Remy)				0
1998335(Delco Remy)	22MT starter, type 150, 12 volt, CW, SR5 drive, 9 tooth, 225 degrees, unavailable from Delco-			0
1998336(Delco Remy)	Starter, Delco-Remy Like 28MT, A Retrofit for replacement Lester 6544, Is a 22/27MT			0
1998336-(Delco Remy)				0
1998338(Delco Remy)	Starter 22/27MT Like28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-			0
1998338-(Delco Remy)				0

OEM PN	OEM Description	Date Of Price	List	Quantity
1998339(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1998339-(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1998341(Delco Remy)	22MT starter, type 150, 12 volt, CW, SR5 drive, 10 tooth, 225 degrees, unavailable from Delco-			0
1998342(Delco Remy)	Starter, Like 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1998347(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1998347-(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1998349(Delco Remy)	22MT starter, type 150, 12 volt, CW, SR5 drive, 10 tooth, 225 degrees, unavailable from Delco-			0
1998350(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1998364(DR)	Starter			0
1998376(Delco Remy)	Starter, Like 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1998376-(Delco Remy)	Starter, 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1998378(Delco Remy)	Starter 22/27MT Like28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-			0
1998378-(Delco Remy)				0
1998383(Delco Remy)	Starter, Delco-Remy Like 28MT, A Retrofit for replacement Lester 6544, Is a 22/27MT			0
1998383-(Delco Remy)				0
1998387(Delco Remy)	Starter, Delco-Remy Like 28MT, A Retrofit for replacement Lester 6544, Is a 22/27MT			0
1998387-(Delco Remy)				0
1998401(Delco Remy)	Delco-Remy starter, replace 27MT 1113590,1998401			0
1998401-(Delco Remy)	Delco-Remy starter, 28MT,C-6471 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1998408-(Delco Remy)	Early 27MT for Ford Diesel			0
1998424(DR)	Wisconsin Starter			0
1998441-Housing(Delco Remy)				1
1998455(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1998455-(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1998457(Delco Remy)				0
1998457-(Delco Remy)				0
1998481(Delco Remy)	Starter, Delco-Remy Like 28MT, A Retrofit for replacement Lester 6544, Is a 22/27MT			0
1998481-(Delco Remy)				0
1998484(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1998490(Delco Remy)				0
1998490-(Delco Remy)				0
1998560(Delco Remy)	10MT, 12 volt, 4 x 4 sealed, our suburban is a match			0
21020761-(Delco Remy)	Starter, Saturn 1994-99 SC, SL. SW, 1.9L			0
21021366-(Delco Remy)	Starter, Saturn 1994-99 SC, SL. SW, 1.9L			0
210221648-(Delco Remy)	Starter, Saturn 1994-99 SC, SL. SW, 1.9L			0
23500396(Delco Remy)	Shim, Lester 3511,3571, 10MT metric, Dealer only, 10mm x .2mm, two hole, taper on one			0
23500832(Delco Remy)	Stud, Inlt for brackets etc			0
2541(Delco Remy)	Brush, Delco-Remy Generator, 1.00"L x 1.59W x .308T x 2.188LL			0
25766345(DR)	Alternator			0
265b(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
267d(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
27SI-Core(DR)	27SI core PN not cataloged or unknown	2/1/2015	\$8.00	1
28MT Puller(Delco Rem)	modified for 28MT puller			1
299505(DR)	bearing, 25mmID x 52mmOD x 15mmW, many heavy duty			4
299506(DR)	Brg 30mmID x 62mmOD x 16or17?mmW			2
301(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4

OEM PN	OEM Description	Date Of Price	List	Quantity
30205(DR)	Washer, flat, bat ground 42MT .5 x .937 x .067			0
310(DR)	field coil set, Lester 9193, 12v, CW, Poleshoe 2 7/8" x 2 1/8", motor/generator w/ armature			2
321-1099(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0
321-1434(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
321-323(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
321-441(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
321-674-(Delco Remy)	Alternator, 21SI Equivalent			0
321-687-(Delco Remy)	Alternator, 21SI Equivalent			0
321-731-(Delco Remy)	Alternator, 21SI Equivalent			0
321-732-(Delco Remy)	Alternator, 21SI Equivalent			0
321-733-(Delco Remy)	Alternator, 21SI Equivalent			0
321-734-(Delco Remy)	Alternator, 21SI Equivalent			0
321-738-(Delco Remy)	Alternator, 21SI Equivalent			0
321-739-(Delco Remy)	Alternator, 21SI Equivalent			0
323-112(Delco Remy)	Starter, Ford 4/12"			0
323-255(Delco Remy)	10MT, 12 volt, 4 x 4 sealed, our suburban is a match			0
323-367(Delco Remy)	SD300 (10MT) Series Starter for Delco 12 Volt, CW Rotation			0
323-411(Delco Remy)	Starter, Delco-Remy 5MT, 10455024, 323-411, Olds 1991...			0
323-529(Delco Remy)	SD210 Series Starter for Delco 1.3 kW, 12 Volt, CW Rotation Design: DD (Direct Drive) Drive			0
323-678(AC-Delco)	Lucas Case starter			0
323-681(Delco Remy)	LikeStarter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020			0
323-730(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
323-732(Delco Remy)	Starter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020 1969-			0

OEM PN	OEM Description	Date Of Price	List	Quantity
323-835(Delco Remy)	Starter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020 1969-			0
323-836(Delco Remy)	Starter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020 1969-			0
323-869(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
329836(DR)	Brush 6Volt			20
340-40(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
34846(DR)	Brush Spring on very old 6 brush series like 30MT			0
35058(DR)	bushing			28
35074(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
36518(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
38296(DR)	bushing, drive end, .503 ID x .565 x .780, 10-20-25-27MT			17
405C(Delco Remy)	Switch, Mechanical, foot operated, 2 terminal, push post button, Like on Small engine			0
425(Delco Remy)	regulator, CS series,			0
432229(Delco Remy)	nut, part of OCP kit 10457016			0
443344(Delco Remy)	Hex Nut For: Delco Heavy Duty Alternators, Leece-Neville Alternators Dim: 5/8-18 x 15/16			14
445639(DR)	Screw 10x24x.752			100
445639-(DR)	SCREW 10-24 X 3/4 pan head			0
446(Delco Remy)	Pulley, 5 groove, 2 5/8" OD, CS-121, 130			1
448(Delco Remy)	Frame, DE, Lester 8107 Saturn, w/ 303 larger brg, Requires 1 mm Spacer, Saddle mount,			0
448-(Delco Remy)	Frame, DE, Lester 8107 Saturn, w/o 303 larger brg installed, Requires 1 mm Spacer, Saddle			1
453323(Delco Remy)	Cotter Pin, Carbon Steel, 1/16" x 1"			0
453323-(Delco Remy)	Cotter Pin, Carbon Steel, Type 2 Class 3, Cad Plate,1/16" x 1"			0
453323--(Delco Remy)				96
453339(DR)	Screw, 10-32 x 5/8 for CE frame and De Frame			0

OEM PN	OEM Description	Date Of Price	List	Quantity
453340(Delco)	Screw, 10-32 x 3/4" Phil Head			5
453433(DR)	NUT 1/4-28 X 7/16, Brass			18
453434(Delco Remy)	nut, hex, 8-32 x 11/32"OD x .120, rectifier, cs-144			173
453435(Delco Remy)	lockwasher #10, cs-144, 11/32" OD			392
453468(Delco Remy)	Screw, 10-32x7/16"L, Hex Head, Thread cutting Triobular. For Solenoid Motor			101
453647(DR)	Brush Grnd Lead			0
453993-(Delco Remy)	nut 1/4" - 20 x 7/16" hex x 7/32"T but these were brass, see 462-19006-20			100
453996(Delco Remy)	nut, hex, 8-32 x 11/32"OD x .120, rectifier, cs-144			173
454154(DR)	Screw For brush to holder			156
454154-sub(DR)	hex hed			0
454311also?(DR)	Screw, 10-32 x 5/8 for CE frame and De Frame			0
456319(Delco Remy)	lockwasher, #10 - ext tooth, for solenoid 1114458			100
456413(Delco Remy)	lock washer, #6, coil screw 40-50MT solenoid			95
456652(Delco Remy)	Pin, field case, 42 MT, Split Roll Pin Dim:			20
5013413(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
5013735(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
5015850(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
5019597(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
515018(Delco Remy)	Thru Bolt			0
563451(Delco Remy)	Shim, Delco-Remy side mount, v shape, two slotted outter holes, one bottom of v not			0
5713(Delco Remy)	Belt, 30 1/2" x 1/2" x 38 degrees			1
61DR-173(DR)	Drive, 9T, CW, Roller, 25.4 GOD, 80.5 LOA, 3 spline 12mmID			0
624(Delco Remy)	Frame, DE, Lester 8107 Saturn, w/ 303 larger brg, Requires 1 mm Spacer, Saddle mount,			0

OEM PN	OEM Description	Date Of Price	List	Quantity
624-(Delco Remy)	Frame, DE, Lester 8107 Saturn, w/o 303 larger brg installed, Requires 1 mm Spacer, Saddle			1
627(Delco Remy)	Frame, SRE, Lester 8107, Saturn Saddle, w/o bushing in pivot hole			0
702(Delco Remy)	regulator CS130D			1
79071(DR)	insulator, top hat, 5/16" ID			11
7SIFan	Fan, 7SI			0
8000043(DelcoRemy)	Starter PG260n used on Perkins Percat 3 & 4 cyl	6/2/2011	\$195.00	0
8000043(DelcoRemy)	Starter PG260n used on Perkins Percat 3 & 4 cyl	2/2/2011	\$250.00	0
8000043-Sub(dr)	PG260N-2 believed a substitute			0
8000067(DR)	Starter PG260D			0
8000111(DR)				0
8000153(DR)	Starter Kawasaki Small engine PN21163-7021 s/s to 21163-7025			0
8000153-sub(DR)	Aftermarket Sub for Starter Kawasaki Small engine PN21163-7021 s/s to 21163-7025			0
8000277(DR)				0
8000344(DR)				0
8000381(DR)	PMG-260NS Model # 8000381 Made in Korea. Fits a Terex Mini Skidsteer Model # PT-30 with			0
8000417(DR)				0
8000509(DR)				0
8000531(DR)	Starter, perkins			0
8000532?(DR)	PG260N-2 believed a substitute			0
8000557(DR)				0
800066(Delco Remy)	drive, ratchet, 40MT, 11 tooth, new, CW, 5/8" shaft			1
800077(Delco Remy)	drive, 10 tooth, positork, CW rotation, 4.528 long, 5/8" shaft			1
800135(Delco Remy)	DE frame, 10 DN & 10SI			0

OEM PN	OEM Description	Date Of Price	List	Quantity
800212(Delco Remy)	armature, lester 88, Delco-Remy, 12 v, CW			1
800212Delco Remy(Delc	armature, lester 88, Delco-Remy, 12 v, CW			1
800213(DR)	CE Frame Generator/ Str/Gen , bushing style			2
800386(DR)	FRAME SRE, DELCO, 10 DN			2
800487(DR)	CONTACT-DR 5-27MTCONTACT-DR 5-27MT 3/8-16 X 1-3/16 L; Solenoid B+ 3/8-16 X 1-3/16			5
800594(Delco Remy)	Fan, Delco-Remy, 10 DN &10SI,Ford			0
800983(Delco Remy)	Housing, DE nose, Lester 3505, 3696			1
801077(Delco Remy)	Boot, 50MT			10
801227(Delco Remy)	Housing, DE nose, Lester 3505, 3696			1
801433(Delco Remy)	shift lever, wide, 10MT			1
801466--(Delco Remy)	Brush Holder Assys. Features: Universal Design			15
801532(Delco Remy)	Cap, voltage adjuster, programmable.			1
801532Delco Remy(Delc	Cap, voltage adjuster, programmable.			1
801548(Delco Remy)	Block, voltage adjustment 27SI programable			1
801810(Delco Remy)	Thru Bolt, 1/4-20 x 2 1/2 (measures 2 1/4") 27SI			4
801815(Delco Remy)	Connector, B + to Rectifier			1
801826(Delco Remy)	insulator, bat tem, CS-144, part of 1975471			45
802730(Delco Remy)	Lockwasher, #6, Zinc Coated			95
802757(DR)	lockwasher, #12 x 3/8"			96
804076(Delco Remy)	Wick, Oil, Delco-Remy			0
805258(Delco Remy)	nut, copper coated, 3/8" - 16, 5/8" hex, posts, thinner than standard, part of kit S-866 and			8
809051(DR)	Insulating Washer, Fiber, 0.37" / 9.4mm ID, 0.56" / 14.2mm OD			98
809052(DR)	Insulating Washer, Fiber, 0.41" / 10.5mm ID, 0.75" / 19mm OD			104

OEM PN	OEM Description	Date Of Price	List	Quantity
809062(DR)	Pin, indexing, CE frame 10mt			0
809551(Delco Remy)	Washer, Rectangular for brush backer, #6 ID, for brush R-31 and others.-----No Source			0
809593(Delco Remy)	Locator Pin, 3/16" OD x 3/8 L			9
809644(Delco Remy)	Brush Spring, Generator			20
809658(Delco Remy)	Brush Spring, Odd in 3 brush units			0
809763(DR)	thru bolt, generator			6
809945(Delco Remy)	Spacer, Generator, .67 x .090 thick			7
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick			6
810226(DR)	brush holder, same as general, this PN aviation.			0
810620(Delco Remy)	bushing, comm end, .564ID x .629 x .750, 5-10-15-20-25-27MT, 15GR			28
810620-(Delco Remy)	bushing, comm end, .564ID x .629 x .750, 5-10-15-20-25-27MT. May be non oillite for oil cup.			28
810625(Delco Remy)	Armature 30 MT			0
810819(Delco Remy)	Welch Plug, 3/4" dia. for CE frame, early HD starters			0
810824(Delco Remy)	Capacitor, .5UF, 1/4" hole w/ 1 3/4"lead, 10 DN, 10SI, 27SI,29SI. Can use 46-1107 for better			5
811524(Delco Remy)	post, feild terminal, copper, 3/8"-16 x 11/16 x .175 slot			3
811524-(Delco Remy)	post, stud,Delco-Remy early 6 volt with mechanical switch			0
811553(Delco Remy)	brush, Delco-Remy 6 volt starter			56
811601(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
812016(DR)	Hindge Pin and Insulator for Brush Holder			0
812406(Delco Remy)	Fields, CCW, Early 6 V			1
812407(Delco Remy)	Fields, CCW, Early 6 V			1
812622(Delco Remy)	Washer, 3/8" Steel			0
812823(DR)	Bushing - C.E., D.E. For: Delco Generators Unit Nos: Delco 1108551, 1109910, 1114604 Dim:			7

OEM PN	OEM Description	Date Of Price	List	Quantity
812970(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
812971(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
813431(Dr)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
813521(Delco Remy)	Brush Spring, Early 6v Starters			96
813521sub(Delco Remy)	brush sprin			12
815839(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
816163(Delco Remy)	Armature 30 MT			0
816315(Delco Remy)	Oil Hole Plug			0
816340(DR)	band, brush cover, 1 5/8" x 14 1/2", clip and rolled end			6
817076(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
817114(Delco Remy)	Band, early Delco-Remy 6 v, snap on			0
817114(DR)	band, brush cover, 1 3/8" x 14 1/4", clip and rolled end			1
817313(DR)	Hindge Pin, BH			0
818002(Delco Remy)	Armature 30 MT,VOLTS: 6/12 ROTATION: CW			0
818265(Delco Remy)	brake washer (leather), 9/16", 5-10MT,SD210,SD260, NLA			43
819362(Delco Remy)	Lead, Brush lead connection assembly (Jumper)			3
819688+819689(DR)	fld coil pair requires one each			0
820052(Delco Remy)	switch, Delco-Remy, mechanical			2
820148(Delco Remy)	Intermediate bushing			0
820149(Delco Remy)	center plate, 10,20,22,25,27MT, industrial & marine aplications			3
820153(Delco Remy)	Field Coil, 6 Volt, CW Rotation For: Delco 6 Volt Starters w/ Motor Connection			0
820154(Delco Remy)	Field Coil, 6 Volt, CW Rotation For: Delco 6 Volt Starters w/ Motor Connection			0
820402(Delco Remy)	Field Coil, 6 Volt, CW Rotation For: Delco 6 Volt Starters w/ Motor Connection			0

OEM PN	OEM Description	Date Of Price	List	Quantity
820403(Delco Remy)	Field Coil, 6 Volt, CW Rotation For: Delco 6 Volt Starters w/ Motor Connection			0
820404(Delco Remy)	Field Coil, 6 Volt, CW Rotation For: Delco 6 Volt Starters w/ Motor Connection			0
820845(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
821453(Delco Remy)	brake washer, fiber, 20MT			4
821453canuse(Delco Re				9
822187(Delco Remy)	Armature			0
823881(Delco Remy)	Armature, 10 MT, 6 Spline, Straight, 2 3/4" OD, .750 Spline, .560 Drive, .495 nose			1
825210(DR)	FLD COIL-DR DD 12V			0
826938(Delco Remy)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
828448(Delco Remy)	brushes, Delco-Remy			10
8-297(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
830478(Delco Remy)	resistor, 40 Ohm, self excitation, 10-27SI type 100			8
83055(Delco Remy)	Armature, 35MT			0
830620(Delco Remy)	drive, ratchet, 40MT, 11 tooth, new, CW, 5/8" shaft			1
830621(Delco Remy)	drive 11 tooth, CCW, positork / ratchet, 40MT, rebuilt			0
830622(Delco Remy)	drive, 10 tooth, positork, CW rotation, 4.528 long, 5/8" shaft			1
830622???(Delco Remy)	drive, 10 tooth, positork, CW rotation, 4.528 long, 5/8" shaft			1
830803(Delco Remy)	Support - Brush Holder For: Delco 8MT, 10MT, 20MT*, 25MT*, SD300			4
830842(Delco Remy)	Armature			1
83085(Delco Remy)	armature, 12 v, 37MT 15.43"			0
836140(DR)	band, brush cover, 1 5/8" x 14 1/2", clip and rolled end			6
836340(DR)	band, brush cover, 1 5/8" x 14 1/2", clip and rolled end			6
84-1423(Delco Remy)	Bolt, 5/16-18 x 2 1/2"			8

OEM PN	OEM Description	Date Of Price	List	Quantity
8600308(DR)	DR 28SI Alt 12V, 160amp, J180, 28SI	2/4/2013	\$317.06	0
8600311(DR)	Alternator, 28SI, 12V,J180,12:00,5/16" stud,180amp,257degree,S,I,&R Terminals, but	9/8/2015	\$503.74	0
8-778(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
88501(Delco Remy)	Brg, Single Row, Rad, Con, 2 seals, Wide inner-Both sides(Shouldered to Shaft),	3/1/2008	\$41.61	1
88503(Delco Remy)	Brg, Single Row, Rad, Con, 2 seals, Wide inner-Both sides(Shouldered to Shaft),			1
88503X1C(DR)	Brg, Single Row, Rad, Con, 2 seals, Wide inner-Both sides(Shouldered to Shaft),			1
90000802(Delco Remy)	starter			0
9000590(Delco Remy)	regulator, Delco-Remy 20DN, 12 v neg			0
9000590-harness(Delco Remy)	harness, for regulator Delco-Remy 9000590, Transpo D590S, 20DN			0
9000719(Delco Remy)	Starter, DR PG 200			1
9000735(Delco Remy)	Starter, DR PG 200			1
9000762(DR)	Starter, PG260L, Mercury Marine			0
9000768(DR)	Starter, PG260L, Mercury Marine			0
9000789(DR)	Starter, PG260L, Mercury Marine			0
9000819(DR)	Starter, PG260L, Mercury Marine			0
9000821(Delco Remy)	PG260M			0
9000833(DR)	lester 6491 PG260F1			1
9000839(Delco Remy)	Yes, these should interchange. The 9000839 came with a 3 terminal			0
9000840(Delco Remy)				0
9000847(DR)	lester 6491 PG260F1			1
9000859(DR)	lester 6491 PG260F1			1
9000875(Delco Remy)	STR-DR PG260L 6490			0
9000875(DR)	Starter, DR PG260L, see extended			0

OEM PN	OEM Description	Date Of Price	List	Quantity
9000886(Delco Remy)	PG260L			0
9000901(DR)	Starter, PG260D series PMGR, pad mount, 9 th CW 1.2KW			1
9000926(Delco Remy)	STR-DR PG260L 6490			0
9000947(DR)	Starter, PG260D series PMGR, pad mount, 9 th CW 1.2KW with shield near battery post			1
9000966(Delco Remy)	STR-DR PG260L 6490			0
9000979(Delco Remy)	STR-DR PG260L 6490			0
9000980(Delco Remy)	STR-DR PG260L 6490			0
903202(Delco Remy)	bearing, 15mm(.590) x 35mm(1.378) x 11mm(.433), double sealed			11
904722(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
904755(DR)	bearing, 12mmID x 32mmOD x 10mmW, chinese select			3
907056(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
907187(Delco Remy)	Ball Bearing Dbl. Shielded (Ref. No. 6304) For: Leece-Neville, Nippondenso IR/EF Alternators			2
907351(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
907356(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
907502(Delco Remy)	bearing, 15mm(.590) x 35mm(1.378) x 11mm(.433), double sealed,select chinese			11
907689(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
907940(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty			2
908018(DR)	brg found on aviation 1100717 NLA DR			15
908055(Delco Remy)	bearing, shield, use -2RS, 25mmID x 62mmOD x 17mmW, many heavy duty			2
908055-(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty			2
908419(Delco Remy)	6203-2RS bearing17mmIDx40mmx12mmW, double rubber sealed			15
914777(DR)	Oil cup, 1/4" socket, metal			8
9411375(Delco Remy)	welch plug, 1 3/16", lever housing old HD starters			20

OEM PN	OEM Description	Date Of Price	List	Quantity
9414397(Delco Remy)	84-1427 Screw Dim: 1/4-20 x 1/2 L Features: Phillips Flat Head Zinc Plated			0
9414418(Delco Remy)	Hex Nut Dim: 1/2-13 x 3/4 F x 5/16 T Features: Zinc-Yellow Plated			7
9415235(Delco Remy)	snap ring, 40MT			95
9415318(DR)	Nut, Hex 3/8-16 x 5/8" , 1/4"thin, 10 MT solenoid			9
9416374(Delco Remy)	snap ring, 40MT			95
9417501(Delco Remy)	expansion plug, 40,50MT, 1 1/32"			12
9418881(Delco Remy)	Hex Nut For: Delco Heavy Duty Alternators, Leece-Neville Alternators Dim: 5/8-18 x 15/16			14
9419572(Delco Remy)	Expansion Plug For:			3
9421425(Delco Remy)	Lock Washer 3/8"ID, 10MT solenoid			0
9421427(Delco Remy)	lockwasher, 50MT, 1/2"			7
9422306(Delco Remy)	Hex Nut For: Delco Heavy Duty Alternators, Leece-Neville Alternators Dim: 5/8-18 x 15/16			14
9427815(Delco Remy)	screw, 10-32 hex x 1/2" solenoid caps, 10MT Motor/Solenoid connection			101
9427882(Delco Remy)	plug, 50MT			15
9436063(Delco Remy)	race, bearing inner, ?for8-10? , 25SI			2
9436064(Delco Remy)	needle bearing, 1" OD, 25SI, no com end			3
9436831(Delco Remy)	needle bearing, .669ID x .938 OD x .685W			5
9437171(Delco Remy)	needle bearing, .669ID x .938OD x 1.240"W, 20-27SI type 200-29SI&40SI			10
9439542(DR)	NDL BRG-DR 21SI			0
9439567(Delco Remy)	Hex Nut For: Delco Heavy Duty Alternators, Leece-Neville Alternators Dim: 5/8-18 x 15/16			14
9439570(Delco Remy)	bearing, shield, use -2RS, 25mmID x 62mmOD x 17mmW, many heavy duty			2
9439570-(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty			2
9439571(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty			2
9439624(Delco Remy)	Hex Nut Dim: 1/2-13 x 3/4 F x 5/16 T Features: Zinc-Yellow Plated			7

OEM PN	OEM Description	Date Of Price	List	Quantity
9439714(Delco Remy)	nut, part of OCP kit 10457016			0
9439734(Delco Remy)	screw			160
944023(Delco Remy)	needle brg, nose some Ford Mod I & II			1
9440917(Delco Remy)	screw, 1/4-20 x 1/2", hex head, 40MT solenoid mounting			100
9440923(DR)	Bearing, Needle Roller, ID1, OD1, WIDTH10			1
9440924(Delco Remy)	bearing			21
9441607(Delco Remy)	needle bearing - DE & CE 5MT SD260			2
9441934(Delco Remy)	Hex Nut Dim: 1/2-13 x 3/4 F x 5/16 T Features: Zinc-Yellow Plated			7
954143(Delco)	Brg, Single Row, Rad, Con, 2 seals, Wide inner-Both sides(Shouldered to Shaft),			1
954162(Delco Remy)	Brg, Single Row, Rad, Con, 2 seals, Wide inner-Both sides(Shouldered to Shaft),			1
9730(Delco Remy)	Voltage Regulator, for CS Series, w/ instrument cluster			0
9785608(Delco Remy)	Shim, .035			2
9785608-(Delco Remy)	Similar			20
9785608-.035(Delco Re	Shim, .035			2
9923274(Delco Remy)	brushes, Delco-Remy, .600 x .312 x .198 x 1.875			8
A906(Delco Remy)	Switch, Manual, starter, 2 terminal, 2 bolt, Remote mount (non Starter Mount)			0
C-600(Delco Remy)	regulator, 12 volt, neg ground, mechanical, C-600, 1889960			1
CS42S(AC)				7
D1634(DR)	Bushing - C.E., D.E. For: Delco Generators Unit Nos: Delco 1108551, 1109910, 1114604 Dim:			7
D1672(Delco Remy)	Bushing, Drive End			2
D1676(Delco Remy)	bushing, comm end, .564ID x .629 x .750, 5-10-15-20-25-27MT			28
D1679(Delco Remy)	Bushing			9
D1680(DR)	bushing, drive end, .503 ID x .565 x .780, 10-20-25-27MT			17

OEM PN	OEM Description	Date Of Price	List	Quantity
D1689(Delco Remy)	Bushing, non prefit, .462 ID x .633 x .740, often reamed to .4965, 20, 22, 25, 27MT			17
D1689-(Delco Remy)	Bushing, .501ID x .626OD x .725 L			10
D-1700(Delco Remy)	Regulator/Resistor Package			0
D1701(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
D1702(Delco Remy)	Generator cut-out, Use Transpo D100. 6-24V, 25amp, Pos or Neg Grnd			1
D1703(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
D2000(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1
D2008(DR)	drive, reman, 5-10MT, 9 tooth, CW rotation			1
D2011(DR)	drive			0
D2014(Delco Remy)	drive, 5-10MT, 9 tooth, CW rotation			1
D-2017(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
D2020(DR)	drive, reman, 5-10MT, 9 tooth, CW rotation			1
D-2026(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
D2027(Delco Remy)	Starter Drive10-T, CW, 3-SPL For: Delco 15GR Series OSGR; 20MT, 25MT, 27MT Series DD			0
D2037(DR)	Drive, 10 t, Spragg			0
D2037-spr(Delco Remy)	Starter Drive 10-T, CW, 3-SPL Spragg sub Type For: Delco 10MT, 20MT, 22MT, 25MT, 27MT,			0
D2045(DR)	drive, 10 tooth, 37MT,CW			0
D2047(Delco Remy)	drive, PMGR, 9 tooth, 3 spline,lester 6405			0
D2051(DR)	drive, reman, 5-10MT, 9 tooth, CW rotation			1
D-2107(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
D3155(Delco Remy)	Rotor, 10SI, 42 amp			2
D3156(Delco Remy)	Rotor 108 Amp/12 Volt			0
D3158(Delco Remy)	28-101-9 Rotor 66 Amp/12 Volt For: Delco 12SI Series 56-66 Amp IR/EF Alternators Note:			0

OEM PN	OEM Description	Date Of Price	List	Quantity
D3159(Delco Remy)	Rotor 108 Amp/12 Volt			0
D3183(Delco Remy)	Rotor, Delco-Remy 21 SI, 12 volt, 130/145/160 amp, 1.7-1.8 Ohms, 6.7-7.1 amps, use w/ C-			0
D-3217(Delco Remy)	Fields, 12V, CW, 1 3/4" H x 2 1/8"W, 35Amp			0
D3330(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
D3441(Dr)	DE Frame,5.67" / 143.9mm Stator OD, 15SI			0
D3465(DR)	FRAME DE, CS144			0
D3910(Delco Remy)	Negative Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
D3911(Delco Remy)	Positive Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
D-3912(Delco Remy)	diode trio, 10-17 SI			12
D3919(Delco Remy)	Rectifier Assy, 15SI Neg Grnd, Regular fine fins, 25 amp diodes, 70-85 amp Units			2
D-3922(Delco Remy)	diode trio, 10-17 SI			12
D-3923(Delco Remy)	diode trio, 10-17 SI			12
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64			30
D3978(DR)	RECTIFIER, 10DN			3
D3984(Delco Remy)	Brush Spring, 20 & 27 MT			8
D3987(Delco Remy)	Rectifier For: Delco 17SI Series 120 Amp; 21SI Series 65-115 Amp/12 Volt, 50-70 Amp/24 Volt			1
D3990(Delco Remy)	Rectifier For: Delco 17SI Series 120 Amp; 21SI Series 90-115 Amp/12 Volt, CS144 Series 108-			1
D4102(DR)	armature, starter CW			1
D4111(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
D4121(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
D4124(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
D4125(Delco Remy)	Armature, 12 v, 10MT, Industrial 6 spline helix CW, 11.812" Shaft, 23 bar, DE=.500, CE=.560,			2
D4151(Delco Remy)	armature, PMGR, 24 teeth			0

OEM PN	OEM Description	Date Of Price	List	Quantity
D4159(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
D42237(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
D-4232(Delco Remy)	field, 12 volt, CW rotation, low torque, 10MT			0
D4236(Delco Remy)	Fields			1
D4264(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
D4303(DR)	C.E. Frame cast iron, 10MT, 20MT*, 25MT*, DD Starters with Step Down Field Case			1
D445(Delco Remy)	Voltage Regulator, for CS Series, w/ instrument cluster			0
D4908(Delco Remy)	Shift Fork, narrow. Ther are units that must use the narrow shift fork. 10,20,22,25,27MT &			11
D600A(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
D600A-(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
D635(Delco Remy)	Regulator 12 Volt, B-Circuit, 14.2 Vset, Neg. Grd.			0
D646(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
D648(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd, A circuit			1
D649(Delco Remy)	volt reg, 12 v, gen mount, 2 unit, pos/neg grn, 3 terminal, can use 13913, and don't hook up			2
D-649(Delco Remy)	volt reg, 12 v, gen mount, 2 unit, pos/neg grn, 3 terminal, can use 13913, and don't hook up			2
D651(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg, 48-52 amp			0
D651(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
D-655(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
D-656(Delco Remy)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
D657(Delco Remy)	voltage regulator, generator, 6 volt, pos or neg grnd, A circuit			0
d657(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
D663(Delco Remy)	Regulator 12 Volt, B-Circuit, 14.2 Vset, Neg. Grd.			0
D669(Delco Remy)	regulator, 12V 27SI truck			3

OEM PN	OEM Description	Date Of Price	List	Quantity
D672(Delco Remy)	Regulator, 12 volt, Webbed terminals w/ stud			2
D674(Delco Remy)	voltage regulator, 12SI-27SI type 100, 12 v/ 7 amp field			2
D675(Delco Remy)	Digital regulator, D675, P-L-F-S Terminals,external sense			6
D677(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
D677-(Delco Remy)	2.5 sec delay, internal temp comp, 14.7V, 14.7 remote set, no "L" term drive, 300 ohm I-L, no			0
D677--(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
D681(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
D681-(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
D681(DR)				5
D683(Delco Remy)	regulator, CS series,			0
D685(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
D685-(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
D688-not(DR)	believed a lester cross error			1
D698(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
D699(Delco Remy)	Digital regulator, D675, P-L-F-S Terminals,external sense			6
D717(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .250T x 1.75LL			8
D721(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .250T x 1.75LL			8
D722(DR)	BRUSH HOLDER, 10DN			2
D752(DR)	BRUSH			56
D754(AC-Delco	Brush 6Volt			20
D-759(Delco Remy)	brush, 30 & 35MT, 12 v, concave, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			21
D761(Delco Remy)	brush, 30 & 35MT, 12 volt, flat, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			12
D764(Delco Remy)	brush, 20,22,25,27MT, 12 volt, 3/4 x 3/4 x 5/16, 8mmT x 19mmW x 19mmL			12

OEM PN	OEM Description	Date Of Price	List	Quantity
D786(DR)	brush spring, CS-144,CS-130			492
D900(Delco Remy)	Switch, Manual, starter, 2 terminal, 2 bolt, Remote mount (non Starter Mount)			0
D902(DelcoRemy)	switch, Delco-Remy, mechanical, 6-12 V, single terminal, Insulated base.			2
D-903(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
D-904(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
D-905(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
D906(Delco Remy)	Early 35/2x Solenoid, 3/8" B+, 5/16" motor, pointed plunger.			1
D-906(Delco Remy)	Switch, Starter manual operated, side aux term, curved starter mount, no pivot top			1
D-908(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
D-909(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
D922A(Delco Remy)	solenoid, PMGR			1
D928(Delco Remy)	solenoid, 6 volt, Delco-Remy			1
D936A(Delco Remy)	Solenoid 12 Volt, 3-Terminal For: Delco PG200, PG250 Series PMGR; SD210, SD260 Series DD			1
D-968(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
D-969(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
D971(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
D980(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
D-981(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
D985(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
DR 35MT Int Rot Assy	fictitious PN for building an assembly			0
DR-76021(Delco Remy)	instruction sheet , part of OCP kit 10457016			0
G-6016(Delco Remy)	Fields, DR Generator			1
G-6042(Delco Remy)	Field Coils			0

OEM PN	OEM Description	Date Of Price	List	Quantity
G-6047(Delco Remy)	Fields, 24 v, 30 amp, 1 3/4" ht x 2 1/8 w			0
G-6054(Delco Remy)	Fields, 12V, CW, 1 3/4" H x 2 1/8"W, 35Amp			0
G-6067(Delco Remy)	field coil set, Lester 9193, 12v, CW, Polehoe 2 7/8" x 2 1/8", motor/generator w/ armature			2
G-6067R(Delco Remy)	Fields, Motor - generator, 12 V, CCW 2 7/8" HT x 2 1/8"W			0
G-6069(Delco Remy)	Fields			1
GRX-297(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
GRX-406(Delco Remy)	Voltage Reg, Delco-Remy Generator, 6 v Pos, A circuit, Round Mount, 3 Term			0
GRX-407(Delco Remy)	Voltage Reg, Delco-Remy Generator, 6 v Pos, A circuit, Round Mount, 3 Term			0
HighTorqueCore	10MT HT Core	2/1/2015	\$27.52	1
MP-1100-1(Delco Remy)	"position of original(clock) may be obtained by using protractor contained in MP-1100-1 kit."-			0
PF16(Delco Remy)	Oil Filter, Hydrylics			0
PG260M-Unknown(DR)	Believed earlier version of the also NLA PG260N			0
R-100(Delco Remy)	brush, R-100, 10 DN			20
R-102(Delco Remy)	brush, 7/8 x 13/16 x 3/8, 12 volt, 35MT, 6 sided			12
R-103(Delco Remy)	brush, 10SI alt, R-103			40
R-108(Delco Remy)	brush, R-108			4
R-116(Delco Remy)	Brushes, R-116, 5MT			22
R117(Delco Remy)	brush, R117, 10SI,15SI,21SI type 116 & 136			9
R-119(Delco Remy)	brush, R-119, 15SI & 17SI			14
R-120(Delco Remy)	brush, 20,22,25,27MT, 12 volt, 3/4 x 3/4 x 5/16, 8mmT x 19mmW x 19mmL			12
R130(Delco Remy)	brush, R130, 12SI			31
R-131(Delco Remy)	brush, R-131, CS-144			19
R-132(Delco Remy)	CS-121,130,144 Brush, ground w/ U thru screw connector, R-132, part			7

OEM PN	OEM Description	Date Of Price	List	Quantity
R-133(Delco Remy)	Brush high side, CS-130 R-133, w/ screw tab connector			27
R-43(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .250T x 1.75LL			8
R43XL(AC Delco)				8
R69(Delco Remy)	brush, (Delco R-69), .750 x .750 x .375 x 1.90			30
R-70(Delco Remy)	brush, 24-32 volt, R-70 40MT			6
R-87-S(Delco Remy)	brush, 30 & 35MT, 12 volt, flat, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			12
R-95(Delco Remy)	brushes, (R-95), concave surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided			4
R-98(Delco Remy)	brush, 3/4 x 3/4 x 3/8, 24 volt, 20,22,27MT, centered hole, 4 sided			0
R-99(Delco Remy)	brush, r-99, 10 DN			2
RM00056(DR)	Remy Small Motor, MOTOR, LIFT GATE 12V, Snow Plows, etc			0
RS41082(DR)	Starter, 12 Volt For Steel Ring Gear w/ Steel Pinion , however, use 693552, higher torque,			2
RS41344(DR)	Starter, Kit, TVM125- TVM140; HSK50- HSK70; HSK365, 120 volt, Stepped feet design, see			1
S-126(Delco Remy)	Screw, 10-32 x 3/8", Slotted Fillister Head, Zinc			18
S-1550(Delco Remy)	Insulator, Field Coil for Delco-Remy 42MT. 12 3/4"L x 1 1/2" wide			0
T152(DR)	Superseded From: J&N 121-12000, 500-12098			0
T437(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
T730(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
T755(Delco Remy)	Digital regulator, D675, P-L-F-S Terminals, 2.5 sec LRC, Soft Start, field's rating 8 amps, Type			6
U930(DR)	Grounded Base, 10-32 I Terminal, Mounting Bracket Holes 9/32"x 3/8", 2-1/8" Center-to-			0
U939(DR)	Grounded Base, 10-32 I Terminal, Mounting Bracket Holes 9/32"x 3/8", 2-1/8" Center-to-			0
Z99503(DR)	6203-2RS bearing17mmIDx40mmx12mmW, double rubber sealed,			15