

OEM PN	OEM Description	Date Of Price	List	Quantity
18228(DR)	Superseded From: J&N121-12000, 500-12098			0
065(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4
067(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4
10008053(Delco Remy)	mounting shim, SD210, 260			20
10244209(Delco Remy)	Bracket, Dual Alternator, 6.5L Turbo			0
10271089(Delco Remy)	Alternator, made by Valeo, Like CS-130D,1997 Chev Lumina APV, Olds Silhouette, Pont			0
103893(Delco Remy)	expansion plug, 40,50MT			12
103906(Delco Remy)	Key, Woodruff, 5/32" x .3 x .750 ?#8?			20
10450983(Delco Remy)	Regulator, AD Series			1
10454622(Delco Remy)	drive, 5-10MT, 9 tooth, CW rotation			1
10455024(Delco Remy)	Starter, Delco-Remy 5MT, 10455024, 323-411, Olds 1991...			0
10455053(Delco Remy)	SD210 Series Starter for Delco 1.3 kW, 12 Volt, CW Rotation Design: DD (Direct Drive) Drive			0
10455301(Delco Remy)	10MT, 12 volt, 4 x 4 sealed, our suburban is a match			0
10455513-(Delco Remy)	STARTER, KOHLER 25 098 09-s, 10455513 DELCO REMY MADE IN KOREA.			1
10455513(DR)	Kohler 25 098 09-s			0
10455516(DR)	replacement group by lester 6744			0
10456422(Delco Remy)	drive, 5-10MT, 9 tooth, CW rotation			0
10456456(Delco Remy)	brush holder 28MT			0
10456457(DR)	Pos Brush			0
10456461(Delco Remy)	6003 bearing, double sealed			37
10456462(Delco Remy)	bearing, 10mmID x 30mmOD x 9mmW			11
10456463(Delco Remy)	bearing, Nippondenso & others			2
10456465(Delco Remy)	stop colar, 10MT industrial			7

OEM PN	OEM Description	Date Of Price	List	Quantity
10456466(Delco Remy)	armature 28MT 12 v, CW			0
10456489(Delco Remy)	terminal kit, battery, square, CS-130			0
10457016(Delco Remy)	conversion kit, to convert standard 42MT to one w/ OCP(over crank protection).			0
10457103(Delco Remy)	conversion kit, 25SI 12V.regulator conversion kit, to use in a 26SI where originally set up for			1
10457117(Delco Remy)	Armature, Delco-Remy 28MT, 24v, CW			0
10457127(Delco Remy)	conversion kit, 25SI 24V.regulator conversion kit, to use in a 26SI where originally set up for			0
10457993(Delco Remy)	Shim, "Z", Lester 3544, 3564, 3562, 3569, 3563, 3565, 3572, .040"			0
10459013-(Delco Remy)	Alternator, 21SI Equivalent			0
10459021(Delco Remy)	This Delco No is a rebuilt Leece Neville 2800JB 90 amp, most likely a 21 or 22SI equivalent			0
10459037-(Delco Remy)	Alternator, 21SI Equivalent			0
10459069(Delco Remy)	27SI T100			0
10459141-(Delco Remy)	Alternator, 21SI Equivalent			0
10459142-(Delco Remy)	Alternator, 21SI Equivalent			0
10459143-(Delco Remy)	Alternator, 21SI Equivalent			0
10459144-(Delco Remy)	Alternator, 21SI Equivalent			0
10459188-(Delco Remy)	Alternator, 21SI Equivalent			0
10459189-(Delco Remy)	Alternator, 21SI Equivalent			0
10461040(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
10461056(Delco Remy)	50MT, Type 300, 12 v strt			0
10461303(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
10461710(Delco Remy)	Starter, Wisconsin V4D Prestolite MBG-4141 banded simple post starter originally			0
10463025(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
10463531(Delco Remy)	CS130 Series Alternator for Delco 100-105 Amp, 12 Volt, CW Rotation			1

OEM PN	OEM Description	Date Of Price	List	Quantity
10463532(DelcoRemy)	CS130 Series Alternator for Delco 100-105 Amp, 12 Volt, CW Rotation			1
10463630(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0
1046383(Delco Remy)	Cover, CS130D, Back end, one of a few			0
10463966(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10464075(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0
10464086(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10464409(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10464418(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10465049(Delco Remy)	28MT Series OSGR Starter 12 Volt, CW, 10-Tooth Pinion			0
10465312(Delco Remy)	SD210 Series Starter for Delco 1.3 kW, 12 Volt, CW Rotation Design: DD (Direct Drive) Drive			0
10465490(Delco Remy)	SD210 Series Starter for Delco 1.3 kW, 12 Volt, CW Rotation Design: DD (Direct Drive) Drive			0
10465527(DR)	STARTER ASB, PG260L 12V			0
10465582(DR)	STARTER ASB, PG260L 12V			0
10467052(Delco Remy)	Rectifier For: Delco 17SI Series 120 Amp; 21SI Series 90-115 Amp/12 Volt, CS144 Series 108-			1
10467110(DR)	Pole Shoe Screw for 10MT with ground stud xternal			0
10467437-(Delco Remy)	w/o brg			0
10467602(Delco Remy)	Field case assy			1
10467614(Delco Remy)	71-1323 Drain Tube - Field Case			1
10467615(Delco Remy)	brush holder assy, Delco SD210, 260			2
10467625(Delco Remy)	Bolt, solenoid clamp 1/4"-20 x 1"			8
10467629(Delco Remy)	SHIELD-DR SD210/260			1
10467708(Delco Remy)	Armature Delco-Remy SD210			1
10467736(Delco Remy)	Housing, DE, SD210, Lester 6415			1

OEM PN	OEM Description	Date Of Price	List	Quantity
10467744(Delco Remy)	71-1324 Plug - Field Case			8
10468200(Delco Remy)	DE frame, offset-left, thread adj ear, CS-130, w/ brg			0
10468200-brg(Delco Re	DE frame, offset-left, thread adj ear, CS-130, no bearing			1
10468201(dr)				1
10468447(Delco Remy)	DE frame, offset-left,unthread adj ear, CS-130, w/ brg			0
10468447-brg(Delco Re	DE frame, offset-left,unthread adj ear, CS-130, no bearing			0
10468675(Delco Remy)	drive, PMGR, 9 tooth, 3 spline SD210 & 260			0
10468714(Delco Remy)	Stator, Delco-Remy, 130 amp/12 volt, Delco-Remy 21SI 115-130amp & CS144 108-124 amp			1
10469039(Delco Remy)	solenoid, PMGR			1
10469092(Delco Remy)	6203-2RS bearing17mmIDx40mmx12mmW, double rubber sealed			9
10469216(Delco Remy)	Stator, Delco-Remy, 130 amp/12 volt, Delco-Remy 21SI 115-130amp & CS144 108-124 amp			1
10469356(Delco Remy)	tolerance ring-SRE,plastic, for use w/ wai6-100-4 brg			10
10469631(DR)	Field pole shoe screw with external ground stud for large frame units			2
10469875(Delco Remy)	Spacer, CS-130 with 21-139-1HD frame, 28.5mm OD x 1mmL x 17mm ID			0
10470161(Delco Remy)	Clamp, Starter Solenoid, SD210, 260			1
10470411(Delco Remy)	needle bearing SRE, cs-144			1
10470412(Delco Remy)	Spacer, Rotor, CS-144, 25.5mm x 6.5mm (.256) some measured .248-.254			9
10470414(Delco Remy)	cover, (slip ring), cs-144			10
10470419(DR)	FRAME DE, CS144			0
10470431(DR)	Race, Inner, rotor, use w/ 8-122			1
10470439(Delco Remy)	Stator, 145-160amp / 12 volt, Delco-Remy21SI 145-160 amp, CS144 140-145 amp, WAI 8			0
10470444(Delco Remy)	Cover, Alternator, CS-130, Saturns, Heat Shield, SRE,			1
10470606(Delco Remy)	Rotor, Delco-Remy 21 SI, 12 volt, 130/145/160 amp, 1.7-1.8 Ohms, 6.7-7.1 amps, use w/ C-			0

OEM PN	OEM Description	Date Of Price	List	Quantity
10470609(Delco Remy)	For: Delco 21SI, 22SI Series 130-160 Amp/12 Volt, CS144 Series 124 Amp IR/EF Alternators			0
10470688(Delco Remy)	Stator, 70 amp / 24 volt, 21SI 50-70amp, would probably work in a CS144 24 volt.			0
10470690(Delco Remy)	Rotor, Delco-Remy 21 SI, 24 volt, 50/70 amp, 9.5-10.7 Ohms, 2.2-2.5 Amps, Original Design			0
10470757(DR)	Drive, 9T, CW, Roller, 25.4 GOD, 80.5 LOA, 3 spline 12mmID			0
10470770(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
10470773(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
10470875(Delco Remy)	Stator, 70 amp / 24 volt, 21SI 50-70amp, would probably work in a CS144 24 volt.			0
10470886(DR)	REGULATOR, INT DELCO 12V			1
10470887(Delco Remy)	28-122 Rotor 80 Amp/12 Volt For: Delco CS121 Series 61-80 Amp IR/EF Alternators			1
10471056(Delco Remy)	Stator, 145-160amp / 12 volt, Delco-Remy21SI 145-160 amp, CS144 140-145 amp, WAI 8			0
10471332(Delco Remy)	SRE Frame for CS-130 for Jeep & Chry, Foot Like Saturn Frame			0
10471478(Delco Remy)	CS-130 rotor 85-105Amp,			2
10471917(DR)	Nut, M8 1.25x13mmx5mmT. Solenoid post, DR SD series & PM Series			4
10471975(Delco Remy)	46-1400 Cover - S.R.E. Frame For: Delco CS121 Series IR/EF Alternators			1
10472019(Delco Remy)	Field Case, PG200			1
10472023(Delco Remy)	CE Frame, PG200			1
10472095(Delco Remy)	Rectifier For: Delco CS144 Series 124-140 Amp IR/EF Alternators Note: Used w/ 22-133, 22-			1
10472207(Delco Remy)	6000 bearing, double sealed			8
10472397(Delco Remy)	Stator 74 Amp/12 Volt For: Delco CS121 Series, 55-74 Amp IR/EF Alternators			1
10472518(Delco Remy)	connector assy, part of OCP kit 10457016			0
10472526(Delco Remy)	Field Case, PG200			1
10472540(Delco Remy)	Stator, Delco-Remy, 130 amp/12 volt, Delco-Remy 21SI 115-130amp & CS144 108-124 amp			1
10472565(Delco Remy)	drive, 12 T, CW, mini tork			0

OEM PN	OEM Description	Date Of Price	List	Quantity
10472645(Delco Remy)	Lead, 1/4" eye, #8 eye, x 4" long, 26SI & Maybe some generators			0
10472665(Delco Remy)	28-122 Rotor 80 Amp/12 Volt For: Delco CS121 Series 61-80 Amp IR/EF Alternators			1
10472724(DR)	ROTOR-DR CS144 145A			0
10472882(Delco Remy)	Stator, Delco-Remy, 130 amp/12 volt, Delco-Remy 21SI 115-130amp & CS144 108-124 amp			1
10472935(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
10472936(DR)	NDL BRG-DR 21SI			0
10473403(Delco Remy)	6203-2RS bearing17mmIDx40mmx12mmW, double rubber sealed			9
10473700(Delco Remy)	drive, PMGR, 9 tooth, 3 spline SD210 & 260			0
10473701(Delco Remy)	shift lever, SD-210, 260			2
10473703(Delco Remy)	Plug - Shift Lever Support For: Delco SD210, SD260 Series DD Starters Note: Late Style, used			1
10473706(DR)	Bearing, 17mmID x 47mmOD x 14mm Wide, DE bosch,chry, ford, Hit			4
10473711(Delco Remy)	bearing, SRE, 10MM			15
10473712(Delco Remy)	tolerance ring SRE, palstic, use w/ wai 6-100-4&6-2000-4 brg			19
10473726(Delco Remy)	Field Case, PG200			1
10473793(Delco Remy)	Plunger, SD210, 260 Starter			2
10474090(Delco Remy)	CS-130 baffle for Rotor 105 Amp 10474093, alt #10479998			5
10474093(Delco Remy)	CS-130 Rotor 105 Amp, use baffle 10474090			0
10474407(Delco Remy)	28-122 Rotor 80 Amp/12 Volt For: Delco CS121 Series 61-80 Amp IR/EF Alternators			1
10474532(Delco Remy)	Bearing, CS-144, Ford 3G, 10 mm x 26mmOD x 8mm wide, w/ two Plastic Tol rings			2
10474532-(Delco Remy)	Bearing, CS-144, Ford 3G, 10 mm x 26mmOD x 8mm wide, w/ two Plastic Tol rings			2
10475002(Delco Remy)	Screw, M4x.7x21mmL E5 Torx, Thread forming, w/ Attached Washer			10
10475002-(Delco Remy)	screw w/ washer attached, M4x0.7x21MM,E5 tork,see 1989650CS-130,D			91
10475023(Delco Remy)	bearing, 15mm(.590) x 35mm(1.378) x 11mm(.433), double sealed			12

OEM PN	OEM Description	Date Of Price	List	Quantity
10475284(Delco Remy)	Housing, DE, SD210, Lester 6415			1
10475287(Delco Remy)	DE frame SD series, with shim problem-see bulletin			0
10475298(Delco Remy)	Housing, DE, SD210, Lester 6415			1
10475578+10475580(DR)	PLANETARY GEAR-DR PG260M, N w/o needle brg 10475580			3
10475584(Delco Remy)	Drain Tube - C.E. Frame For: Delco PG260F2, PG260M Series PMGR			2
10475588(DR)	armature			0
10475602(DR)	BH ASSY-DR PG260M FOR:Delco PG260M Series PMGR Starters			1
10475616(DR)	DRIVE, STR PG260M 12V 9251, perkins			0
10475626(DR)	PLANETARY SHAFT-DR PG260M			1
10475632(Delco Remy)	STATIONARY GEAR-DR PG260M			2
10475632(DR)	STATIONARY GEAR-DR PG260M, N			2
10475635(Delco Remy)	SCREW M5 X 0.8 X 11MM E6 TORX			26
10475636(Delco Remy)	Screw For: Delco PG260F1, PG260M Series PMGR			8
10475637(DR)	BOLT M5 X 0.8 X 102MM HEX			10
10475639(DR)	LVR SUPPORT-DR PG260M, N			1
10475642(DR)	COVER-DR PG260M, N			1
10475646(Delco Remy)	SOL-DR PG260d,F1,F2,G,H,L,M 3-TERM, also believed PG260N			0
10475737(Delco Remy)	Screw w/ Insulator, M4x.7x21mmL E5 Torx, Thread forming, w/ Attached Washer			20
10475745(Delco Remy)	Insulator, Stator Leads Through SRE frame, CS-130D			2
10475746(Delco Remy)	Brush holder assy, CS-130D			0
10475748(Delco Remy)	Rotor, 100-105 amp 12 volt CS-130D			3
10475750(Delco Remy)	Slip Ring, CS-130D			3
10475751(Delco Remy)	Slip Ring, CS-130D			3

OEM PN	OEM Description	Date Of Price	List	Quantity
10475758(Delco Remy)	rectifier 9SI , fits 1994 CS			0
10475768(Delco Remy)	Cover, Back, CS130D, Early Clip, Low Ht			0
10475768-(Delco Remy)	Cover, CS130D, Back end, one of a few, Taller than 46-1403, Fits higher Press Fit Diodes			2
10475908(DR)	GASKET-DR PG260M			8
10476337-(Delco Remy)	This version has attached washer			14
10476382(Delco Remy)	Mounting Bushing - S.R.E. Frame For:			1
10476394(DR)	pulley 1V, .669 x 2.5"x.395(10MM)			4
10476418(DR)	NLA-needle bearing SRE, cs-144			1
10476482(DR)	Brush holder, w/o brushes			0
10476484(DR)	Brush, CS-130D, Grnd side, and AD244			6
10476487(DR)	Brush, CS-130D, Positive, and AD244			6
10476603(DR)	GROMMET, PG260			6
10476604(DR)	SHIFT LEVER-DR PG260M, N			1
10476635(Delco Remy)	Busing, 10mm Pivot hole, CS-130, D			1
10476647(DR)	CE FRAME-DR PG260M			1
10477431(Delco Remy)	Grease, Plunger, Delco-Remy "Nyo Gel 774L"			0
10477434(Delco Remy)	Grease, Plunger, Delco-Remy "Nyo Gel 774L"			0
10477626(Delco Remy)	Frame, SRE, Lester 8107, Saturn Saddle, w/o bushing in pivot hole			0
10477626-(Delco Remy)	Frame, SRE, Lester 8107, Saturn Saddle, add bushing in pivot hole			1
10479013(Delco Remy)	Starter 37MT 24 volt			0
10479611(Delco Remy)				0
10479615(Delco Remy)				0
10479628(DR)	Starter, 28MT			0



OEM PN	OEM Description	Date Of Price	List	Quantity
10479630(DR)	Starter, 28MT			0
10479805(Delco Remy)	adapter plug, external CS-121 to Nippondenso applications			0
10479896(Delco-Remy)	CS130 Series Alternator for Delco 100 Amp, 12 Volt, CW Rotation, Reg. Type: IR			0
10479901(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
10479906(Delco Remy)	CS130 Series Alternator for Delco 100 Amp, 12 Volt, CW Rotation, Reg. Type: IR			0
10479912(Delco Remy)	CS130 Series Alternator for Delco 100 Amp, 12 Volt, CW Rotation, Reg. Type: IR			0
10479962(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
10479976(Delco Remy)	CS130 T100 105 amp			0
10479993(Delco Remy)	CS130 Series Alternator for Delco 100 Amp, 12 Volt, CW Rotation, Reg. Type: IR			0
10479994(Delco Remy)	CS130 Series Alternator for Delco 100 Amp, 12 Volt, CW Rotation, Reg. Type: IR			0
10480018(Delco Remy)	Alternator, CS-144, 140 amp, 4:30 regulator position, w/ regulator 35-119, pulley 24-1255			0
10480027(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
10480065(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0
10480079(Delco Remy)	Alternator, CS-130D, 150 Amp, 96-98 Buick, Chev, Olds, Pont 2.4L CAUTION: MATCH			0
10480084(Delco Remy)	ALT-DR CS130 7:00 W/24-1255			0
10480096(Delco Remy)	1-1606-01DR CS121 Series Alternator for Delco			0
10480111(Delco Remy)	Alternator, CS-144, 140 amp, 7:30 regulator position, w/ regulator 35-127, pulley 24-1250			0
10480136(DelcoRemy)	CS130 Series Alternator for Delco 100-105 Amp, 12 Volt, CW Rotation			1
10480137(DelcoRemy)	CS130 Series Alternator for Delco 100-105 Amp, 12 Volt, CW Rotation			1
10480138(Delco Remy)	Alternator, CS-144, 140 amp, 1:30 regulator position, w/ regulator 35-127, pulley 24-1255			0
10480139(Delco Remy)	Alternator, CS-144, 140 amp, 1:30 regulator position, w/ regulator 35-127, pulley 24-1255			0
10480171(Delco Remy)	Alternator, CS-144, 140 amp, 4:30 regulator position, w/ regulator 35-136, pulley 24-1250			0
10480182(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0

OEM PN	OEM Description	Date Of Price	List	Quantity
10480184-Core(DR)	CS130D 102amp			1
10480200(Delco Remy)	Alternator, CS-144, 140 amp, 1:30 regulator position, w/ regulator 35-127, pulley 24-1255			0
10480202(Delco Remy)	Alternator, CS-144, 140 amp, 1:30 regulator position, w/ regulator 35-127, pulley 24-1255			0
10480203(Delco Remy)	Alternator, CS-144, 140 amp, 7:30 regulator position, w/ regulator 35-127, pulley 24-1250			0
10480240(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10480264(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0
10480288-Core(DR)	CS130D			1
10480301(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10480307(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10480317(Delco Remy)	Alternator, CS130D, 1999 Malibu, uses 19009749 Regulator			0
10480320(Delco Remy)	Lester 8275, Unit #'s 10480320,10480321,10480322, 10480361,			0
10480321(Delco Remy)	Lester 8275, Unit #'s 10480320,10480321,10480322, 10480361,			0
10480322(Delco Remy)	Lester 8275, Unit #'s 10480320,10480321,10480322, 10480361,			0
10480351(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
10480361(Delco Remy)	Lester 8275, Unit #'s 10480320,10480321,10480322, 10480361,			0
10480362(Delco Remy)	Lester 8275, Unit #'s 10480320,10480321,10480322, 10480361,			0
10480428(Delco Remy)	ALTERNATOR, AD237, 12V 125A			0
10488150(DR)	Nut, M8 1.25x13mmx5mmT. Solenoid post, DR SD series & PM Series			4
10488602(Delco Remy)	Cover, CS-130D Back			0
10489381(Delco Remy)	Drain Tube - C.E. Frame For: Delco PG260F2, PG260M Series PMGR			2
10490891(Delco Remy)	Cover, SRE, CS130D, One of a Few			0
10491531(Delco Remy)	Insulator, Stator Lead, Delco-Remy AD Series			2
10492753(DR)	BRUSH SPRING-DR 22SI ACE			16

OEM PN	OEM Description	Date Of Price	List	Quantity
10493298(DR)	insulator, top hat, 5/16" ID			11
10494472(Delco Remy)	Cover, for Brg, Delco-Remy AD Series			2
10494473(Delco Remy)	Insulator, B+ Term			2
10494474(Delco Remy)	Insulator, frame to + Rectifier, Delco-Remy AD Series 230,237,244			2
10494476(DR)	BRUSH HOLDER ASB, DELCO AD244+			2
10494503(DR)	RECTIFIER, AD230, AD237, AD244			1
10495188(Delco Remy)	Insulator, CE Terminal, Inside Starter			0
10495191(DR)	pulley 1V, .669 x 2.5"x.395(10MM)			4
10495192(DR)	PULLEY, 1GRV DELCO			4
10495204(Delco Remy)	Fan For: Delco CS121 Series IR/EF Alternators Dim: 17mm ID x 116mm OD			1
10495205(Delco Remy)	46-1400 Cover - S.R.E. Frame For: Delco CS121 Series IR/EF Alternators			1
10495208(Delco Remy)	Stator 74 Amp/12 Volt For: Delco CS121 Series, 55-74 Amp IR/EF Alternators			1
10495229(Delco Remy)	CS-121,130,144 Brush, ground w/ U thru screw connector, R-132, part			7
10495231(Delco Remy)	24-1257 5-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI, CS121, CS130, CS144 Series			0
10495350(Delco Remy)	CS-130 Stator, 105 amp			0
10495358(Delco Remy)	DE frame, offset-left, thread adj ear, CS-130, w/ brg			0
10495358-brg(Delco Re	DE frame, offset-left, thread adj ear, CS-130, no bearing			0
10495572(Delco Remy)	DE frame, offset right, thread adj ears, CS-130, w/ brg			2
10495572-brg(Delco Re	DE frame, offset right, thread adj ears, CS-130, no bearing			0
10495643(Delco Remy)	CS-130 rotor 85-105Amp,			2
10495681(Delco Remy)	CS-130 slip ring kit			0
10495681-subpart(Delc	slip ring, CS-130, less than the kit offered by 10495681			1
10495816(Delco Remy)	DE frame, short mtg ear w/ straightthread adj ears, w/ brg,CS-130			0

OEM PN	OEM Description	Date Of Price	List	Quantity
10495816-brg(Delco Re	DE frame, short mtg ear w/ straightthread adj ears, CS-130, no bear			0
10495828(Delco Remy)	THRUST COLLAR-DR			12
10495892(Delco Remy)	Retainer, Field Coil, SD210, 65.5mmL (2.58")			0
10495897(Delco Remy)	THRUST COLLAR-DR			12
10495916(Delco Remy)	Gear, Stationary, PG200			1
10495931(Delco Remy)	Armature Delco-Remy SD210			1
10495933(Delco Remy)	screw, 10-32 hex x 1/2" solenoid caps			30
10496032(Delco Remy)	DE frame, offset right, thread adj ears, CS-130, w/ brg			0
10496032-brg(Delco Re	DE frame, offset right, thread adj ears, CS-130, no bearing			0
10496109(Delco Remy)	center plate, 10MT 4 x 4 , industrial & marine applications			3
10496336(Delco Remy)	DE frame, 3 mtg ears, CS-130, w/ brg			0
10496336-brg(Delco Re	DE frame, 3 mtg ears, CS-130, no bearing			0
10496501(Delco Remy)	tolerance ring- SRE Bearing, metal,CS-130			18
10496542(Delco Remy)	Discontinued by Delco 1997 - D.E. Housing Aluminum For: Delco 27MT Series DD Starters			0
10496569(DR)	Retainer, Shift lever, 42MT .260" x .508 x .012			20
10496573(Delco Remy)	frame/housing assy, commutator end, part of 10457016 OCP kit.			0
10496576(DR)	O-ring, thermostat, .626 x .815 x .102			20
10496580(Delco Remy)	pulley, 52mmOD x 17mmbore, 6 groove, w/o hub			0
10496580-(Delco Remy)	pulley, 52mmOD x 17mmbore, 6 groove, w/hub			2
10496643(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
10496671(Delco Remy)	DE frame, long mount ear, straight unthred adj ear, 8mmx1.25, brg in			2
10496671-brg(Delco Re	DE frame, long mount ear, straight unthred adj ear, 8mmx1.25, no bea			1
10496750(Delco Remy)	terminal, battery, square,CS-130			3

OEM PN	OEM Description	Date Of Price	List	Quantity
10496873(Delco Remy)	Reman, 10MT, 12 volt, 4 x 4 sealed, our suburban is a match			0
10497100(Delco Remy)	Pulley, 5 groove, 2 5/8" OD, CS-121, 130			1
10497130(Delco Remy)	terminal kit, battery, round early stud,CS-130	2/5/2000	\$6.00	0
10497130(Delco Remy)	terminal kit, battery, round early stud,CS-130	9/13/1999	\$6.00	0
10497130(Delco Remy)	terminal kit, battery, round early stud,CS-130	11/22/1998	\$6.00	0
10497172(Delco Remy)	conversion harness, for use w/ 42MT with OCP (over crank protection), whenbeing used to			0
10497302(Delco Remy)	Thru Bolt w/ Extension For: Delco 5MT, SD200, SD210, SD250, SD260 Series Starters Dim: 10-			4
10497317(Delco Remy)	28-122 Rotor 80 Amp/12 Volt For: Delco CS121 Series 61-80 Amp IR/EF Alternators			1
10497320(Delco Remy)	Stator 74 Amp/12 Volt For: Delco CS121 Series, 55-74 Amp IR/EF Alternators			1
10497522(Delco Remy)	Starter Drive 10-T, CW, 3-SPL Single Roller Clutch Type For: Delco 10MT, 20MT, 22MT,			0
10497789(Delco Remy)	connector, regulator to rec, CS-144			0
10498103(DR)	FAN, ALT 15SI 17SI CS144			1
10498145(Delco Remy)	stator, 85-100 amp, CS-130			2
10498156(DR)	Nut, M8 1.25x13mmx5mmT. Solenoid post, DR SD series & PM Series			4
10498209(Delco Remy)	terminal Lead & thermostat assy, part of OCP kit 10457016			0
10498211(Delco Remy)	retaining ring, part of OCP kit 10457016			10
10498301(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4
10498438(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bushing ID 14.3mm/.563",			0
10498446(Delco Remy)	Pulley, 5 groove, 2 5/8" OD, CS-121, 130			1
10498526(Delco Remy)	Shaft & Drive Assy, PG200			1
10498530(Delco Remy)	armature, PMGR, 24 teeth			0
10498563(Delco Remy)	CS-130 Stator, 105 Amp			0
10498623(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0

OEM PN	OEM Description	Date Of Price	List	Quantity
10498663(Delco Remy)	connector, motor lead to solenoid, 40MT, 42MT with Standard solenoid ( Not Semi Solid			1
10498717(Delco Remy)	Brg 15 mmID x 32 mm OD x 9 mmW			6
10498833(Delco Remy)	Mounting Bushing, CS-130, 10mm ID x 16mmOD x 20MMOAL w/ 22mm shoulder	2/17/2021	\$3.02	5
10498833-sub(DR)	.630OD x .868"shoulder od x .413ld x .620L shoulder x .763LOA			7
10498921(DR)	brake washer ( leather ), 9/16" x 15/16"OD, .120"thick, 5-10MT,SD210,SD260			43
10499094(Delco Remy)	brake washer - CE, leather, 1/2"ID, 5MT-SD210,SD260			59
10499095-brg(Delco Re	DE housing,CS-130,offset-right adj ear, 8MM			2
10499510(Delco Remy)	use 38-138 w/ clip for solder			20
10499635(Delco Remy)	Screw, 10-32 x 3 1/8 Hex CE frame			6
10499637(Delco Remy)	Screw Dim: 5/16-18 x 7/8 L Features: - Socket head, 1/4 drive - Chamfered point - Black oxide			8
10499643(Delco Remy)	Screw Dim: 5/16-18 x 7/8 L Features: - Socket head, 1/4 drive - Chamfered point - Black oxide			8
10499850(Delco Remy)	drive			1
10499854(Delco Remy)	drive, 9 tooth, CW, 3 spline, mini tork, 9/16" shaft			1
10499855(Delco Remy)	Drive			2
10499883(Delco Remy)	CE Frame, PG200			1
10500475(DR)	Drive, Roller, 9T, 1.14" / 29mm OD, CW, 6 Spiral Spl			0
10501995(DR)	BH ASSY-DR PG260D			2
10510639(DR)	Drive Housing for 8000043 Starter on PerCat.			0
10510640(DR)	Drive Housing for 8000043 Starter on PerCat.			0
10512651(DR)	SSL Connector kit w/ 2 small holes			0
10512651-(DR)	kit			1
10517108(DR)	BH ASSY-DR PG260M FOR:Delco PG260M Series PMGR Starters			1
10521332(DR)	Regulator, 18 & 28SI, one source says Stator A/C activation, may also be ignition per what			1

OEM PN	OEM Description	Date Of Price	List	Quantity
10527709(DR)	Regulator, 18 & 28SI, one source says Stator A/C activation, may also be ignition per what			1
106495(Delco Remy)	Lockwasher, #6			95
10DN Chrome Kit(Delco				0
10MT-Housing(Delco Re				1
10SI Chrome Kit(Delco				0
1100061(Delco Remy)	10DN 24V 30A Large Shaft fin type Sealed			0
1100068(Delco Remy)	10DN 12V 52A w/ Large Shaft			0
1100077(Delco Remy)	Alternator, 27 SI, 65 amp, 24v, 1 wire, programabler set point			0
1100180(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1100217(Delco Remy)	alternator, Delco-Remy, 12 SI, 78 amp, 12 volt, 4 groove			0
1100267(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1100444(Delco Remy)	original # crossed to Ace 717			0
1100735(Delco Remy)	10DN 12V 61A Tapped for Tach			0
1100812(Delco Remy)	10DN 12V 22A Sealed			0
1100928-Core(Delco Re	10SI Series Alternator for Delco 63 Amp, 12 Volt, CW Rotation			1
1101259(Delco Remy)	Alternator, CS-130			0
1101291(Delco Remy)	alternator, CS-121-74 amp 12 v,			0
1101319(Delco Remy)	74 amp 7:00, w/ 6 grv pulley, 88-89 chev cavalier 2.8L,90-91 3.1L, 9			0
1101320-core(DR)	CS-121			1
1101354(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101355(Delco Remy)	Generator, 3 brush, 2 brg			0
1101356(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101357(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1101358(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101363(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101367(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101371(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101373(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101375(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101377(Delco Remy)	Generator			0
1101379(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101380(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101383(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101384(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101392(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101413(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101414(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101416(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101417(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101423(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101425(Delco Remy)	Generator, Most likely 3 brush, 2 brg			0
1101432(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101577(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
1101626(Delco Remy)	adapter plug, external CS-121 to Nippondenso applications			0
1101649(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
1101689(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0



OEM PN	OEM Description	Date Of Price	List	Quantity
1101689-Core(Delco Re	Starter Gernerator Core	3/14/2005	\$87.50	2
1101689-Core(Delco Re	Starter Gernerator Core	3/14/2005	\$87.50	2
1101690(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101691(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
1101692(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
1101693(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101695(Delco Remy)	Starter Generator, obsolete B&S			0
1101863(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101864(Delco Remy)	field coil set, Lester 9193, 12v, CW, Poleshoe 2 7/8" x 2 1/8", motor/generator w/ armature			2
1101864-(Delco Remy)				0
1101864--(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101870(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101873(Delco Remy)				0
1101874(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101875(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101876(Delco Remy)	Generator, 12 Amp, Aviation, uses Regulator 1118383			0
1101879(Delco Remy)	Generator, 25 Amp, Aviation, Gear Driven, Group 93G, On File. Uses Regulator 1118384			0
1101888(DR)	1101888 (35 AMP) on TCM E165,E185, E225, SOME WERE 1101879 20 AMP			0
110188-Core(DR)	70a 15SI			1
1101890(Delco Remy)	Generator, 20 amp, Aviation			0
1101898(Delco_Remy)	Generator, Aviation, 12V, 35amp, Gear Driven, 6-6.5ohm field,			0
1101898(Delco-Remy)	Generator, Gear Driven, 12V, 35 amp, Aviation 1960's vintage, pre FAA Strict laws and			0
1101899(Delco Remy)	Generator-Aviation	7/13/2006	\$330.00	0

OEM PN	OEM Description	Date Of Price	List	Quantity
1101899(Delco Remy)	Generator-Aviation	12/1/2002	\$386.00	0
1101899-Core(Delco Re	Core, Generator, Aviation			0
1101901(Delco Remy)	Generator, Aviation, 15 amp Beechcraft			0
1101901-Core(Delco Re	Generator, Aviation, 15 Beechcraft - Core			0
1101901RX(Delco Remy)	Generator, Aviation, 15 Beechcraft - Overhaul Exchange			0
1101945(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101967(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
1101968(Delco Remy)	STarter / Gen - DR 1101968 + Pulley 1949358			0
1101970(Delco Remy)	Starter Generator, 12v, CW			0
1101970-(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101973(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101974-Core(Delco Re	Starter / GeneratorTEC H60, Delco-Remy Group 93-J (NLA)			1
1101980(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101981(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101984(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101989(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101992(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101993(Delco Remy)	Starter-Generator, Long Field Case,CW, 12 v,15 amp,Case,Cushman,Interna Harvester Cub			0
1101996(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
1101996-Pulley(Delco	Pulley, 3" OD x .670B x 3/8" w/ 1/8" key, single grove			0
1101997(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
1101998(Delco Remy)	Starter - Generator, Long Field case, CCW, 12 v, 15 amp, International Cub Cadet & others.			0
1102096(Delco Remy)				1

OEM PN	OEM Description	Date Of Price	List	Quantity
1102096-core(Delco Re	Delco-Remy 1102096 generator, 12 volt, Lester 9005			1
1102096-fields(Delco	fields, generator, 12 volt, lester 9005			1
1102096-housing(Delco	housing, field, from Delco-Remy1102096			1
1102096-pulley(Delco	pulley, Delco-Remy1102096 generator, single groove 3/8" 2 13/16" OD			1
1102096-retainer(Delc	plate, retainer for bearing, Delco-Remy 1102096, Lester 9005			1
1102096-thrubolt(Delc	through bolt, 8", Delco-Remy 1102096, Lester 9005			2
1102336-Housing(DR)	Housing, complete with fields, Corvair, 1964 generator			0
1102497(Delco Remy)	63 amp 10SI			0
1102617(Delco Remy)	Alternator, CS-130			0
1103113(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1103114(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1103193(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105052-Core(Delco Re	Generator - Core			0
1105052RX(Delco Remy)	Generator, 40 amp			0
1105064(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105065(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105078(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105088(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105097(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1105427(Delco Remy)	12SI Series Alternator for Delco 78 Amp, 12 Volt, CW Rotation Reg. Type: IR (Internal			1
1105477(Delco Remy)	alternator, 27 SI, Delco-Remy, type 202, 30 amp 24 volt, N grnd, with AC tap, 12:00, IR, EF	2/5/2000	\$23.16	0
1105477(Delco Remy)	alternator, 27 SI, Delco-Remy, type 202, 30 amp 24 volt, N grnd, with AC tap, 12:00, IR, EF	9/13/1999	\$23.16	0
1105477(Delco Remy)	alternator, 27 SI, Delco-Remy, type 202, 30 amp 24 volt, N grnd, with AC tap, 12:00, IR, EF	11/22/1998	\$23.16	0

OEM PN	OEM Description	Date Of Price	List	Quantity
1105697(Delco Remy)	CS121 74amp			0
1105701(Delco Remy)	3 ear mount			0
1106822-BHN(Delco Rem	Brush Holder, Negative, Deisel Generator, 1106800 Series	4/6/2005	\$1.75	1
1106822-BHN(Delco Rem	Brush Holder, Negative, Deisel Generator, 1106800 Series	4/6/2005	\$1.75	1
1106822-BHN(Delco Rem	Brush Holder, Negative, Deisel Generator, 1106800 Series	4/6/2005	\$1.75	1
1106822-BHP(Delco Rem	Brush Holder, Positive, Deisel Generator	4/6/2005	\$1.75	1
1106822-BHP(Delco Rem	Brush Holder, Positive, Deisel Generator	4/6/2005	\$1.75	1
1106822-BHP(Delco Rem	Brush Holder, Positive, Deisel Generator	4/6/2005	\$1.75	1
1106822-PoleShoe(Delc	Pole Shoe, Diesel Generator, 1106800 Series	4/6/2005	\$1.75	2
1106822-PoleShoe(Delc	Pole Shoe, Diesel Generator, 1106800 Series	4/6/2005	\$1.75	2
1106822-PoleShoe(Delc	Pole Shoe, Diesel Generator, 1106800 Series	4/6/2005	\$1.75	2
1107251(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1107263(DR)	Wisconsin Starter			0
110730(Delco Remy)	L.W., Split, 3/8"ID x 11/16"OD x .075"T			0
1107343(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1107344(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1107350(Delco Remy)	LikeStarter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020			0
1107390(DR)	Wisconsin Starter			0
1107496(Delco Remy)	10 MT			0
1107496-Housing(Delco	Housing only, 10 MT			1
1107510(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1107522(Delco Remy)	LikeStarter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020			0
1107540(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1107540-(Delco Remy)				0
1107578(Delco Remy)	LikeStarter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020			0
1107588(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1107588-(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1107605(Delco Remy)	Starter, Min Moline Model UBE,UBN, UBU, (last digit is engine code related-common			0
1107659(Delco Remy)	Starter, Min Moline Model UBE,UBN, UBU, (last digit is engine code related-common			0
1107782(DR)	Wisconsin Starter			0
1107867(DR)	Lucas Case starter			0
1107871(Delco Remy)	starter			0
1108038(Delco Remy)	Starter, 6 V, early 8/10MT Farmall, Standard 3 term solenoid mounted at mtr post.			0
1108306(Delco Remy)	8MT, 12 volt starter, Corvair			0
1108336(Delco Remy)	Starter, Delco Remy 1108336 for K-662, Lester 4243, use 6712, 1109433			0
1108386(Delco Remy)	10MT type 101			0
1108448(DR)	Starter, PG260L, Mercury Marine			0
1108636(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1108641(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1108643(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1108652(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1108697(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1108776-Core(DR)				1
1108802-Core(DR)	DELCO 40MT STARTER ADDL INFO: DYER GEAR STYLE			1
1109062-Core(DR)	10MT			2
1109140(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1109189(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1109196(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1109208(DR)	Starter, 28MT			0
1109219(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1109219-(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1109253(Delco Remy)	Starter, Like 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1109253-(Delco Remy)	Starter, 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1109258(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1109263(Delco Remy)	Starter, Like 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1109263-(Delco Remy)	Starter, 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1109272(Delco Remy)	Starter 22/27MT Like28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-			0
1109272-(Delco Remy)				0
1109424(DR)	Wisconsin Starter			0
1109425(DR)	Wisconsin Starter			0
1109426(DR)	Wisconsin Starter			0
1109433(Delco Remy)	Starter, Delco Remy 1108336 for K-662, Lester 4243, use 6712, 1109433			0
1109482(DR)	Starter, PG260L, Mercury Marine			0
1109514(Delco-Aviatio)	Aviation Starter	7/26/2009	\$339.30	0
1109532(Delco Remy)	5MT, Starter, Delco-Remy, Shim 14057993 may be required, "Z" type.			0
1109563(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1109563-(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1109647(Delco Remy)	Starter, 50MT, 24 volt			0
1109657(Delco Remy)	Starter	1/29/2003		0

OEM PN	OEM Description	Date Of Price	List	Quantity
1109657(Delco Remy)	Starter	12/1/2002	\$406.00	0
1109684(DR)	Aviation flat Key drive Starter from 1960's			0
1109688(DR)	Starter, Aviation, Offset GR originally w/ Spring Drive, Group 70 on file, Assembly on file			0
1109961(Delco Remy)	Starter, 50MT, 24 volt			0
1109971(Delco Remy)	Starter, 50MT, 24 volt			0
1109977(Delco Remy)	Starter, 50MT, 24 volt			0
1109997(Delco Remy)	Starter, 50MT, 24 volt			0
1113007(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113010(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113038(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113041(Delco Remy)	Starter ,Delco-Remy, Manual Switch 30-35MT			0
1113050(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113052(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113056(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113059(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113066(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1113216(Delco Remy)	Starter, Delco-Remy 30MT 12 volt, CW type 7F, 12 tooth for Detroit Diesel 4/53			0
1113266(Delco Remy)	Delco-Remy starter, 28MT,C-6471 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113267(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113269(Delco Remy)	Delco-Remy starter, 28MT,C-6471 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113270(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113273(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1113273-(Delco Remy)				0

OEM PN	OEM Description	Date Of Price	List	Quantity
1113274(Delco Remy)	Starter, 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1113275(Delco Remy)	Starter, Delco-Remy 28MT, A Retrofit for replacement of older 20/27MT, Used on			0
1113276-	likely a good replacement and link to more.			0
1113276(Delco Remy)	Starter, 28MT, can replace Lester 17037, or Nippondenso's Lester 16658, 12 volt CW 10			0
1113276-(Delco Remy)	28MT replacement for Mitsubishi			0
1113278(Delco Remy)	Starter, Delco-Remy 28MT, A Retrofit for replacement of older 20/27MT, Used on			0
1113279(Delco Remy)	28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-Chalmers, Lister-			0
1113279-(Delco Remy)				0
1113280(Delco Remy)	28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-Chalmers, Lister-			0
1113281(Delco Remy)	28MT Series OSGR Starter 12 Volt, CW, 10-Tooth Pinion			0
1113282(Delco Remy)	Starter, 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1113295(Delco Remy)	Delco-Remy starter, 28MT,C-6471 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113296(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113341(Delco Remy)	Starter, John Deere, 720 Gas, mounts under tractor in box, manual start switch, brush			0
1113589(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113589-(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113590(Delco Remy)	Delco-Remy starter, replace 27MT 1113590,1998401			0
1113590-(Delco Remy)	Delco-Remy starter, 28MT,C-6471 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1113593(Delco Remy)				0
1113593-(Delco Remy)				0
1113598(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1113598-(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1113646(Delco Remy)	Starter, 35MT Int Rot, 12 volt, CW, 12 T,270degree (330?),drive 4-282, Nose 1946013			0



OEM PN	OEM Description	Date Of Price	List	Quantity
1113656(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
1113672(Delco Remy)	Starter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020 1969-			0
1113818(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113824(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113825(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113831(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113842(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113845(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113846(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113849(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113850(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113851(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113855(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113858(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113872(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113876(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113883(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113887(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113892(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113895(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113898(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113900(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113905(Delco Remy)	40MT starter, 1945500 arm, 1974929 coils, 801403 L. Housing, 11 t CW 1894211 drive,			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1113905-(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113914(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113920(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113923(Delco Remy)	40MT starter, 24 volt, armature 1945500, 1974929 coils, no jag housing 1979534, 12t			0
1113926(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113935(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113948(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113952(Delco Remy)	Starter, 40MT, 24 volt			0
1113952-(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113955(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113956(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113957(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113958(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113965(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113966(Delco Remy)	40MT, 24 volt, 11 tooth			0
1113968(Delco Remy)	40MT, 24 volt, 11 tooth			0
1114088(Delco Remy)	STR-DR 40MT 12V 11T 486 CW			0
1114098(Delco Remy)	40 MT starter, 1961320 arm, 1974778 coils, 1979534 no jag L. H. , 1894211 11 T CW drive,			0
1114098-(Delco Remy)	STR-DR 40MT 12V 11T 486 CW			0
1114098-Armature(Delc	armature, 40 MT, 12 volt			1
1114098-Core(Delco Re	40 MT starter, 1961320 arm, 1974778 coils, 1979534 no jag L. H. , 1894211 11 T CW drive,			0
1114178(Delco Remy)	40MT 12 volt			0
1114197(Delco Remy)	Starter, 40MT 12 volt			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1114197-(Delco Remy)	STR-DR 40MT 12V 11T 486 CW			0
1114218(Delco Remy)	Solenoid, 12 v, insulated base, 4 post, 5/16-24x19/32, 2 13/64 centers, UL Listed			1
1114223(Delco Remy)	Solenoid, 12 v, insulated base, 4 post, 5/16-24x19/32, 2 13/64 centers, UL Listed			1
1114227(Delco Remy)	solenoid, 3 terminal, 12 volt grnd flat base, Continuous Duty.			0
1114251(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114253(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114287(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114322(Delco Remy)	Solenoid, early short like 7-940			0
1114322-Sub(Delco Rem	Cut tail of 7-946 to fit			1
11144255-257(Delco Re	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114458(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114493(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1114514(Delco Remy)	5MT/10MT solenoid, Short			5
1114515(Delco Remy)	5MT/10MT solenoid, Short			5
1114531(Delco Remy)	5MT/10MT solenoid, Short			5
1114545(Delco Remy)	solenoid, 6 volt, Delco-Remy			1
1114578(Delco Remy)	Solenoid 12 Volt, 3-Terminal For: Delco PG200, PG250 Series PMGR; SD210, SD260 Series DD			1
1114582(Delco Remy)	Solenoid 12 Volt, 3-Terminal For: Delco PG200, PG250 Series PMGR; SD210, SD260 Series DD			1
1114584(Delco Remy)	66-143Solenoid 12 Volt, 3-Terminal For: Delco SD205, SD255 Series DD Starters Used On:			0
1114593(Delco Remy)	SOL-DR PG260d,F1,F2,G,H,L,M 3-TERM, also believed PG260N			0
1114599(Delco Remy)	SOL-DR PG260d,F1,F2,G,H,L,M 3-TERM, also believed PG260N			0
1114609(DR)	SOLENOID ASB, DELCO 12V			0
1114710(Delco Remy)	Starter, 40MT, 24 volt			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1114710-(Delco Remy)	40MT, 24 volt, 11 tooth			0
1114715(Delco Remy)	40MT, 24 volt, 11 tooth			0
1114727(Delco Remy)	40MT, 24 volt, 11 tooth			0
1114728(Delco Remy)	40MT, 24 volt, 11 tooth			0
1114772(Delco Remy)	Starter, 40MT, 24 volt			0
1114773(Delco Remy)	Starter, 40MT, 12 volt			0
1114895(Delco Remy)	STR-DR 40MT 12V 11T 486 CW			0
1115501(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115501-core(Delco Re	solenoid 35MT 12V - core			0
1115502(Delco Remy)	solenoid, 40/50MT late style heavy duty, Square face,12 volt, cu con			0
1115508(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115508-core(Delco Re	solenoid 35MT 12V - core			0
1115510(Delco Remy)	solenoid 35MT 12V			0
1115510-core(Delco Re	solenoid 35MT 12V - core			0
1115516(Delco Remy)	solenoid, 40/50MT late style heavy duty, Square face,12 volt, 1/2-13			0
1115518(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115521(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115522(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115528(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115529(Delco Remy)	solenoid 35MT 12V			0
1115529-(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115530(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115531(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1115540(Delco Remy)	solenoid 35MT 12V			0
1115540-(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115540-core(Delco Re	solenoid 35MT 12V - core			0
1115541(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115543(Delco Remy)	sol 35MT 24v			0
1115546(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt, Delco-Remy - no longer available			0
1115547(Delco Remy)	solenoid, 40,50MT, 24 volt, Square face			0
1115548(Delco Remy)	solenoid, 40,50MT, 24 volt, Square face			0
1115556(Delco Remy)	solenoid, 40/50MT late style heavy duty, Square face,12 volt, cu con			0
1115557(Delco Remy)	solenoid, 40-50MT, 24 volt	9/13/1999	\$21.50	0
1115557(Delco Remy)	solenoid, 40-50MT, 24 volt	11/22/1998	\$21.50	0
1115557-core(Delco Re	solenoid core, 24 volt, 40-50MT			2
1115558(Delco Remy)	solenoid, 24V reverse terminals			0
1115559(Delco Remy)	sol 24V 40 MT truck square face			0
1115559-(Delco Remy)	solenoid, 40,50MT, 24 volt, Square face			0
1115561(Delco Remy)	solenoid, 40/50MT late style heavy duty, Square face,12 volt, 1/2-13 bat is x 1 5/8, mot			0
1115574(Delco Remy)	solenoid, 40,50MT, 24 volt, Square face			0
1115575(Delco Remy)	solenoid, 40/50MT late style heavy duty, Square face,12 volt, silvered contacts			0
1115575is silver(Delc	is same as 1115556 except silver			0
1115582(Delco Remy)	solenoid 35MT 12V			0
1115582-(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
1115584(Delco Remy)	Solenoid, 35MT, Grnd base, 4 terminals, Motor on right, 3/8" studs			1
1115589(Delco Remy)	solenoid, 12 V, 37MT, 3/8" motor stud, 3/8" bat stud, S on RH, no Return term on left, grnd			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1115591(Delco Remy)	solenoid, 12 V, 37MT, 3/8" motor stud, 1/2" bat stud, S on RH, no Return term on left, Grnd			0
1115593(Delco Remy)	solenoid, 12 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115593-core(Delco Re	core-solenoid, 12 volt, 37/42MT			0
1115594(Delco Remy)	solenoid, 24 V, 37MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115595(Delco Remy)	solenoid, 24 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115596(Delco Remy)	solenoid, 12 V, 37MT, 3/8" motor stud, 3/8" bat stud, S on LH, no Return term on right,			0
1115597(Delco Remy)	solenoid, 24 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on LH, Return term on right,			0
1115598(Delco Remy)	solenoid, 12 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on LH, Return term on right,			0
1115599(Delco Remy)	solenoid, 37MT,24 V, 3/8 studs, S on RH, Return onLeft, ins base			0
1115600(Delco Remy)	solenoid, 37MT,24 V, 1/2" studs, S on LH, Return on Right, ins base			0
1115601(Delco Remy)	solenoid, 24 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115602(Delco Remy)	solenoid, 12 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115603(Delco Remy)	solenoid, 12 V, 37MT, 1/2" motor stud, 1/2" bat stud, S on RH, no Return term on right,			0
1115604(Delco Remy)	solenoid, 24 V, 37MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115605(Delco Remy)	solenoid, 37MT,24 V, 1/2" studs, S on RH, Return onLeft, ins base			0
1115607(Delco Remy)	solenoid, 40,50MT, 24 volt, Square face			0
1115608(Delco Remy)	solenoid, 24 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on RH, Return term on left,			0
1115609(Delco Remy)	solenoid, 12 V, 37MT, 1/2" studs-motor term w/ inverted tapped hole, S on RH, no Return			0
1115610(Delco Remy)	solenoid, 12 V, 37MT, 1/2" motor term with inverted hole, 1/2" bat stud, S on LH, no			0
1115612(Delco Remy)	solenoid, 12 V, 37MT, 1/2" motor term inverted tapped hole, 1/2" bat stud, S on RH,			0
1115613(Delco Remy)	solenoid, 12 V, 37MT, 1/2" studs-motor term w/ inverted tapped hole, S on RH, no Return			0
1115616(Delco Remy)	magnetic switch (solenoid) 4 terminal remote flat mount configuration)			0
1115619(Delco Remy)	solenoid, 24 V, 37MT, 1/2" studs-motor term w/ inverted tapped hole, S on RH, no Return			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1115622(Delco Remy)	Solenoid, 24V, 37MT, 1/2-13 motor & Bat Stud, Switch term on right, no return term,			0
1115623(Delco Remy)	Solenoid, 12V, 37MT, 1/2-13 motor & Bat Stud, Switch term on left, no return term,			0
1115624(DR)	SOL-DR 42MT 12V, Conventional, now Obsolete from delco replaced by SSL tyep			1
1115634(Delco Remy)	Solenoid, 24V, 41MT, 1/2-13 motor & Bat Stud, Switch term on right, no return term,			0
1115639(Delco Remy)	Solenoid, 12V, 41MT, 1/2-13 motor & Bat Stud, Switch term on right, no return term,			0
1115640(Delco Remy)	Solenoid, 24V, 42MT, 1/2-13 motor & Bat Stud, Switch term on right, left hand return			0
1115642(DR)	SOL-DR 42MT 12V, Conventional, now Obsolete from delco replaced by SSL tyep			1
1115643(Delco Remy)	Solenoid, 12V, 37MT, 1/2-13 motor & Bat Stud, Switch term on right, left hand return			0
1115839(Delco Remy)	Regulator/Resistor Package			0
1115851(Delco Remy)	Regulator/Resistor Package			0
1115894(Delco Remy)	Regulator/Resistor Package			0
1116111(Delco Remy)	Regulator, CS130, 9SI			0
1116360(DR)	VOLT REG DR			0
1116378(Delco Remy)	regulator, mechanical	7/30/1994		0
1116387(Delco Remy)	regulator, 15SI			2
1116388(Delco Remy)	regulator, 24Volt 27SI truck			2
1116389(Delco Remy)	regulator, 12V 27SI truck			3
1116392(Delco Remy)	regulator			2
1116393(Delco Remy)	regulator, Delco-Remy 20DN, 12 v neg			0
1116404(Delco Remy)	regulator, 24Volt 27SI truck, 10SI			2
1116405(Delco Remy)	voltage regulator, Delco-Remy, 24V, Web type			1
1116406(Delco Remy)	Regulator, 12 volt, Webbed terminals w/ stud			2
1116408(Delco Remy)	Digital regulator, D675, P-L-F-S Terminals,external sense			6

OEM PN	OEM Description	Date Of Price	List	Quantity
1116410(Delco Remy)	regulator, CS,			0
1116411(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
1116411-(Delco Remy)	Regulator, Heavy duty ver of 411, CS-130			0
1116412(Delco Remy)	Digital regulator, D678, P-L-I-S Terminals, CS-144			1
1116413(Delco Remy)	digital volt regulator, cs-144,PLFS says most!, replaces marked 413, 430 better.			0
1116413--(Delco Remy)	19009730 can replace according to DuBois			0
1116413(DR)				5
1116424(Delco Remy)	regulator, cs-144,			0
1116425(Delco Remy)	regulator, CS series,			0
1116426(Delco Remy)	regulator, CS series,			0
1116427(Delco Remy)	regulator, CS series,			0
1116428(Delco Remy)	regulator, CS series, Better than 1116408			0
1116428..(Delco Remy)	digital volt regulator, cs-144,PLFS, is better			6
1116429(Delco Remy)	regulator, CS series, Better than 1116411			0
1116429-(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, better than 411			5
1116429--(Delco Remy)	Use better 1116436			0
1116430(Delco Remy)	regulator, CS series,			5
1116430--(Delco Remy)	19009730 can replace according to DuBois			0
1116432(Delco Remy)	regulator, CS series,			0
1116434(Delco Remy)	regulator, CS series,			0
1116435(DR)	VOLT REG DR			0
1116436(Delco Remy)	2.5 sec delay, internal temp comp, 14.7V, 14.7 remote set, no "L" term drive, 300 ohm I-L, no			0
1116436-(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5



OEM PN	OEM Description	Date Of Price	List	Quantity
1116437(Delco Remy)	released to supersede 1116436 then 1116436 returned to service and 1			0
1116437-(Delco Remy)	Use better 1116436			0
1116437--(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
1116438(DR)	REGULATOR, INT DELCO 12V			1
1116439(DR)	REGULATOR, INT DELCO 12V			1
1116440(Delco Remy)	regulator, CS series, on Toyota's			1
1116440-(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
1116441(DR)	REGULATOR, INT DELCO 12V			1
1116443(Delco Remy)	regulator, CS series,			0
1116445(Delco Remy)	Voltage Regulator, for CS Series, w/ instrument cluster, 10 sec Load response. Light circuit			0
1116445-(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
1116445--(Delco Remy)	19009730 can replace according to DuBois			0
1116445(DR)				5
1116737(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116751(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116753(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116755(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116761(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116766(Delco Remy)	Regulator/Resistor Package			0
111680(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
1116809(Delco Remy)	Regulator/Resistor Package			0
1116809(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116810(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1116816(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1116816?? Here ok(DR)	1116816 is labled as a cut out.			0
1116902(Delco Remy)	Relay, Generator Paralleling			0
1117089(Delco Remy)	30DN type 250 alternator, 60 amp, 4 long pole, early design fits in generator brackets. group			0
1117241(Delco Remy)	alternator, Delco-Remy 25SI, 75 amp, 12 volt, type 400			1
1117244-Core(DR)	alternator, Delco-Remy 25SI, 75 amp, 12 volt, type 400-core			2
1117251(Delco Remy)	alternator, 25SI type 400, 75 amp, 12 volt			0
1117880-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117894-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117905-(Delco Remy)	21SI - Replacement-Alternator, 22SI, IR/EF 145 amp 12 volt, 1 wire, Neg Grnd, 5/16"-18 Batt			0
1117906(Delco Remy)	Delco-Remy 21SI 12V 145-160A, 1 wire			0
1117916(Delco Remy)	Delco-Remy 21SI 12V 130A, 1 wire			0
1117925-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117931-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117942-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117943-(Delco Remy)	21SI - Replacement-Alternator, 22SI, IR/EF 145 amp 12 volt, 1 wire, Neg Grnd, 5/16"-18 Batt			0
1117951-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117953-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117954-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117955-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1117956-(Delco Remy)	21SI replacement - Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt			0
1118033(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1118053(Delco Remy)	Solenoid, Early Oval with Keyed Plunger & 5/16"female thread in plunger, 24 v, 4			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1118082(Delco Remy)	Solenoid, Early Oval with Keyed Plunger & 5/16"female thread in plunger, 24 v, 4			0
1118090(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1118095(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			0
1118113(DR)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
1118145(Delco Remy)	Solenoid, early short			1
1118145-(Delco Remy)	Solenoid, early short like 7-940			0
1118145-Sub(Delco Rem	Cut tail of 7-946 to fit			1
1118171(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1118173(Delco Remy)	Solenoid, Early Oval with Keyed Plunger & 5/16"female thread in plunger, 24 v, 4			0
1118174(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1118175(Delco Remy)	Solenoid, Early Oval with Keyed Plunger & 5/16"female thread in plunger, 24 v, 4	2/5/2000	\$96.30	0
1118266(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd			1
1118279(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1118282(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1118287(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1118291(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
111830(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
1118306(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd, A circuit			1
1118339(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1118347(Delco Remy)	Voltage Regulator, Generator, 8-12 amp, 3 unit, 3 bolt mount, pos grnd, 24 volt, Use VR-			0
1118381(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
1118383-(Delco Remy)	Aviation Regulator PN matching this item except 12amp is all that is required.			0
1118383(DR)	Regulator 1118383 lower amp than 1118384, equal to 1118383 for Ercoupe model 415-c w/			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1118384(Delco-Remy)	Regulator, 25 amp	3/14/2008	\$59.64	0
1118736(DR)	Regulator 12 Volt/26-31 Amp, Dual Polarity Three-Unit Type Aviation PN ?			0
1118737(Delco Remy)	VR-DR GEN 24V			1
1118779(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
1118780(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
1118786(Delco Remy)	Voltage Reg, Delco-Remy Generator, 6 v Pos, A circuit, Round Mount, 3 Term			0
1118791(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd			1
1118792(Delco Remy)	volt reg, 12 v, gen mount, 2 unit, pos/neg grn, 3 terminal, can use 13913, and don't hook up			2
1118793(Delco Remy)	Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes w/ VRK-1454			1
1118823(Delco)	Solenoid Switch, 12V, Round base, grnd base.			0
1118957(Delco Remy)	Voltage Regulator, Generator, 8-12 amp, 3 unit, 3 bolt mount, pos grnd, 24 volt, Use VR-			0
1118971(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd			1
1118972(Delco Remy)	volt reg, 12 v, gen mount, 2 unit, pos/neg grn, 3 terminal, can use 13913, and don't hook up			2
1118976(Delco Remy)	Voltage Regulator, 25 amp, Aviation			0
1118981(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
1118982(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
1118983(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd, A circuit			1
1118985(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd, A circuit			1
1118988(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
1118991(Delco Remy)	volt reg, 12 v, gen mount, 2 unit, pos/neg grn, 3 terminal, can use 13913, and don't hook up			2
1118997(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
1118999(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
1119000(Delco Remy)	Regulator 12 Volt/26-31 Amp, Dual Polarity Three-Unit Type For: Delco Generators Used			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1119003(Delco Remy)	Regulator 12 Volt/26-31 Amp, Dual Polarity Three-Unit Type For: Delco Generators Used			0
1119144(Delco Remy)	Voltage Regulator, 15 Amp, Aviation, Beechcraft			0
1119153(Delco Remy)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1119156(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg, 48-52 amp			0
1119165(Delco Remy)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1119168(Delco Remy)	Regulator, Generator, 3 unit, Type A, Pos or Neg Grnd, 32-36amp, mechanical.			0
1119232(Delco Remy)	Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes w/ VRK-1454			1
1119282(Delco Remy)	Voltage Regulator, Generator, 8-12 amp, 3 unit, 3 bolt mount, pos grnd, 24 volt, Use VR-			0
1119305(Delco Remy)	Regulator, Generator, 3 unit, Type A, Pos or Neg Grnd, 32-36amp, mechanical.			0
1119310(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
1119515(Delco Remy)	Regulator 12 Volt, B-Circuit, 14.2 Vset, Neg. Grd.			0
1119519(Delco Remy)	Regulator 12 Volt, B-Circuit, 14.2 Vset, Neg. Grd.			0
1119576(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
1119577(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
1119605(Delco Remy)	regulator, 12 v, neg ground, generator, NLA by Delco-Remy			0
1119804(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1119809(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			0
1119832(Delco Remy)	sol 40,50 MT 24v truck early oval face			0
1119834(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			0
1119835(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			1
1119840(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			0
1119848(Delco Remy)	sol 40MT 24v truck early round			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1119851(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/8 cu, motor 1/2-13 x 1			1
1119853(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			1
1119862(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			0
1119879(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			1
1119895(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
11198950(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
11198952(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			1
1119948(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/			0
1119968(Delco Remy)	Early 35/2x Solenoid, 3/8" B+, 5/16" motor, pointed plunger.			1
113597(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
113702(DR)	Oil cup, 1/4" socket, metal			9
113739(Delco Remy)	nut 1/4" - 20 x 7/16" hex x 7/32"T			100
114998(Delco Remy)	Oil Cup 5/16"	3/24/2004	\$0.64	10
114998(Delco Remy)	Oil Cup 5/16"	8/11/2003	\$0.64	10
114998(Delco Remy)	Oil Cup 5/16"	8/8/2003		10
114998(Delco Remy)	Oil Cup 5/16"	8/7/2003	\$0.64	10
114998(Delco Remy)	Oil Cup 5/16"	2/22/2003	\$0.64	10
114998(Delco Remy)	Oil Cup 5/16"	2/23/2002	\$0.64	10
114998(Delco Remy)	Oil Cup 5/16"	12/23/2001	\$0.64	10
114998(Delco Remy)	Oil Cup 5/16"	11/9/2001	\$0.64	10
11500760(DR)	nut, hex, M8-1.25 x 13MMOD, bosch & CS-144 bat term			118
11505767(Delco Remy)	snap ring, shift lever, 5-8-10-20-25-27MT			195
11506101(Delco Remy)	Nut			0

OEM PN	OEM Description	Date Of Price	List	Quantity
11516285(Delco Remy)	Bolt, Metric, Bracket Kit			0
11516294(Delco Remy)	Bolt, Metric, Bracket Kit			0
11516350(Delco Remy)	bolt, Hex			0
11516357(Delco Remy)	?? Dual Alternator Kit Part			0
115903(Delco Remy)	Screw, 6-32 x 1/2"			56
1160024(Delco Remy)	solenoid, 24 V, 42MT, 1/2" motor stud, 1/2" bat stud, S on LH, Return term on right,			0
116004(Delco Remy)	nut 1/4" - 20 x 7/16" hex x 7/32"T			100
116430-(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430, 430 has more protection			0
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	3/24/2004	\$106.32	1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	8/11/2003	\$106.32	1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	8/8/2003		1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	8/7/2003	\$106.32	1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	2/22/2003	\$106.32	1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	2/23/2002	\$106.32	1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	12/23/2001	\$106.32	1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	11/9/2001	\$106.32	1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	10/24/2000	\$106.32	1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	4/8/2000	\$106.32	1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	2/5/2000	\$106.32	1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	9/13/1999	\$106.32	1
119805(Delco Remy)	solenoid, 40/50MT old style heavy duty, oval face, bat 1/2-13 x 2 1/	11/22/1998	\$106.32	1
1198442(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1198442-(Delco Remy)	Delco-Remy starter, 28MT,C-6472 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0

OEM PN	OEM Description	Date Of Price	List	Quantity
12011248(Delco Remy)	Long bat bolt part of Side Terminal Adapter package (1846855), with long batt bolt			0
12011249(Delco Remy)	Contact spacer, part of Side Terminal Adapter package (1846855), with long batt bolt			0
120238(Delco Remy)	Hex Nut Dim: 1/2-13 x 3/4 F x 5/16 T Features: Zinc-Yellow Plated			7
120361(Delco Remy)	nut, 10-24 x 3/8"			107
120375(Delco Remy)	nut 1/4" - 20 x 7/16" hex x 7/32"T			100
120614(DR)	NUT 1/4-28 X 7/16, Brass			18
120757(Delco Remy)	Screw, 10-32 x 5/8, Flat Head, Brush Holder, etc			0
122077(Delco Remy)	Bolt, 5/16-18 x 2 1/2"			8
12303399(Delco Remy)	Starter, Ford 4/12"			0
12322585(DR)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
12323774(DR)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
12334741(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
12336863(Delco Remy)	Switch, Manual, starter, 2 terminal, 2 bolt, Remote mount ( non Starter Mount )			0
12337822(DR)	Hex Nut For: Delco Heavy Duty Alternators, Leece-Neville Alternators Dim: 5/8-18 x 15/16			9
124542(Delco Remy)	Key #2 Woodruff Key - 3/32" x 1/2", FAA/PMA PN may require paperwork.			8
124545(DR)	Woodruff Key, #5 - NLA			13
124546(DR)	#6 WOODRUFF KEY, 5/32" X 5/8"			8
124548(Delco Remy)	Key, Woodruff, 5/32" x .3 x .750 ?#8?			20
1246249(Delco Remy)	Shim, GM, single bolt, Horseshoe with tab			0
12554209(Delco Remy)	Label, Decal, showing Belt run for Dual Alt Kit 6.5L Turbo			0
12555010(Delco Remy)	Belt, Dual Alt Kit 6.5L Turbo			0
12556504(Delco Remy)	Pulley, Dual Alter Kit 6.5L Turbo, Left Side Idler			0
125609(DR)	Oiler cup, 3/16"			0



OEM PN	OEM Description	Date Of Price	List	Quantity
12563863(DR)	STARTER ASB, PG260L 12V			0
12594490(DR)	Starter PG260D			0
12SI Chrome Kit(Delco				0
132243(Delco Remy)	Screw, 1/4 - 20 x 3/8			0
132255(Delco Remy)	Screw, Hex 1/4"-20 x 5/8" , Solenoid attachment, 10MT			2
132900(Delco Remy)	Screws, Brg retainer, 10-32 Shallow head			93
134551(Delco Remy)(De	nut 1/4" - 20 x 7/16" hex x 7/32"T			100
134566(DR)	Nut, Hex 3/8-16 x 5/8" , 1/4"thin, 10 MT solenoid			9
134566-??(Delco Remy)	Hex Nut, 3/8-16 x 9/16" hex, sol term			3
141541(Delco Remy)	Screw, Round Hd, 6-32 x 5/32"	3/24/2004	\$0.30	18
141541(Delco Remy)	Screw, Round Hd, 6-32 x 5/32"	8/11/2003	\$0.30	18
141541(Delco Remy)	Screw, Round Hd, 6-32 x 5/32"	8/8/2003		18
141541(Delco Remy)	Screw, Round Hd, 6-32 x 5/32"	8/7/2003	\$0.30	18
141541(Delco Remy)	Screw, Round Hd, 6-32 x 5/32"	2/22/2003	\$0.30	18
141541(Delco Remy)	Screw, Round Hd, 6-32 x 5/32"	2/23/2002	\$0.30	18
141541(Delco Remy)	Screw, Round Hd, 6-32 x 5/32"	12/23/2001	\$0.30	18
141541(Delco Remy)	Screw, Round Hd, 6-32 x 5/32"	11/9/2001	\$0.30	18
141541(Delco Remy)	Screw, Round Hd, 6-32 x 5/32"	10/24/2000	\$0.30	18
141541(Delco Remy)	Screw, Round Hd, 6-32 x 5/32"	4/8/2000	\$0.30	18
141602(Delco Remy)	Screw Dim: 10-32 x 5/8 L Features: Slotted Pan Head Thread Cutting Zinc Plated			1
1494(Delco Remy)	solenoid, 6 volt, Delco-Remy			1
15721539(Delco Remy)	Support, Dual Alt Kit 6.5L Turbo			0
15723(DR)	Oil cup, 1/4" socket, metal			9

OEM PN	OEM Description	Date Of Price	List	Quantity
15750871(DR)	130A 12 V AD244 Lester 8292			0
15750871-core(DR)	AD244 130a			1
171734(Delco Remy)	Screws, Brush, 10-32x5/8"	3/24/2004	\$0.11	9
171734(Delco Remy)	Screws, Brush, 10-32x5/8"	4/8/2000	\$0.11	9
1838409-?	see history on 11/11/11 DR 1107820? Rebuild as this may not be good industry cross			0
1838410-?	see history on 11/11/11 DR 1107820? Rebuild as this may not be good industry cross			0
1838667(Delco Remy)	Center Plate for International w/ 5/8" shaft			1
1838670(Delco Remy)	Intermediate Plat, 5/8 Straight Shaft			0
1838670-(Delco Remy)				1
1838670--(Delco Remy)	Bushing			9
1839345(Delco Remy)	bushing, drive end, .503 ID x .565 x .780, 10-20-25-27MT			17
1840633(Delco Remy)	screw , hex 6-32 x 1/4", coil lead, solenoid,40-50MT			0
1842072(DR)	Insulating Washer, Fiber, 0.41" / 10.5mm ID, 0.75" / 19mm OD			104
1842859(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1843041(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1
1844504(Delco Remy)	Starter Drive 10-T, CW			1
1845826(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
1846529(DR)	PULLEY, 1GRV PRESTO			0
1846614(Delco Remy)	Armature, 12 volt, CW rotation, rebuilt(Lester number), 25/27MT John Deere & Others			0
1846787(DR)	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
1846855(Delco Remy)	Side Terminal Adapter package, with long batt bolt (12011248), & contact spacer (12011249),			0
1846864(Delco Remy)	Screw w/ Insulator For: Delco 10SI, 12SI, 15SI, 17SI, 21SI, 27SI Series Alternators Dim: 8-32 x			8
1846900(Delco Remy)	bat term kit, standard, 10-15SI			4

OEM PN	OEM Description	Date Of Price	List	Quantity
1847387(Delco Remy)	Lead, Post to Brush, Generators			0
1847807(Delco Remy)	Screw w/ attached washer, thread cutting, 40MT brush plate			15
1848837(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
1850147(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1850447(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1850748(Delco)	Brush Plate, Aviation 2 Brush Gear Driven, PN was: 1101876,1850748,1860380,1873956,			0
1850844(Delco Remy)	Starter Drive 10-T, CW			1
1851153(Delco Remy)	Shield, Chaff & Grass for SRE 10SI Type 116, 136 Series, for Farm Equipment			1
1851178(Delco Remy)	cover, spark arresting, for Delco 10SI/Type 110 Series			1
1851427(Delco Remy)	drive			1
1851430(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1851546-(DR)	JN shows as Larger OD and a bit thicker under PN461-12011			7
1851604(DR)	Insulator, Thru hole rubber, 40-50MT Ground Stud			29
1851612(Delco Remy)	Screw, 8-32 Triobular			0
1851632(Delco Remy)	insulator, 40, 50MT			19
1851714(Delco Remy)	Kit, Relay Terminal			0
1851960(Delco Remy)	Oring DE to lever housing			20
1851960-Close(DR)	thinner			19
1851961(Delco Remy)	Armature, Delco-Remy 1851961 long shaft, 35 MT, 3 spline, 15 7/8"			0
1851970(Delco Remy)	PLUG-DR 30-35MT S-2883, 3/8"			10
1851991(Delco Remy)	Fields			0
1852007(Delco Remy)	Brush Holder For: Delco 10SI, 12SI, 27SI/Type 100, 200 Series IR/EF Alternators Note: Used in			15
1852040(Delco Remy)	Rotor Delco-Remy 27SI Type 200, 12 volt, 80 amp			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1852043(Delco Remy)	Bracket, for voltage adjustment block. 27SI programmable.			1
1852097(Delco Remy)	Clip - Brush Holder For: Delco 10SI, 15SI, 17SI, 27SI/Type 100, 200 Series IR/EF Alternators			3
1852101(Delco Remy)	SRE frame, 10SI			1
1852410(Delco Remy)	drive, 9 tooth, CW, 3 spline, clutch drive			1
1852604(DR)	Gasket, solenoid cap, 35mt round			1
1852834(DR)	FRAME SRE, DELCO, 10 DN			2
1852860(Delco Remy)	Armature, Marine J1171, When Ordering, check on collar, last recd had one and needed,			0
1852880(Delco Remy)	brush, 20,22,25,27MT, 12 volt, 3/4 x 3/4 x 5/16, 8mmT x 19mmW x 19mmL			12
1852885(Delco Remy)	Brush, Delco-Remy			10
1852888(Delco Remy)	Brush, 24V, R-124H			12
1852890(Delco Remy)	brush, 3/4 x 3/4 x 3/8, 24 volt, 20,22,27MT, centered hole, 4 sided			0
1852890-(Delco Remy)	brush, 20,22,25,27MT, 12 volt, 3/4 x 3/4 x 5/16, 8mmT x 19mmW x 19mmL			12
1852892(Delco Remy)	brushes, 12 volt, r-134, Delco-Remy 1852892			4
1852894(Delco Remy)	solenoid, 42 MT			0
1852894-core(Delco Re	solenoid, 42MT core			1
1852928(Delco Remy)	Negative Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
1852929(Delco Remy)	Positive Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
1852934(Delco Remy)	Frame 10Dn			2
1852934(DR)	SRE HSG-DR 10DN			1
1854540(Delco Remy)	drive, 9 tooth, CW rotation			1
1856339(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL	3/24/2004	\$1.56	9
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL	8/11/2003	\$1.56	9

OEM PN	OEM Description	Date Of Price	List	Quantity
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL	8/8/2003		9
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL	8/7/2003	\$1.56	9
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL	2/22/2003	\$1.56	9
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL	2/23/2002	\$1.56	9
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL	12/23/2001	\$1.56	9
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL	11/9/2001	\$1.56	9
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL	10/24/2000	\$1.56	9
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL	4/8/2000	\$1.56	9
1856494(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .305T x 1.75LL	2/5/2000	\$1.56	9
1856669(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1
1857032(Delco Remy)	Connector, relay terminal			1
1857150(Delco)	Seal, Aviation Key drive starter			0
1857271(DR)	contact disc, disk only			1
1858603(Delco Remy)	Spacer, Fan, 17mm x 22.23mm x 9.5mmL			17
1858749(Delco Remy)	terminal post, #12-24 x 1 3/16", part of kit S-829-A	3/24/2004	\$0.35	15
1858749(Delco Remy)	terminal post, #12-24 x 1 3/16", part of kit S-829-A	4/8/2000	\$0.35	15
1858749(Delco Remy)	terminal post, #12-24 x 1 3/16", part of kit S-829-A	2/5/2000	\$0.37	15
1858753(Delco Remy)	Insulating Washer, Fiber,Inside Diameter: 0.224in - 5.7mm, Outside Diameter: 0.689in -			47
1859020(Delco Remy)	drive, 9 tooth, CW rotation			1
1859546(Delco Remy)	drive, 9 tooth, CW rotation			1
1860380(Delco)	Brush Plate, Aviation 2 Brush Gear Driven, PN was: 1101876,1850748,1860380,1873956,			0
1861076(Delco Remy)	Insulator			104
1861076(DR)	Insulating Washer, Fiber, 0.41" / 10.5mm ID, 0.75" / 19mm OD			104

OEM PN	OEM Description	Date Of Price	List	Quantity
1861356(Delco Remy)	drive, 9 tooth, CW rotation	3/24/2004	\$46.32	1
1861356(Delco Remy)	drive, 9 tooth, CW rotation	8/11/2003	\$46.32	1
1861356(Delco Remy)	drive, 9 tooth, CW rotation	8/8/2003		1
1861356(Delco Remy)	drive, 9 tooth, CW rotation	8/7/2003	\$46.32	1
1861356(Delco Remy)	drive, 9 tooth, CW rotation	2/22/2003	\$46.32	1
1861356(Delco Remy)	drive, 9 tooth, CW rotation	2/23/2002	\$46.32	1
1861356(Delco Remy)	drive, 9 tooth, CW rotation	12/23/2001	\$46.32	1
1861356(Delco Remy)	drive, 9 tooth, CW rotation	11/9/2001	\$46.32	1
1861356(Delco Remy)	drive, 9 tooth, CW rotation	10/24/2000	\$46.32	1
1861356(Delco Remy)	drive, 9 tooth, CW rotation	4/8/2000	\$46.32	1
1861356(Delco Remy)	drive, 9 tooth, CW rotation	2/5/2000	\$46.32	1
1862383(Delco Remy)	Bushing, non prefit, .462 ID x .633 x .740, often reamed to .4965, 20, 22, 25, 27MT			17
1862383-(Delco Remy)	Bushing, non prefit, .462 ID x .633 x .740, often reamed to .4965, 20, 22, 25, 27MT			17
1862383--(Delco Remy)	Bushing, .501ID x .626OD x .725 L			10
1864530(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1865182(Delco Remy)	expansion plug, CE end cap, 11/16"OD			98
1867150(Delco Remy)	OIL SEAL, armature shaft on Aviation unit 1109656			8
1867434(Delco Remy)	Insulator - Brush Plate For: Delco 40MT Series DD Starters Note: Used in 69-101, 69-102			1
1867781(Delco Remy)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1867781(DR)	cutout			1
1867897(DR)	armature, starter CW			1
1868714(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1868804(Delco Remy)	Drive, CCW, 10 tooth			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1869573(Delco Remy)	bracket, mounting, for capacitor			8
1869755(Delco Remy)	bushing, prefit, .629ID x .756OD x .865 Long. 40-50MT			11
1870542(Delco Remy)	Rotor, Delco-Remy 27SI Type 200, 24 volt, 65 amp, for Lester 7197			0
1871380(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1871382(Delco Remy)	Seal, 1.503OD x .906ID x .390T ( may be .312T depending on cross data/availability)			1
1871382-(Delco Remy)	Seal, 1.503OD x .906ID x .390T ( may be .312T depending on cross data/availability) listed			0
1871566(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1871659(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1871662(Delco Remy)	Armature 30 MT			0
1871693(Delco Remy)	DE Plate, Generator, cast iron			1
1872405(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1872411(Delco Remy)	Thru bolt, 5/16 - 18 x 9 7/8"	4/6/2005	\$0.35	0
1872411(Delco Remy)	Thru bolt, 5/16 - 18 x 9 7/8"	4/6/2005	\$0.35	0
1872411(Delco Remy)	Thru bolt, 5/16 - 18 x 9 7/8"	4/6/2005	\$0.35	0
1872450(Delco Remy)	Armature 30 MT			0
1872505(DR)	ARMATURE, DELCO 6V			0
1872508(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
1872618(Delco Remy)	Flat Washer For: Delco Heavy Duty Alternators Replaces: Delco 1872618,			15
1872986(DR)	CONTACT-DR 5-27MT 3/8-16 X 1-3/16 L; Solenoid B+			5
1873054(Delco Remy)	armature, generator, 12 v short Delco-Remy small nut, 6-12 volt, 10"OAL, 1/2" Step Thread,			0
1873354(DR)	ARMATURE, DELCO 6V, 10 MT No spline	1/17/2010	\$51.44	0
1873354(DR)	ARMATURE, DELCO 6V, 10 MT No spline	1/17/2010	\$51.44	0
1873789(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1873830(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1873956(Delco)	Brush Plate, Aviation 2 Brush Gear Driven, PN was: 1101876,1850748,1860380,1873956,			0
1875627(Delco Remy)	Rectifier, 10SI			3
1875687(Delco Remy)	drive, 5-10MT, 9 tooth, CW rotation			0
1875852(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1876080(Delco Remy)	Wire lead, rect to regulator stud, neg ground.			6
1876163(Delco Remy)	rotor, 10SI, 63 amp			4
1876358(Delco Remy)	Connector, Strap, fields to solenoid			3
1876366(Delco Remy)	Armature, 12 volt, CW rotation, rebuilt(Lester number), 25/27MT John Deere & Others			0
1876367(Delco Remy)	Fields			0
1876367-(Delco Remy)	use ST-370, ST-867 discontinued			1
1876681(Delco Remy)	screw w/o insulator, brushholder8-32 x 1 1/8"	2/5/2000	\$0.28	0
1876681(Delco Remy)	screw w/o insulator, brushholder8-32 x 1 1/8"	11/22/1998	\$0.34	0
1876681part of2(Delco	screw, 8-32x1 1/16" hex washer head w/ dog point, 10-27 SI VR, Part			103
1876681partof(Delco R	insulator, screw, VR attachment, 10-27 SI, part of OEM 1876681			190
1876805(Delco Remy)	Stator Seal Lead, 30 SI			0
1876806(Delco Remy)	seal foam, V.Reg terminal, SI except 30SI			85
1876813(Delco Remy)	bearing cover plug, no com end, 25SI			10
1876857(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
1876873(Delco Remy)	brushes, R-106, 15/16"L x 5/16"W x 3/16"T, 27SI types 200,202,205			4
1876873-(Delco Remy)	brushes, R-106S, 10SI brushholder in 27SI			10
1877002(DR)	DRIVE-DR 9T CW, Massey Ferg			0
1877007(Delco Remy)	pulley, 10DN, 1oSI, 2 grove, 1/2", 2 13/16"OD .67 bore			1



OEM PN	OEM Description	Date Of Price	List	Quantity
1877291(DR)	FIELD COIL, 8/10MT 12V			1
1877306(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
1877345(Delco Remy)	drive, 10 tooth, CW			0
1877345-(Delco Remy)				0
1877345-Roller(DR)	roller version			0
1877346(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear			0
1877347(Delco Remy)	drive			1
1877348(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear	2/5/2000	\$25.38	0
1877348(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear	9/13/1999	\$25.38	0
1877348(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear	11/22/1998	\$25.38	0
1877353(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1877355(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
1877356(Delco Remy)	drive, 12 t, CCW, 9/16" shaft,			0
1878077(Delco Remy)	Armature 30 MT			0
1878249(Delco Remy)	brush, Delco-Remy			2
1878503(Delco Remy)	clamp, wire, ground & Switch solenoid terminal, 40-50MT			8
1880225(Delco Remy)	Brush, 3 Brush Generator, .750 x .740 x .250			27
1880635(DR)	Oil cup, 1/4" socket, metal			9
1880641(Delco Remy)	Oiler cup, 3/16"			0
1880641-(Delco Remy)	Oil Plug .193 OD (3/16")			0
1880870(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1881409(Delco Remy)	washer, flat, steel, #12 ID	2/5/2000	\$0.05	94
1881625(Delco Remy)	CE frame for early 8-10 MT	5/12/2009	\$30.00	0

OEM PN	OEM Description	Date Of Price	List	Quantity
1881627(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1881636(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1881719(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1881771(Delco Remy)	Washer, Thrust, Drive End			0
1881818(Delco Remy)	armature, Delco-Remy, 6v, CW, Lester 1865			1
1881835(DR_NLA)	Brush Spring NLA - sub 156-12014			0
1881838(DelcoRemy)	FAA Brush			20
1881843(DR)	Cover Band, same as auto stock but different PN			0
1881865(Delco Remy)	Terminal 5/16-16x 1 3/8, Copper			1
1881870(DR)	Pole shoe			0
1882323(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1882908(Delco Remy)	fields, 6 volt, CW, Delco-Remy			1
1882909(Delco Remy)	fields, 6 volt, CW, Delco-Remy			1
1882910(Delco Remy)	fields, 6 volt, CW, Delco-Remy, Lester 1865			1
1883730(DelcoRemy)	Bushing, Armature in DE frame for 1109656	2/13/2012	\$6.24	2
1883730(DR)	Bushing, Armature in DE frame for 1109656			2
1883864(Delco Remy)	Screw, Pole Shoe, 3/8 - 24 x 7/8" Flat Head			0
1883865(Delco Remy)	Thru Bolts, 5/16"-18x9 9/32"			4
1885029(DR)	field coils, R,H/Upper, FAA starter			0
1885030(DR)	field coils, L/H/ Lower, FAA starter			0
1885035(Delco)	Brass Washer #10			0
1885058(DR)	Brush 6Volt			20
1885103(DR)	drive			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1886098(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
188635(Delco Remy)	metal oiler cup, .257OD x .185L			25
188635Delco Remy(Delc	metal oiler cup, .257OD x .185L			25
1886496(Delco Remy)	Screw, 8-32 x 5/16", for Generator brush plate & oil chamber cover			0
1887021(Delco Remy)	Pole Shoe For: Delco 20MT, 22MT, 25MT, 27MT Series DD Starters Dim: 99mm L x 30mm			4
1887439(DR)	CE Frame, Aviation			0
1889960(Delco Remy)	regulator, 12 volt, neg ground, mechanical, C-600, 1889960			1
1891055(Delco Remy)	Rectifier, 10SI,20SI			3
1891918(Delco Remy)	Fields, 20-25MT 12v, CW, 3 29/32" x 1 3/16" pole shoe			1
1891927(DR)	bushing, CE, 10,20,22,25,27MT			7
1892182(DR)	Drive, 9T, CW,Roller, 25.4 GOD,80.5 LOA,3 spline 12mmID			0
1892201(Delco Remy)	Support - Brush Holder For: Delco 15GR, 22MT*, 27MT* Series Starters Note: *20-27MT			5
1892414(Delco Remy)	intermediate plate, marine, 3 7/8" OD			0
1892765(Delco Remy)	Mounting Bushing, All Large Frame SI Series, 1/2" ID x 7/8"OD x 13/16" L			2
1892786(DR)	CONTACT-DR 5-27MT 3/8-16 X 1-3/16 L; Solenoid B+			5
1892812(Delco Remy)	regulator, 25SI, Neg ground			0
1892824(Delco Remy)	Regulator, Voltage, 25SI, 24volt, neg grnd			1
1892899(Delco Remy)	drive, 9 tooth, CW, 3 spline, clutch drive			1
1893273(Delco Remy)	C.E. Frame, 5MT, SD200 (>>NLA<<) DD Starters Used On: (1981-77) AMC, Buick, Chevrolet,			2
1893277-(Delco Remy)	Fields, 5MT Long HT for 4.67" housing			2
1893277-Retainer(Delc				8
1893293(Delco Remy)	brush holder assy, 5MT			16
1893296(Delco Remy)	Brushes, R-116, 5MT			22

OEM PN	OEM Description	Date Of Price	List	Quantity
1893297(Delco Remy)	screw, #6 hex x 3/4", thrd cut			68
1893303(Delco Remy)	grommet field coil small, use w/ 71-1301			20
1893304(Delco Remy)	grommet, field coil, large, use w/ 71-1300			19
1893332(Delco Remy)	housing, Nose, Delco-Remy, 5MT			0
1893358(Delco Remy)	shift lever, large type, large button, w/ 1 1/2" fork ID			3
1893443(Delco Remy)	Starter Drive10-T, CW, 3-SPL For: Delco 15GR Series OSGR; 20MT, 25MT, 27MT Series DD			0
1893445(Delco Remy)	Starter Drive10-T, CW, 3-SPL For: Delco 15GR Series OSGR; 20MT, 25MT, 27MT Series DD			0
1893560(Delco Remy)	drive 12 tooth, CW, 40MT			1
1893561(Delco Remy)	drive, Positork / ratchet, 12 tooth, Rarer CCW, 5/8" shaft			0
1893562(Delco Remy)	drive, Positork / ratchet, rarer 13 tooth, CW, 5/8" shaft			0
1893675(Delco Remy)	pulley, single grove, 10DN, 3/8" w x 2 5/8" OD x .67			4
1893736(Delco Remy)	drive, 12 t, CCW, 9/16" shaft,			0
1894023(Delco Remy)	bushing			7
1894025(Delco Remy)	bushing for plunger rod on solenoid's 19851,19862,19879,19879-sc,Delco-Remy			0
1894211(Delco Remy)	drive, ratchet, 40MT, 11 tooth, new, CW, 5/8" shaft			1
1894213(Delco Remy)	drive 12 tooth, CW, 40MT			1
1894219(Delco Remy)	drive, Positork / ratchet, 12 tooth, Rarer CCW, 5/8" shaft			0
1894220(Delco Remy)	drive, power tork, 11 tooth, CW, 5/8" shaft			0
1894221(Delco Remy)	drive, 10 tooth, positork, CW rotation, 4.528 long, 5/8" shaft			1
1894468(Delco Remy)				9
1894474(Delco Remy)	stationary field coil, 24V, 20SI			0
1894481(Delco Remy)	capacitor, 20SI, 1.5Uf, 10si industrial, 9/32" eye, 2" Lead			1
1894481-(Delco Remy)	Capacitor, .281" hole w/ lead, 10 DN			5

OEM PN	OEM Description	Date Of Price	List	Quantity
1894481(DR)	capacitor, 20SI w/o brkt. 2" LL, 1.5UF, 9/32" Eye			1
1894483(Delco Remy)	DE frame, 20SI			0
1894489(Delco Remy)	Regulator, 12 volt, Webbed terminals w/ stud			2
1894564(Delco Remy)	brush, R117, 10SI,15SI,21SI type 116 & 136			9
1894586(Delco Remy)	screw, hex, w/ att washer, 8-32 x 31/32", brush holder, cs-144			15
1894635(Delco Remy)	bushing, prefit, .630 x .756 x .85740-50MT, DE			24
1894637(Delco Remy)	bushing, .838 x .955 x 1.25, 40MT lever housing			9
1894638(Delco Remy)	bushing, prefit, .629ID x .756OD x .865 Long. 40-50MT			11
1894642(Delco Remy)	Oring, shift lever, 3/8"OD			46
1894643(Delco Remy)	Oring, shift lever, 1/2" OD			99
19009702(Delco Remy)	regulator CS130D			1
19009703(Delco Remy)	Regulator			0
19009705(Delco Remy)	Regulator, CS-130D 12v, type b, PLFS, 10 sec LRC			3
19009719(Delco Remy)	regulator CS130D, new ASVR version replacing 19009702			1
19009729(Delco Remy)	Regulator			0
19009729-NotCompatabl	see bullitensA later message rebuildernet online says they are compatabl but the fault			3
19009730(Delco Remy)	Regulator			0
19009730-(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
19009730-notCompatabl	see bullitens-these are not interchangeableA later message rebuildernet online says they			0
19009733(Delco Remy)	Regulator			0
19009734(Delco Remy)	regulator, new ASVR version of 19009703			0
19009749(Delco Remy)	Regulator, CS130D, 1999 Malibu			0
19009751(Delco Remy)	Regulator			0

OEM PN	OEM Description	Date Of Price	List	Quantity
19009752(Delco Remy)	New ASVR version of 2.5 sec delay, internal temp comp, 14.7V, 14.7 remote set, no "L"			0
19009752-(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
19009755(Delco Remy)	Digital regulator, D675, P-L-F-S Terminals			6
19009763(DR)	Regulator, HD replacement of 19009705 (705)			0
19009763-HDs/s(DR)	s/s 705 to HD			3
19009769(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
19010112-Core(DR)	21SI 100amp, 12V			3
19010615(Delco Remy)	Starter, Marine, Delco-Remy 14MT CCW			0
19010617(Delco Remy)	Starter, Marine, Delco-Remy 14MT CW			0
19011150(Delco Remy)	Alternator, 33 SI Delco-Remy, IR/EF 110 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19011151(Delco Remy)	Alternator, 33 SI Delco-Remy, IR/EF 110 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19011152(Delco Remy)	Alternator, 33 SI Delco-Remy, IR/EF 135 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19011155(Delco Remy)	Alternator, 33 SI Delco-Remy, IR/EF 135 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19011157(Delco Remy)	Alternator, 34 SI Delco-Remy, IR/EF 110 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19011167(Delco Remy)	Alternator, 34 SI Delco-Remy, IR/EF 135 amp, 12 volt, 1/4-28 Batt term, Universal R- Term,			0
19020300(Delco Remy)	Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 5/16" Batt term, universal R-term,			0
19020302(Delco Remy)	Alternator, 22SI, IR/EF 145 amp 12 volt, 1 wire, Neg Grnd, 5/16"-18 Batt term, universal R-			0
19020303(Delco Remy)	Alternator, 22SI, IR/EF 145 amp 12 volt, 1 wire, Neg Grnd, 5/16"-18 Batt term, universal R-			0
19020308(Delco Remy)	Alternator, 22SI, IR/EF 100 amp 12 volt, 1 wire, Neg Grnd, 1/4"-28 Batt term, universal R-term,			0
19020309-(Delco Remy)	Alternator, 21SI Equivalent			0
19020608(DR)	ALT-DR 7SI MARINE			0
19020615(Delco Remy)	ALTERNATOR, 7SI 12V 70A SAE1171/ISO 8846, 70 amp. 12V, 2 pin DM lead			0
1902105(Delco Remy)	Fields	3/24/2004	\$35.70	1

OEM PN	OEM Description	Date Of Price	List	Quantity
1902105(Delco Remy)	Fields	8/11/2003	\$35.70	1
1902105(Delco Remy)	Fields	8/8/2003		1
1902105(Delco Remy)	Fields	8/7/2003	\$35.70	1
1902105(Delco Remy)	Fields	2/22/2003	\$35.70	1
1902105(Delco Remy)	Fields	2/23/2002	\$35.70	1
1902105(Delco Remy)	Fields	12/23/2001	\$35.70	1
1902105(Delco Remy)	Fields	11/9/2001	\$35.70	1
1902105(Delco Remy)	Fields	10/24/2000	\$35.70	1
1902105(Delco Remy)	Fields	4/8/2000	\$35.70	1
1902105(Delco Remy)	Fields	2/5/2000	\$35.70	1
19024518(DR)	drive			0
19024525(DR)	drive 11T 10 spiral			0
1902493(Delco Remy)	nut 1/4" - 20 x 7/16" hex x 7/32"T			100
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	3/24/2004	\$0.12	54
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	8/11/2003	\$0.12	54
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	8/8/2003		54
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	8/7/2003	\$0.12	54
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	2/22/2003	\$0.12	54
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	2/23/2002	\$0.12	54
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	12/23/2001	\$0.12	54
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	11/9/2001	\$0.12	54
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	10/24/2000	\$0.12	54
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	4/8/2000	\$0.12	54

OEM PN	OEM Description	Date Of Price	List	Quantity
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	2/5/2000	\$0.12	54
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	9/13/1999	\$0.12	54
1902746(Delco Remy)	washer, fiber, 1/4"Id x 3/4" OD x .090 thick	11/22/1998	\$0.12	54
1903871(Delco-Remy)	Spring, Brush			0
1904170(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1904370(Delco Remy)	Screws, Brg retainer, 10-32 Shallow head			93
1904419(Delco Remy)	nut, copper coated, 3/8" - 16, 5/8" hex, posts, thinner than standard, part of kit S-866 and			8
1904419(DR)	nut, 3/8" - 16, 5/8" hex, posts, thinner than standard, part of kit S-866 and others			8
1904661(DR)	lockwasher, #12 x 3/8"			96
1904669(Delco Remy)	Insulating Washer 3/8" ID x 9/16"OD .094 Thick			98
1904669(DR)	Insulating Washer, Fiber, 0.37" / 9.4mm ID, 0.56" / 14.2mm OD			98
1904982(Delco Remy)	Post, BH Spring Pivot, Insulated Brush 40 MT			2
1905042(Delco Remy)	armature, 12V version of #221			0
1905406(Delco Remy)	Flat Washer For: Delco Heavy Duty Alternators Replaces: Delco 1872618,			15
19060319(DR)	Regulator CIRCUIT <del>1</del> LENGTH MOUNTING <del>40.4LRC</del> 2.62 SECONDPLUG			2
19060345(DR)	Regulator CIRCUIT <del>1</del> LENGTH MOUNTING <del>40.4LRC</del> 2.62 SECONDPLUG			2
1906049(Delco Remy)	Motor terminal for solenoid, 40-50MT, silvered, 1/2"-13 x 1 7/8"			2
1906051(Delco Remy)	connector, 50 MT			3
1906616(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
1906901(Delco Remy)	Brush, Delco-Remy Generator, 1.00"L x 1.59W x .308T x 2.188LL			0
1906940(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .250T x 1.75LL			8
1906945(Delco Remy)	brush 12 volt 8&10 MT, R60, short side brush, .750 L x .625 W x .250 T, longer taper and			50
1906945-(DR)	Sub/ s/s to			56



OEM PN	OEM Description	Date Of Price	List	Quantity
1906958(Delco Remy)	brush, 30 & 35MT, 12 v, concave, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			21
1906963(Delco Remy)	brush, 30 & 35MT, 24 volt, concave, rectangular, 3/4 x 3/4 x 3/8", offset screw			0
1906973(Delco Remy)	brush, non insulated, grnd, .873w x .733l x .311th			12
1906976(Delco Remy)	Brush 6Volt	1/18/2010	\$5.25	20
1906976(Delco Remy)	Brush 6Volt	1/18/2010	\$5.25	20
1906984(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .250T x 1.75LL			8
1906986(Delco Remy)	brush, 24-32 volt, R-70 40MT			6
1906987(Delco Remy)	brush, 30 & 35MT, 12 v, concave, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			21
1906987-close(Delco R)	brush, 30 & 35MT, 12 volt, flat, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			12
1906988(Delco Remy)	brush, (Delco R-69), .750 x .750 x .375 x 1.90			30
1906989(Delco Remy)	brushes, 50MT			24
1906990(Delco Remy)	brush, 24-32 volt, 4 sided, 3/4 x 3/4 x 3/8, offset hole, flat com face, 30 & 35MT			12
1907138(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1907328(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1907475(Delco Remy)	Bracket, Brush Holder			4
1907495(Delco Remy)	Washer, Thrust, Drive End			0
1908456(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1908459(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1908545(Delco Remy)	L.H coilUsed On: Generators, 12 volts, 1.000in - 25.4mm L x 1.874in - 47.6mm W,			0
1908546(Delco Remy)	R.H half Used On: Generators, 12 volts, 1.000in - 25.4mm L x 1.874in - 47.6mm W,			0
1908550(Delco-Remy)	Brush Plate, Aviation 2 Brush Gear Driven, PN was: 1101876,1850748,1860380,1873956,	1/31/2011	\$45.00	0
1908554(Delco Remy)	Band Cover, with Air snout			0
1908556(Delco Remy)	Thru Bolt, Drilled			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1908581(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1908624(DelcoRemy)	Solenoid Switch, 12V, Round base, grnd base.			0
1908742(Delco Remy)	Armature	2/16/2003		0
1908742(Delco Remy)	Armature	12/1/2002		0
1908742(Delco Remy)	Armature	12/1/2002		0
1908742(Delco Remy)	Armature	12/1/2002		0
1908744(DR)	Drive, starter, Aviation			0
1908745(Delco Remy)	Housing, DE			0
1908745-Bushing(Delco Remy)				0
1908829(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64			30
1909118(Delco Remy)	DE Plate, Generator, cast iron			1
1909121(Delco Remy)	gasket, brg retainer	3/24/2004	\$0.10	8
1909121(Delco Remy)	gasket, brg retainer	8/11/2003	\$0.10	8
1909121(Delco Remy)	gasket, brg retainer	8/8/2003		8
1909121(Delco Remy)	gasket, brg retainer	8/7/2003	\$0.10	8
1909121(Delco Remy)	gasket, brg retainer	2/22/2003	\$0.10	8
1909121(Delco Remy)	gasket, brg retainer	2/23/2002	\$0.10	8
1909121(Delco Remy)	gasket, brg retainer	12/23/2001	\$0.10	8
1909121(Delco Remy)	gasket, brg retainer	11/9/2001	\$0.10	8
1909121(Delco Remy)	gasket, brg retainer	10/24/2000	\$0.10	8
1909121(Delco Remy)	gasket, brg retainer	4/8/2000	\$0.10	8
1909121(Delco Remy)	gasket, brg retainer	2/5/2000	\$0.10	8
1909204(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1909523(Delco Remy)	Insulator - Brush Plate For: Delco 40MT Series DD Starters Note: Used in 69-101, 69-102			1
1909771(Delco Remy)	DRIVE-DR 9T CW			0
1909810(Delco Remy)	Shift lever, Early 30MT non-solenoid			0
1909855(DR)	drive			0
1909885(DR)	drive			0
1909976(DR)	Brush 6Volt			20
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators	3/24/2004	\$2.18	3
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators	8/11/2003	\$2.18	3
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators	8/8/2003		3
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators	8/7/2003	\$2.18	3
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators	2/22/2003	\$2.18	3
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators	2/23/2002	\$2.18	3
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators	12/23/2001	\$2.18	3
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators	11/9/2001	\$2.18	3
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators	10/24/2000	\$2.18	3
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators	4/8/2000	\$2.18	3
1910011(Delco Remy)	Band for 6800,6900 H.D. Generators	2/5/2000	\$2.18	3
1910014(Delco Remy)	gasket, Brg Retainer, Deisel Generator, 1106800 Series.			1
1910035(Delco Remy)	Collar/Spacer, Diesel Generator, 1106800 Series			1
1910099(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
1910299-5/16(DR)	not a match			0
1910379(DR)	Seal, clutch shaft on DR aviation starter 1109656			0
1910379(DR-NLA)	Seal, clutch shaft on DR aviation starter 1109656 Reported as NLA			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1910404(Delco Remy)	DE Plate, Generator, cast iron	3/24/2004	\$17.40	1
1910404(Delco Remy)	DE Plate, Generator, cast iron	8/11/2003	\$17.40	1
1910404(Delco Remy)	DE Plate, Generator, cast iron	8/8/2003		1
1910404(Delco Remy)	DE Plate, Generator, cast iron	8/7/2003	\$17.40	1
1910404(Delco Remy)	DE Plate, Generator, cast iron	2/22/2003	\$17.40	1
1910404(Delco Remy)	DE Plate, Generator, cast iron	2/23/2002	\$17.40	1
1910404(Delco Remy)	DE Plate, Generator, cast iron	12/23/2001	\$17.40	1
1910404(Delco Remy)	DE Plate, Generator, cast iron	11/9/2001	\$17.40	1
1910404(Delco Remy)	DE Plate, Generator, cast iron	10/24/2000	\$17.40	1
1910404(Delco Remy)	DE Plate, Generator, cast iron	4/8/2000	\$17.40	1
1910404(Delco Remy)	DE Plate, Generator, cast iron	2/5/2000	\$17.40	1
1910404(Delco Remy)	DE Plate, Generator, cast iron	9/13/1999	\$16.00	1
1910404(Delco Remy)	DE Plate, Generator, cast iron	11/22/1998	\$16.00	1
1910938(Delco Remy)	Armature 30 MT			0
1910966(Delco Remy)	Shock Mount, 3 bolt regulator	3/24/2004	\$10.06	1
1910966(Delco Remy)	Shock Mount, 3 bolt regulator	8/11/2003	\$10.06	1
1910966(Delco Remy)	Shock Mount, 3 bolt regulator	8/8/2003		1
1910966(Delco Remy)	Shock Mount, 3 bolt regulator	8/7/2003	\$10.06	1
1910966(Delco Remy)	Shock Mount, 3 bolt regulator	2/22/2003	\$10.06	1
1910966(Delco Remy)	Shock Mount, 3 bolt regulator	2/23/2002	\$10.06	1
1910966(Delco Remy)	Shock Mount, 3 bolt regulator	12/23/2001	\$10.06	1
1910966(Delco Remy)	Shock Mount, 3 bolt regulator	11/9/2001	\$10.06	1
1910966(Delco Remy)	Shock Mount, 3 bolt regulator	10/24/2000	\$10.06	1

OEM PN	OEM Description	Date Of Price	List	Quantity
1910966(Delco Remy)	Shock Mount, 3 bolt regulator	4/8/2000	\$10.06	1
1910966(Delco Remy)	Shock Mount, 3 bolt regulator	2/5/2000	\$10.06	1
1910966-(Delco Remy)	another source of shock is Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes	3/24/2004	\$42.60	1
1910966-(Delco Remy)	another source of shock is Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes	8/11/2003	\$42.60	1
1910966-(Delco Remy)	another source of shock is Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes	8/8/2003		1
1910966-(Delco Remy)	another source of shock is Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes	8/7/2003	\$42.60	1
1910966-(Delco Remy)	another source of shock is Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes	2/22/2003	\$42.60	1
1910966-(Delco Remy)	another source of shock is Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes	2/23/2002	\$42.60	1
1910966-(Delco Remy)	another source of shock is Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes	12/23/2001	\$42.60	1
1910966-(Delco Remy)	another source of shock is Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes	11/9/2001	\$42.60	1
1910966-(Delco Remy)	another source of shock is Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes	10/24/2000	\$42.60	1
1910966-(Delco Remy)	another source of shock is Regulator, 24 v, pos or neg, 16-20 amp, 3 unit 3 bolt mount, comes	4/8/2000	\$42.60	1
1911263(Delco Remy)	bearing retainer, CS-144,CS-130			6
1911263(DR)	BRG RETAIN-DR 10-27SI S-1338 w/ felt seal			2
1911610(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
1911644(Delco Remy)	washer, 50MT			11
1912448(Delco Remy)	Plunger Boot, early short sol 7-940			0
1912448-(Delco Remy)				10
1912766(Delco Remy)	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x 117mmL, 9 t, cw			0
1913080(Delco Remy)	Washer, insulator, 3/16"ID x 3/8" OD x .100" thick, 40MT Brush holder			0
1913080??(Delco Remy)				98
1913100(DR)	Screw, Pole shoe			0
1913560(DR)	Armature, Generator, 6 or 12 v Delco-Remy Long DE shaft(1455)			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1913598(DR)	Insulating Washer, Fiber, 0.37" / 9.4mm ID, 0.56" / 14.2mm OD			98
1913694(Delco Remy)	post, feild terminal, copper, 3/8"-16 x 11/16 x .175 slot			3
1913958(DR)	Insulating Washer, Fiber, 0.37" / 9.4mm ID, 0.56" / 14.2mm OD			98
1913958--(DR)	Insulating Washer, Fiber, 0.37" / 9.4mm ID, 0.56" / 14.2mm OD			98
1913959(DR)	Insulating Washer, Fiber, 0.41" / 10.5mm ID, 0.75" / 19mm OD			104
1914277(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1914341(Delco Remy)	drive, power tork, 12 tooth, CW, 3/4" shaft			1
1914373(Delco Remy)	Oring, shift lever, 3/8"OD			46
1914580(DR)	Screws, Brg retainer, 10-32 Shallow head 7/16"Long			93
1914589(DR)	Washer, flat, bat ground 42MT .5 x .937 x .067			0
1914593(Delco Remy)	Oring			4
1914593-thinner(DR)	.010 larger ID makes thinner oring			33
1914618(Delco Remy)	Pole Shoe, DR 54-1964, 1 3/4" H x 2 1/8" Wd			2
1914644(Delco Remy)	Plate, Brass, BH base, Insulated Brush, 40MT			4
1914647(Delco Remy)	washer, 50MT, 1/2" ID x 7/8"OD x .029" thick			25
1914842(Delco Remy)	thrust/brake washer, industrial/marine 10MT			194
1914869(Delco Remy)	DE housing bolts, 1/4" - 28, hex, 1" long, thread cut, 40MT			66
1914873-(Delco Remy)	Insulator triangles for field coils			200
1915172(Delco Remy)	hex nut, pulley, cs-144, .668"/17mm - 20 hex x 15/16" OD x .310 thic			11
19154(DR)	Oil cup, 1/4" socket, metal			9
1915571(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1915669(Delco Remy)	insulating washer, 1/4"ID with shoulder			100
1915717(Delco Remy)	screw, 10-32 hex x 3/8", terminal clamp, 40-50MT			3

OEM PN	OEM Description	Date Of Price	List	Quantity
1915740(Delco Remy)	fan & pulley assy, 30 DN			0
1915898(Delco Remy)	Drive, CCW, 10 tooth			0
1916272(Delco Remy)	Oring lever housing to field housing frame/case, 40MT			4
1916272-close(DR)	oring			0
1916324(DelcoRemy)	Brush Spring, Generator			30
1916388(Delco Remy)	Bushing			0
1916388?(Delco Remy)	Bushing, intermediate			0
1916439(Delco Remy)	oil wick			10
1916529-(DR)	short sub			6
1916909-(Delco Remy)	Starter, Min Moline Model UBE,UBN, UBU, (last digit is engine code related-common			0
1917084(Delco Remy)	Screw For: Delco 30-35MT, 40MT, 50MT Series Starters Dim: 1/4-20 x 5/16 L Features: - Hex			6
1917836(DR)	insulator, 1/4"ID, for contact disk			100
1917855(DR)	armature, starter CW			1
1918047(Delco Remy)	Seal, Oil, Lever housing, 50MT			3
1918405(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1918866(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1
1919267(Delco Remy)	Armature, 10 MT, 6 Spline, Straight, 2 3/4" OD, .750 Spline, .560 Drive, .495 nose			1
1919576(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1919600(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1920400(Delco Remy)	oil wick			10
1920427(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1920922(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1921288(Delco Remy)	Starter, Marine, Delco-Remy 14MT CCW			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	3/24/2004	\$0.13	94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	8/11/2003	\$0.13	94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	8/8/2003		94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	8/7/2003	\$0.13	94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	2/22/2003	\$0.13	94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	2/23/2002	\$0.13	94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	12/23/2001	\$0.13	94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	11/9/2001	\$0.13	94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	10/24/2000	\$0.13	94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	4/8/2000	\$0.13	94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	2/5/2000	\$0.13	94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	9/13/1999	\$0.13	94
1921362(Delco Remy)	Insulating Bushing, Shoulder washer, #12ID, '54-64 DR Generators	11/22/1998	\$0.13	94
1921369(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded			8
1921805(Delco Remy)	Oring, shift lever, 1/2" OD			99
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"	3/24/2004	\$0.37	13
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"	8/11/2003	\$0.26	13
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"	8/8/2003		13
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"	8/7/2003	\$0.26	13
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"	2/22/2003	\$0.26	13
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"	2/23/2002	\$0.26	13
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"	12/23/2001	\$0.26	13
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"	11/9/2001	\$0.26	13



OEM PN	OEM Description	Date Of Price	List	Quantity
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"	10/24/2000	\$0.26	13
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"	4/8/2000	\$0.26	13
1921860(Delco Remy)	Post, field, 12-24 x 1 1/16"	2/5/2000	\$0.26	13
1922266(Delco Remy)	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x 117mmL, 9 t, cw			0
1922338(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1
1922457(Delco Remy)	Insulating washer, fiber for bolts			4
1922609(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1922818(Delco Remy)	Drive, CCW, 10 tooth			0
1923046(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1923194(Delco Remy)	Fields, CCW, Early 6 V- left hand			1
1923195(Delco Remy)	Fields, CCW, Early 6 V = right hand			1
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded	3/24/2004	\$0.47	8
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded	8/11/2003	\$0.47	8
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded	8/8/2003		8
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded	8/7/2003	\$0.47	8
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded	2/22/2003	\$0.47	8
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded	2/23/2002	\$0.47	8
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded	12/23/2001	\$0.47	8
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded	11/9/2001	\$0.47	8
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded	10/24/2000	\$0.47	8
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded	4/8/2000	\$0.47	8
1923284(Delco Remy)	Post, 12 - 24 x 1" w/ T head threaded	2/5/2000	\$0.49	8
1923295(Delco Remy)	Brush, Delco-Remy	7/12/2021	\$4.18	10

OEM PN	OEM Description	Date Of Price	List	Quantity
1923535(Delco Remy)	armature, generator, Delco-Remy 1102096 unit			1
1923625(Delco Remy)	Fields, 12V, CW, 1 3/4" H x 2 1/8"W, 35Amp			0
1923684(Delco Remy)	Fields, 6/12 Volt, CW Early 12 volt, 2 1/8"HT x 1 7/32"W			0
1923684-(Delco Remy)				0
1923687(Delco Remy)	Fields, 6/12 Volt, CW Early 12 volt, 2 1/8"HT x 1 7/32"W			0
1923907(Delco Remy)	bushing drive end, .472ID, 8-10MT			33
1923907-1(Delco Remy)	Bushing, first undersize.			19
1923907split(Delco Re	bushing, drive end, 8-10MT .475 W split			19
1924586(Delco Remy)	Shift Fork			0
1925031(Delco Remy)	Fields, Mooney 50 amp Generator 11019156. 5-7.0 Ohms. 2 pole 2 x 1 13/16"H.			0
1925079(DR)	Prestolite Rubber Cush Barrel drive 10T,CW,15.9MMID x 39.4mmG x 116-			0
1925079-(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1925285(Delco Remy)	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x 117mmL, 9 t, cw			0
1925348(Delco Remy)	drive, 9 tooth, CW, 3.876 l x .985 gear OD			1
1925515(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1925871(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1926604(Delco Remy)	Grommet for Motor lead on Early 20/35MT starters with solenoids such as 13850,13510.			0
1926619(Delco Remy)	Motor Lead Connector from Series/Shunt field such as 1975271, now replaced by 1932696,			0
1926622(Delco Remy)	brush spring, Y, 8-10,20, 25MT			86
1926761(Delco Remy)	DE frame from Delco-Remy 1102096	2/5/2000	\$1.54	0
1926761(Delco Remy)	DE frame from Delco-Remy 1102096	9/13/1999	\$1.54	0
1926761(Delco Remy)	DE frame from Delco-Remy 1102096	11/22/1998	\$1.54	0
1927343(Delco Remy)	Armature, Lester 1726 Unit			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1927344(DR)	CONTACT-DR 5-27MT 3/8-16 X 1-3/16 L; Solenoid B+			5
1927518(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1927842(Delco Remy)	Armature			0
1927848(Delco Remy)	retaining ring, 7/16"ID,5- 10MT,SD210,SD260,PMGR			481
1927849(Delco Remy)	stop collar, 7/16", 5-10MT,SD210,SD260PMGR			44
1927850(Delco Remy)	thrust collar(plain), 7/16" ID, 5-10MT			293
1927853(Delco Remy)	insulator, pole shoe, 8-10MT			201
1928021(Delco Remy)	stop colar, 10MT industrial			7
1928021-smaller OD	the one on heavy duty no good I think.			4
1928022(Delco Remy)	drive retaining ring			105
1928023(Delco Remy)	Thrust Washer			60
1928500(Delco Remy)	Post, BH Spring Pivot, Ground Brush 40 MT			2
1928966(Delco Remy)	comm end plate, 10-20-27MT			0
1929404(Delco Remy)	Armature, 12 v, 10MT, Industrial 6 spline helix CW, 11.812" Shaft, 23 bar, DE=.500, CE=.560,			2
1930277(Delco Remy)	Foot Switch, Starter			0
1930496(Delco Remy)	Switch, Starter manual operated, side aux term, curved starter mount, no pivot top			1
1930694(DR)	Brush Grnd Lead to CE frame			0
1931129(Delco Remy)	Pole Shoe, 10 MT w/ Notch			8
1931771(Delco Remy)	Jumper, Brush to Brush, Starters early 40-30 MT style			0
1931783(Delco Remy)	insulator, 35MT motor stud, smaller than 1/2" (?3/8 or 7/16")			8
1931797(Delco Remy)	Armature, 30 MT, Short Shaft			0
1932031(Delco Remy)	drive, 11 tooth, power tork, CW, 3/4" shaft			0
1932103(Delco Remy)	Drive			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1932105(Delco Remy)	CE Frame, Early 30MT Starters, NLA from Delco, Need stock - Pot metal style, bushing	9/3/2006	\$22.50	1
1932131(Delco Remy)	switch, Delco-Remy, mechanical, rocker type			2
1932181(DR)	FIELD COIL, 8/10MT 12V			1
1932182(DR)	FIELD COIL, 8/10MT 12V			1
1932190(Delco Remy)	bushing, .472 x .520 x .5"long, 5,8,10MT			117
1932506(Delco Remy)	Brush, Delco-Remy			10
1932545(Delco Remy)	drive, power tork, 12 tooth, CW, 3/4" shaft			1
1932603(Delco Remy)	drive, power tork, 13 tooth, CW, 3/4" shaft			0
1932604(Delco Remy)	drive, power tork, 12 tooth, CCW, 3/4" shaft			0
1932605(Delco Remy)	drive, power tork, 12 tooth, CW, 3/4" shaft			1
1932872(Delco Remy)	Armature, 30MT			0
1932882(Delco Remy)	Intermediate Plate			0
1932886(Delco Remy)	Motor Stud			0
1932886-(Delco Remy)	Motor Stud, 3/8, mechanical switch tapered head	3/24/2004	\$1.32	5
1932886-(Delco Remy)	Motor Stud, 3/8, mechanical switch tapered head	8/11/2003	\$1.32	5
1932886-(Delco Remy)	Motor Stud, 3/8, mechanical switch tapered head	8/8/2003		5
1932886-(Delco Remy)	Motor Stud, 3/8, mechanical switch tapered head	8/7/2003	\$1.32	5
1932886-(Delco Remy)	Motor Stud, 3/8, mechanical switch tapered head	2/22/2003	\$1.32	5
1932886-(Delco Remy)	Motor Stud, 3/8, mechanical switch tapered head	2/23/2002	\$1.32	5
1932886-(Delco Remy)	Motor Stud, 3/8, mechanical switch tapered head	12/23/2001	\$1.32	5
1932886-(Delco Remy)	Motor Stud, 3/8, mechanical switch tapered head	11/9/2001	\$1.32	5
1932886-(Delco Remy)	Motor Stud, 3/8, mechanical switch tapered head	10/24/2000	\$1.32	5
1932887(Delco Remy)	Insulator			104

OEM PN	OEM Description	Date Of Price	List	Quantity
1932890(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1932897(DR)	DRIVE, STR DELCO			2
193311(Delco Remy)	gasket, expansion plug			100
193311Delco Remy(Delc	gasket, expansion plug			100
1933404(Delco Remy)	drive, power tork, 11 tooth, CCW, 3/4" shaft			0
1933604(DR)	Stick Drive - see OLE for breakdown			0
1933705(DR)	DRIVE, STR DELCO			2
1933809(Delco Remy)	Switch, Starter manual operated, side aux term, curved starter mount, no pivot top			1
1933960-(DR)	Stick Drive - see OLE for breakdown			0
1933999(Delco Remy)	Bushing, 35 MT Intermediate, I believe was equal to non pre fit like Ace 4484 which gets			9
1933999-(Delco Remy)	Bushing, 35 MT Intermediate, I believe was equal to non pre fit like Ace 4484 which gets			4
1933999-?(DR)	group 71G calls this PN a snap ring			4
1934355(DR)	Intermediate support bushing plate, aviation			0
1934478(Delco Remy)	pole shoes, 35/40MT			8
1934488(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1934779(Delco Remy)	Switch, Starter manual operated, side aux term, curved starter mount, no pivot top			1
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	3/24/2004	\$1.66	10
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	8/11/2003	\$1.66	10
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	8/8/2003		10
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	8/7/2003	\$1.66	10
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	2/22/2003	\$1.66	10
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	2/23/2002	\$1.66	10
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	12/23/2001	\$1.66	10

OEM PN	OEM Description	Date Of Price	List	Quantity
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	11/9/2001	\$1.66	10
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	10/24/2000	\$1.66	10
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	4/8/2000	\$1.66	10
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	2/5/2000	\$1.66	10
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	9/13/1999	\$1.66	10
1935103(Delco Remy)	Brush, Delco-Remy, .675L x .623W x .250T x 1.5LL, 12 volt, Marine Applications w/ silvered	11/22/1998	\$1.66	10
1935258(Delco Remy)	DE Housing, Early 30 MT on J.D.	9/3/2006	\$52.50	1
1935259(Delco Remy)	Armature, 30MT			0
1935316(Delco Remy)	Brush Substitute for Early 30MT			96
1935331-(Delco Remy)	Starter, Min Moline Model UBE,UBN, UBU, (last digit is engine code related-common			0
1935406(Delco Remy)	intermediate plate			0
1935414(Delco Remy)	Drive, JD 720			0
1935416(Delco Remy)	Armature			0
1935421(Delco Remy)	DE housing, nose for J.D. starter 1113341			0
1935681(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1935827(DR)	Drive, 9T, CW, Roller, 25.4 GOD,80.5 LOA,3 spline 12mmID			0
1935851(Delco Remy)	Armature, 12 v, 8/10MT, Industrial 6 spline, 11.562" Shaft, 27 bar, DE=.469, CE=.560 - With			0
1936466(Delco Remy)	washer, steel, lever housing, 40 MT			7
1937117(Delco Remy)	Fields, 40 MT 24V, CW			0
1937121(Delco Remy)	Fields, 40 MT 24V, CW			0
1937310(Delco Remy)	Seal 1.254 x .658 x .263			8
1937718(DR)	OIL SEAL-DR 37MT			5
1938178(Delco Remy)	ARMATURE, 10MT 12V			2

OEM PN	OEM Description	Date Of Price	List	Quantity
1938376(Delco Remy)	Clip - Shift Lever Pin For: Delco 30MT, 35MT Series Internal			23
1938637(DR)	FAA PN - Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance			0
1938716(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1938743(DR)	bushing, comm end, .564ID, 5-10-15-20-25- 27MT			28
1938743- (DR_PMA)	62-1501 is aviation substitute for 1938743, except 1938743 is a match			28
1939093(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1939106(DR)	Armature, 12V, CCW, 6 Spiral Spl.			0
1939109(DR)	DRIVE, STR DELCO REBLT			0
1939857(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1939889-(Delco Remy)	field coil, Lester 9193, 12v, CW, Poleshoe 2 7/8" x 2 1/8", motor/generator w/ armature			2
1939890-(Delco Remy)	field coil Lester 9193, 12v, CW, Poleshoe 2 7/8" x 2 1/8", motor/generator w/ armature			2
1939904(Delco Remy)	armature, Delco-Remy generator, Lester 242, 14 segment, CCW/CW			0
1939907(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1939908(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1939952(Delco Remy)	Fields			1
1939999(DR)	bushing, CE, 10,20,22,25,27MT			4
1940047(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
1940134(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1940345(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1940385(DR)	C.E. Frame cast iron, 10MT, 20MT*, 25MT*, DD Starters with Step Down Field Case			1
1940454-(DR)	Stick Drive - see OLE for breakdown			0
1940477(Delco Remy)	brushholder, ground, 10,30-35MT			22
194064(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1941087(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1941111(Delco Remy)	Thru bolt, 10MT, w/ extension, 1/4-20 x 5 7/8"			9
1941113(Delco Remy)	Plunger, 10MT etc, Long			1
1941157(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
1941378(DR)	Solenoid post			5
1941448(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1941519(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1941657(Delco Remy)	drive, 12 t, CCW, 9/16" shaft,			0
1941978(Delco Remy)	lock washer, pulley, cs-144, 11/16" split, 1"OD			146
1942009-(DR)	Stick Drive - see OLE for breakdown			0
1942063-(DR)	Stick Drive - see OLE for breakdown			0
1942241(Delco Remy)	Lever Housing 35 MT Internal Indexing			1
1942244(Delco Remy)	Armature, 30MT			0
1942245(Delco Remy)	Shift Lever, 30/35MT			1
1942249(DR)	Stop Collar, 30/35MT, dont use the small dia stop collar			4
1942258(DR)	BUSHING, DELCO			0
1942597(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear			0
1942969(Delco Remy)	sealing washer, battery & motor terminals on solenoid caps, 40-50MT			9
1943222(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1943307(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear			0
1943504(Delco Remy)	field assy, HT 2 3/16 x 1 9/32, CCW, 12 volt, 10MT			0
1943510(Delco Remy)	Fields, 24 v, 30 amp, 1 3/4" ht x 2 1/8 w			0
1943578(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0



OEM PN	OEM Description	Date Of Price	List	Quantity
1943580(Delco Remy)	Bushing, Drive End			2
1943628(Delco Remy)	bushing, CE, 40 MT			6
1943680(Delco Remy)	brushes, (R-95), concave surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided			4
1944312(Delco Remy)	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
1944639(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1944836(Delco Remy)	insulator, 40, 50MT			19
1945022(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1945350(Delco Remy)	Field Coils			1
1945356(Delco Remy)	end cap, inspection cover, 35,37,40,41,42,50MT			16
1945409(Delco Remy)	Terminal Plate For: Delco 40MT, 50MT Series DD Starters Note: Used in 66-109, 66-110			2
1945468(Delco Remy)	Connector, solenoid to motor stud, 40 MT			1
1945476(Delco Remy)	gasket, DE housing to Lever housing, 50MT			11
1945477(Delco Remy)	71-1105 Gasket - Brush Cover Plate			2
1945484(Delco Remy)	shift lever, 35,40,50 MT			1
1945500(Delco Remy)	armature 24 v, 40 MT			1
1945506(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1945508canuse(Delco R)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1945509(Delco Remy)	bushing, prefit, .630 x .756 x .85740-50MT, DE			24
1945515(Delco Remy)	frame, CE, 40MT			2
1945617(Delco Remy)	Frame, Com End, 35MT, Cast			2
1945620(Delco Remy)	Spring, Brush, 35MT, may work on :22,25 & 27MT			6
1945804(Delco Remy)	shaft, shift lever, 5 & 10MT			1
1945840(Delco Remy)	armature, 24V,CW,Lester 2097, 50MT			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1945849(Delco Remy)	brush holder 50 MT			0
1945860(Delco Remy)	O-Ring, lever Housing, Delco-Remy 50MT, 4 1/2ID x 4 3/4OD			11
1945963(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1946012(Delco Remy)	Gasket - D.E. Hsg. to Lever Hsg. For: Delco 30MT, 35MT Series Internal Rotatable DD			10
1946072-(DR)	Stick Drive - see OLE for breakdown			0
1946095(Delco Remy)	35,40,50MT D.E. housing, .66" mt holes,			0
1946299(DR)	HOUSING DE, 30/35MT			1
1946394(Delco Remy)	Connector, Solenoid to motor terminal, 35MT			3
1946400(Delco Remy)	brush 12 volt 10 MT, R97, long side brush, .750 L x .625 W x .250 T, quicker taper and longer			2
1946427(Delco Remy)	brush, insulated, .873 x .733l x .311th, (R-110)Delco-Remy			1
1946434(Delco Remy)	brushes, (R-95), concave surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided			4
1946435(Delco Remy)	brush, R-108, 30 DN			4
1946437(Delco Remy)	brush, non insulated, grnd, .873w x .733l x .311th			12
1946445(Delco Remy)	brush, 3/4 x 3/4 x 3/8, 24 volt, 20,22,27MT, centered hole, 4 sided			0
1946484(Delco Remy)	brush, 30 & 35MT, 12 volt, flat, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			12
1946491(Delco Remy)	brush, 7/8 x 13/16 x 3/8, 12 volt, 35MT, 6 sided			12
1946542(Delco Remy)	insulator, 35MT motor stud,3/8"			6
1946594(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1946720(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1946725(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
1946745(Delco Remy)	comm end plate, 8MT			0
1946900(Delco Remy)	Insulator			0
1946928(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4

OEM PN	OEM Description	Date Of Price	List	Quantity
1947262(Delco Remy)	housing, shift lever, Jag style, 40MT			2
1947353(Delco Remy)	Armature, 10MT, Shaft S-1002			0
1947353-Core(Delco Re	Armature, 10MT, Shaft S-1002			0
1947544(DR)	Armature, 12V, CCW, 6 Spiral Spl.			0
1947620(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1947802(DR)	Armature, Generator, 6 or 12 v Delco-Remy Long DE shaft(1455)			0
1947803(Delco Remy)	Housing, drive end, .41" mount hole 30/35MT, Ductile iron, takes 4480BR bushing			1
1947890(DR)	SPRING, GEN DELCO	2/16/2013	\$11.25	2
1947912(Delco Remy)	Starter Drive 10-T, CW, 3-SPL Single Roller Clutch Type For: Delco 10MT, 20MT, 22MT, 71-1105			0
1948512(Delco Remy)	Gasket - Brush Cover Plate			2
1948515(Delco Remy)	brush holder 40MT 8 brush early type			3
1948516(Delco Remy)	plate, brush stand, starter, 40MT?			1
1948519(Delco Remy)	washer, plunger, 50MT, 30-37MT, .843 ID x 1.4 OD (13/16 x 1 13/32)			13
1948520(Delco Remy)	retainer,spring plunger, Delco-Remy,37,42,50MT & others			13
1948521(Delco Remy)	spring, 35/50MT			6
1948522(Delco Remy)	plunger, 40MT			0
1948526(Delco Remy)	retainer, Plunger spring, 35/50MT			4
1948529(Delco Remy)	shaft/pin, for shift lever			2
1948531(Delco Remy)	drive, ratchet, 40MT, 11 tooth, REBUILT, CW			1
1948536(Delco Remy)	84-1421 Screw Dim: 5/16-18 x 1-1/2 L Features: Socket Head, 1/4 Drive Chamfered			10
1948537(Delco Remy)	Screw Dim: 5/16-18 x 7/8 L Features: - Socket head, 1/4 drive - Chamfered point - Black oxide			8
1948659(Delco Remy)	Terminal Plate For: Delco 40MT, 50MT Series DD Starters Note: Used in 66-109, 66-110			2
1948688(DR)	PIN-DR 30-35MT LVR to Plunger			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1948746(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1948791(Delco Remy)	ball & roller bearing grease, by the tube			0
1948894(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1948993(Delco Remy)	Housing, drive end, .41" mount hole 30/35MT, Ductile iron, takes 4480BR bushing			1
1949109(Delco Remy)	field coil, 12/24v 40MT			1
1949184(DR)	Superseded From: J&N121-12000, 500-12098			0
1949186(DR)	NLA motor stud			5
1949187(DR)	Superseded From: J&N121-12000, 500-12098			0
1949190(Delco Remy)	armature, 35MT, John Deere Applications			0
1949243(Delco Remy)	Armature, 10MT HT Version of 1867. No Split collar, .560 CE, .500 DE, 23 Bar, 11.812LOA, 6			0
1949248(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1949327(Delco Remy)	Grommet, rectangular, field coil thru housing, 10 MT			68
1949355(Delco Remy)	Pulley 3/8" belt x 2 5/8 OD 70-100amp, FORD & Delco			4
1949356(Delco Remy)	pulley, single grove, 10DN, 3/8" w x 2 5/8" OD x .67			4
1949357(Delco Remy)	pulley, single grove, 10DN, 3/8" w x 2 5/8" OD x .67			4
1949358(Delco Remy)	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
1949406(Delco Remy)	Housing, drive end, .41" mount hole 30/35MT, Ductile iron, takes 4480BR bushing			1
1949497(DR)	C.E. Frame cast iron, 10MT, 20MT*, 25MT*, DD Starters with Step Down Field Case			1
1949606(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1949619(Delco Remy)	plug, DE Mounting Hole, 40-50MT			2
1950001(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear			0
1950029(Delco Remy)	insulating washer, fiber, 3/8ID x 7/8" OD x 3/32 T, 35MT stud			32
1950057(Delco Remy)	drive, 9Tooth CW, 3.78 L x 1.435, 9/16" shaft gear-mini tork			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1950111(Delco Remy)	gasket, Solenoid cover, 35-50MT, round face solenoids			3
1950307(Delco Remy)	Industrial 8MT armature			0
1950307-(Delco Remy)	Armature, 10MT, Shaft S-1002			0
1950546(Delco Remy)	Brushholder, 8-30 MT, Hi-impact plastic, tapped 8x32			9
1951069(Delco Remy)	housing, shift lever, no Jag style, 40MT			0
1951073(Delco Remy)	frame, CE, 40MT			2
1951180(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1951254(Delco Remy)	Armature, 50MT 24V Long shaft, 15 7/8"			0
1951491(Delco Remy)	Fields, 12V, CW, 1 3/4" H x 2 1/8"W, 35Amp			0
1951567(Delco Remy)	Shift Fork, narrow, 10MT			11
1951658(Delco Remy)	Shift lever, 8MT-----looks to be discontinued!!!!!!			1
1951788(Delco Remy)	drive, 9Tooth CCW, 3.78 L x 1.435 gear			0
1951837(Delco Remy)	35,40,50MT D.E. housing, .66" mt holes,			0
1951875(Delco Remy)	35,40,50MT D.E. housing, .66" mt holes,			0
1952410(Delco Remy)	drive, 9 tooth, CW, 3 spline, clutch drive			1
1952427(Delco Remy)	gasket, solenoid mount, 5-10 MT			19
1952524(Delco Remy)	Switch, Starter manual operated, side aux term, curved starter mount, no pivot top			1
1952524-(Delco Remy)	switch, Delco-Remy, mechanical			2
1952535(DR)	FIELD COIL, 8/10MT 12V			1
1952603(DR)	C.E. Frame cast iron, 10MT, 20MT*, 25MT*, DD Starters with Step Down Field Case			1
1952795-(DR)	Stick Drive - see OLE for breakdown			0
1952832(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1952882(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1953041(Delco Remy)	Plunger, 10MT etc, Long			1
1953071(Delco Remy)	pulley, 2 grove 1/2", 3 1/8" OD, 7/8" bore, w/ key			1
1953115-(DR)	Stick Drive - see OLE for breakdown			0
1953236(Delco Remy)	Ground Strap, 40MT			0
1953237(Delco Remy)	thrust washer, 50MT, CE			7
1953244(Delco Remy)	battery post, silvered, 1/2" -13 x 2 1/4"			2
1953880(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1953882(Delco Remy)	DE Frame JD 3020 & more 53-64 generators			1
1954211(Delco Remy)	insulator, 1/4"ID, for contact disk			100
1954479(Delco Remy)	Armature			0
1954785(Delco Remy)	diode, 30 DN, Neg, replacement 1954789			1
1954789(Delco Remy)	diode, 30 DN, Neg	3/24/2004	\$66.30	1
1954789(Delco Remy)	diode, 30 DN, Neg	8/11/2003	\$66.30	1
1954789(Delco Remy)	diode, 30 DN, Neg	8/8/2003		1
1954789(Delco Remy)	diode, 30 DN, Neg	8/7/2003	\$66.30	1
1954789(Delco Remy)	diode, 30 DN, Neg	2/22/2003	\$66.30	1
1954789(Delco Remy)	diode, 30 DN, Neg	2/23/2002	\$66.30	1
1954789(Delco Remy)	diode, 30 DN, Neg	12/23/2001	\$66.30	1
1954789(Delco Remy)	diode, 30 DN, Neg	11/9/2001	\$66.30	1
1954789(Delco Remy)	diode, 30 DN, Neg	10/24/2000	\$66.30	1
1954789(Delco Remy)	diode, 30 DN, Neg	4/8/2000	\$66.30	1
1954789(Delco Remy)	diode, 30 DN, Neg	2/5/2000	\$66.30	1
1954789(Delco Remy)	diode, 30 DN, Neg	9/13/1999	\$66.30	1

OEM PN	OEM Description	Date Of Price	List	Quantity
1954789(Delco Remy)	diode, 30 DN, Neg	11/22/1998	\$66.30	1
1954842(DR)	Drive, 9T, CW, Roller, 25.4 GOD, 80.5 LOA, 3 spline 12mmID			0
1954861(Delco Remy)	contact disk, 12, 24, 32 volt, on solenoids			0
1954976(Delco Remy)	19851, 19862, 19879, 19879-sc, Delco-Remy PN switch, Delco-Remy, mechanical, 6-12 V, single terminal, Insulated base.			2
1955270(Delco Remy)	Fields, Motor - generator, 12 V, CCW 2 7/8" HT x 2 1/8"W			0
1955271(Delco Remy)	Fields, Motor - generator, 12 V, CCW 2 7/8" HT x 2 1/8"W			0
1955303(Delco Remy)	oil felt for bushing			100
1955597(Delco Remy)	Fields			1
1955805(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
1955937(Delco Remy)	Armature, 12 v, 8/10MT, Industrial 6 spline, 11.562" Shaft, 27 bar, DE=.469, CE=.560			2
1955946(Delco Remy)	grommet, round short, 15MT/GR, 20-27MT, FC-FH			14
1955951(Delco Remy)	Fields, 20-25MT 12v, CW, 3 29/32" x 1 3/16" pole shoe			1
1955959(Delco Remy)	drive, 9Tooth CW, 3.78 L x 1.435, 9/16" shaft gear-mini tork			0
1955989(Delco Remy)	insulator, 50MT			1
1955994(DR)	Oilite Location Used: CE & DE Housings			6
1956135(Delco Remy)	cap, brushholder, 30DN	2/5/2000	\$3.00	0
1956135(Delco Remy)	cap, brushholder, 30DN	9/13/1999	\$3.00	0
1956135(Delco Remy)	cap, brushholder, 30DN	11/22/1998	\$3.00	0
1956139(Delco Remy)	insulating bushing, 30 DN	3/24/2004	\$1.72	8
1956139(Delco Remy)	insulating bushing, 30 DN	8/11/2003	\$1.72	8
1956139(Delco Remy)	insulating bushing, 30 DN	8/8/2003		8
1956139(Delco Remy)	insulating bushing, 30 DN	8/7/2003	\$1.72	8
1956139(Delco Remy)	insulating bushing, 30 DN	2/22/2003	\$1.72	8

OEM PN	OEM Description	Date Of Price	List	Quantity
1956139(Delco Remy)	insulating bushing, 30 DN	2/23/2002	\$1.72	8
1956139(Delco Remy)	insulating bushing, 30 DN	12/23/2001	\$1.72	8
1956139(Delco Remy)	insulating bushing, 30 DN	11/9/2001	\$1.72	8
1956139(Delco Remy)	insulating bushing, 30 DN	10/24/2000	\$1.72	8
1956139(Delco Remy)	insulating bushing, 30 DN	4/8/2000	\$1.72	8
1956139(Delco Remy)	insulating bushing, 30 DN	2/5/2000	\$1.72	8
1956139(Delco Remy)	insulating bushing, 30 DN	9/13/1999	\$1.72	8
1956139(Delco Remy)	insulating bushing, 30 DN	11/22/1998	\$1.72	8
1956171(Delco Remy)	gasket, 30 DN	3/24/2004	\$0.38	1
1956171(Delco Remy)	gasket, 30 DN	8/11/2003	\$0.38	1
1956171(Delco Remy)	gasket, 30 DN	8/8/2003		1
1956171(Delco Remy)	gasket, 30 DN	8/7/2003	\$0.38	1
1956171(Delco Remy)	gasket, 30 DN	2/22/2003	\$0.38	1
1956171(Delco Remy)	gasket, 30 DN	2/23/2002	\$0.38	1
1956171(Delco Remy)	gasket, 30 DN	12/23/2001	\$0.38	1
1956171(Delco Remy)	gasket, 30 DN	11/9/2001	\$0.38	1
1956171(Delco Remy)	gasket, 30 DN	10/24/2000	\$0.38	1
1956171(Delco Remy)	gasket, 30 DN	4/8/2000	\$0.38	1
1956171(Delco Remy)	gasket, 30 DN	2/5/2000	\$0.38	1
1956171(Delco Remy)	gasket, 30 DN	9/13/1999	\$0.38	1
1956171(Delco Remy)	gasket, 30 DN	11/22/1998	\$0.38	1
1956210(Delco Remy)	Drive, 9 tooth, CW, Barrel Drive, 3.655 LOA, 1.145 Gear OD, .615 ID bushing			0
1956226(Delco Remy)	contact disc assembly			2



OEM PN	OEM Description	Date Of Price	List	Quantity
1956231(Delco Remy)	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x 117mmL, 9 t, cw			0
1956384(Delco Remy)	Fields, 20-25MT 12v, CW, 3 29/32" x 1 3/16" pole shoe			1
1956903(Delco Remy)	Armature, 30 MT L/H			0
1956939(Delco Remy)	intermediate plate, marine, 3 7/8" OD			0
1956975(Delco Remy)	Thru bolt, 10-24 x 2 1/8", hex, washer head, 10-17SI, also ford 55A			101
1957017(Delco Remy)	Bushing, intermediate plate, Plate 53-111, .7560 ID x .8165OD x .375 L			0
1957069(Delco Remy)	DE Frame, Tractor Motor Generators, No Vents, 5/16"x18 Adj Ear, 5/16" Pivot Foot			0
1957073(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1957846(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1958197-(Delco Remy)	wai has same as 1964685			2
1958229(DR)	Stator			1
1958509(Delco Remy)	grease slinger, seal DE, 25 SI			4
1958565(Delco Remy)	Rotor, 10SI, 42 amp			2
1958598(Delco Remy)	Armature, L.H. Thread Corvair unit 1102336			1
1958621(DR)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low clearance design -			0
1958621-(DR)	original spring substitute- special low clearance design			0
1958679(Delco Remy)	Spring, Plunger, 5-10, 20 etc MT			3
1958731(Delco Remy)	Starter Drive 10-T, CW, 3-SPL Single Roller Clutch Type For: Delco 10MT, 20MT, 22MT,			0
1959381(DR)	Stator			1
1959389(DR)	INSUL-DR 10DN 25SI			51
1959455(Delco Remy)	Capacitor, .5UF, 1/4" hole w/ 1 3/4"lead, 10 DN, 10SI, 27SI,29SI. Can use 46-1107 for better			5
1959458(Delco Remy)	Armature, 35MT 6 sline, L/H			0
1959514(Delco Remy)	Screw, 8-32-3/4, for thick brush			13

OEM PN	OEM Description	Date Of Price	List	Quantity
1959523(Delco Remy)	insulating washer,10 DN			114
1959531(DR)	Stator			1
1959827(DR)	FRAME SRE, DELCO, 10 DN			2
1959828(Delco Remy)	Rectifier 10DN			3
1959829(Delco Remy)	Positive Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
1959830(Delco Remy)	Negative Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
1960370-(DR)	Stick Drive - see OLE for breakdown			0
1960536(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1960750(DR)	RETAINER, CAPACITOR 10DN			20
1960853(Delco Remy)	fields, Delco-Remy, 12 v, CW			0
1960866(Delco Remy)	Armature, 12 volt, CW rotation, rebuilt(Lester number), 25/27MT John Deere & Others			0
19608864(Delco Remy)	ground lead, 8-10MT			14
1960954(GM)	Gear And Shaft lube for Starters			0
1961320(Delco Remy)	armature, 40 MT,12 volt			1
1961408(Delco Remy)	Pulley, 2 V 3/8" belt, 2 5/8" OD, Ford			0
1961531(DR)	Stator			1
1961703(Delco Remy)	armature, 25MT, Reverse, 6 spline			0
1961867(Delco Remy)	bearing retainer, Delco 20SI, 27SI/Type 200, 29SI Series IR/EF Alternators			1
1962025(DR)	Stator			1
1962276(Delco Remy)	Lock Washer, #10, internal Plate type for centerplate screw			89
1962407(Delco Remy)	CE Frame, Delco-Remy Tractor Motor / Generator			1
1962412(Delco Remy)	DE Frame, Starter Generator, Bearing Style.			0
1962546(Delco Remy)	Bolt, 5/16-18 x 2 1/2"			8

OEM PN	OEM Description	Date Of Price	List	Quantity
1962559(Delco Remy)	should be 1962599			0
1962567(Delco Remy)	pulley, 2 grove 1/2", 3 1/8" OD, 7/8" bore, w/ key			1
1962599(Delco Remy)	D.E. Housing Cast Iron, Wet Clutch For: Delco 10MT, 20MT, 22MT, 27MT, SD300 Series DD			0
1962601(Delco Remy)	gasket, solenoid DE Housing, 10,20-22-25-27MT			1
1962602(Delco Remy)	C.S. Frame For: Delco 10MT, 20MT, 22MT, 25MT, 27MT, SD300 Series, Wet Clutch DD			3
1962603(Delco Remy)	gasket, SRE or DE ? plate			19
1962604(Delco Remy)	intermediate Plate			1
1962606-(Delco Remy)	Bushing, .756 x 1.254 x .400 long, Delco-Remy center plate			10
1962606--(Delco Remy)	Bushing, .752 x 1.255 x .395 long, Delco-Remy center plate			10
1962934(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1962998(Delco Remy)	pulley, 2 Grove, 3/8" w x 2 3/4" x .670 bore w/ 5/32 key			1
1963139(Delco Remy)	Spacer, Fan, 17mm x 22.23mm x 9.5mmL			17
1963470(Delco Remy)	Drive, 9 tooth, CW, Barrel Drive, 3.655 LOA, 1.145 Gear OD, .615 ID bushing			0
1963643(DR)	DRIVE, STR PRESTO			1
1963808(DR)	DRIVE-DR 9T CW, Massey Ferg			0
1964244(Delco Remy)	Fields, Motor - generator, 12 V, CCW 2 7/8" HT x 2 1/8"W	3/24/2004	\$10.13	0
1964294(Delco Remy)	screw, pole shoe			40
1964351(DR)	FRAME SRE, DELCO, 10 DN			2
1964354(Delco Remy)	Negative Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
1964410(Delco Remy)	Thrust washer			6
1964516(Delco Remy)	insulator, 50MT			2
1964682(Delco Remy)	Brush Holder			2
1964685(Delco Remy)	brush, r-99, 10 DN, field			2

OEM PN	OEM Description	Date Of Price	List	Quantity
1964688(Delco Remy)	brush, R-100, 10 DN			20
1964702(DR)	Stator			1
1964716(Delco Remy)	use R-31			0
1964716-(Delco Remy)	Brush, 3 Brush Generator, .750 x .740 x .250			27
1964758(Delco Remy)	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
1964857(Delco Remy)	O-Ring or square ring, Lever housing, 37,40,41,42,50MT			96
1965093(Delco Remy)	Insulator, BH Mount			2
1965104(Delco Remy)	Screw, Large fold over retainer head 10-24X1/2			95
1965279(JN)	FRAME SRE, DELCO, 10 DN			2
1965358(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1965472(Delco Remy)	insulator, 50MT			3
1965723(DR)	Drive, 9T, CW, Roller, 25.4 GOD, 80.5 LOA, 3 spline 12mmID			0
1965724(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
1965730(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
1965923(DR)	Drive, 9T, CW, Roller, 25.4 GOD, 80.5 LOA, 3 spline 12mmID			0
1966263(Delco Remy)	Gasket - C.E. Frame to Field Case For: Delco 30MT, 35MT Series Internal			6
1966265(Delco Remy)	Frame, Com End, 35MT, Cast			2
1966391(Delco Remy)	grommet, round long, 8-10MT			45
1966923(Delco Remy)	pin, brushholder, 10 MT			8
1966963(Delco Remy)	gasket, 30 DN	3/24/2004	\$2.32	1
1966963(Delco Remy)	gasket, 30 DN	8/11/2003	\$2.32	1
1966963(Delco Remy)	gasket, 30 DN	8/8/2003		1
1966963(Delco Remy)	gasket, 30 DN	8/7/2003	\$2.32	1

OEM PN	OEM Description	Date Of Price	List	Quantity
1966963(Delco Remy)	gasket, 30 DN	2/22/2003	\$2.32	1
1966963(Delco Remy)	gasket, 30 DN	2/23/2002	\$2.32	1
1966963(Delco Remy)	gasket, 30 DN	12/23/2001	\$2.32	1
1966963(Delco Remy)	gasket, 30 DN	11/9/2001	\$2.32	1
1966963(Delco Remy)	gasket, 30 DN	10/24/2000	\$2.32	1
1966963(Delco Remy)	gasket, 30 DN	4/8/2000	\$2.32	1
1966963(Delco Remy)	gasket, 30 DN	2/5/2000	\$1.16	1
1966963(Delco Remy)	gasket, 30 DN	9/13/1999	\$1.16	1
1966963(Delco Remy)	gasket, 30 DN	11/22/1998	\$1.16	1
1967042(Delco Remy)	armature, 35MT			0
1967044(Delco Remy)	Armature, 35MT, 13 1/4" w/ setscrew & keyway			0
1967045(Delco Remy)	Armature 12 Volt, CW Rotation (Ref. No. 2080) For: Delco 35MT Series Internal Rotatable DD			0
1967046(Delco Remy)	Armature, 35MT Straight spline	1/10/2006	\$22.50	1
1967046(Delco Remy)	Armature, 35MT Straight spline	12/19/2005	\$62.93	1
1967224(Delco Remy)	Frame, Com End, 35MT, Cast			2
1967607-Make?(Delco R				5
1967779(Delco Remy)	drive, ratchet, 40MT, 11 tooth, new, CW, 5/8" shaft			1
1967907(Delco Remy)	CE Frame			0
1967952(Delco Remy)	drive, 10 tooth, positork, CW rotation, 4.528 long, 5/8" shaft			1
1968396(Delco Remy)	screw, pole shoe			40
1968457(DR)	Lever housing, internally rot 35MT			1
1968656(Delco Remy)	Screw Dim: 10-32 x 5/8 L Features: Slotted Pan Head Thread Cutting Zinc Plated			1
1968775(Delco Remy)	field assy, HT 2 3/16 x 1 9/32, CCW, 12 volt, 10MT			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1968780(Delco Remy)	12 point cap screw package, each contains 3 of 2 1/2" x 5/8 - 11 and 3 of length 1 3/4" for			0
19688355(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
1968884(Delco Remy)	gasket, bearing retainer, 25SI			10
1968891(Delco Remy)	grease slinger, seal DE, 25 SI			1
1968930(Delco Remy)	insulator, rectifier, 25SI			2
1968945(Delco Remy)	Screw, Hardened, 10 - 24 x 13/16 hex w/ thread lock compound			10
1968990(Delco Remy)	Mounting Bushing, All Large Frame SI Series, 1/2" ID x 7/8"OD x 13/16" L			2
1968991(Delco Remy)	thru bolt, 10-24 x 3 5/8", w/ nylon lock thread (HEAT HOUSING TO GET OUT W/O BREAKING)			10
1968996(Delco Remy)	grommet, lead support, 5 slot square, 25SI			11
1969002(Delco Remy)	Post bolt, output terminal, Red, Neg ground			1
1969046(Delco Remy)	spacer, 27SI, ?20SI			6
1969053(Delco Remy)	bat term bolt, S.A.E., w/ insulator, 10-15SI			97
1969110(Delco Remy)	Regulator, Voltage, 25SI, 24volt, neg grnd			1
1969323ifmodified (Del	Delco 1949606,1970455,1969323,1945508			2
1969329(DR)	35,40,50MT D.E. housing, .66" mt holes, short FRAME SRE, DELCO, 10 DN			2
1969481(Delco Remy)	fan, 25,27,29,30,40SI			0
1970145..(Delco Remy)				103
1970227(Delco Remy)	cap, relay terminal, 25SI			8
1970384(Delco Remy)	Spacer, rotor to frame, 27SI, 33.5mmOD x 14.5mm L			0
1970395(Delco Remy)	gasket, rectifier cover back			9
1970454(Delco Remy)	Delco 1949606,1970455,1969323,1945508			2
1970455(Delco Remy)	35,40,50MT D.E. housing, .66" mt holes, short			2
1970455canuse(Delco R	Delco 1949606,1970455,1969323,1945508			2
	35,40,50MT D.E. housing, .66" mt holes, short			

OEM PN	OEM Description	Date Of Price	List	Quantity
1970544(Delco Remy)	drive, 10 tooth CCW, 3.75L, 1.255 gear, 6 spline, spiral, spragg, .5625 bushing ID, better			0
1970548(Delco Remy)	armature, Lester 2280			1
1970589(DR)	Spacer, USED BETWEEN THE FAN & D.E. BEARING ON DELCO 10SI ,10DN ALTERNATORS			3
1970593(Delco Remy)	fan, 20SI			0
1970594(Delco Remy)	drive, 10 tooth CCW, 3.75L, 1.255 gear, 6 spline, spiral, spragg, .5625 bushing ID, better			0
1970711(Delco Remy)	drive 12 tooth, CW, 40MT			1
1970803(Delco Remy)	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
1970988(Delco Remy)	gasket, shift lever bolt, 10,20-27MT			100
1971025(Delco Remy)	Delco 1949606,1970455,1969323,1945508 35,40,50MT D.E. housing, .66" mt holes, short			2
1971106(Delco Remy)	screw w/ washer & seal, 10-32 hex x 5/8", 40-50MT			63
1971147(Delco Remy)	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x 117mmL, 9 t, cw			0
1971411(Delco Remy)	Capacitor, .5UF, 1/4" hole w/ 1 3/4"lead, 10 DN, 10SI, 27SI,29SI. Can use 46-1107 for better			5
1971465(Delco Remy)	Stator, 24 volt, 50 amp, 25 SI			1
1971523(Delco Remy)	brush, 10SI alt, R-103			40
1971528(Delco Remy)	diode trio, 10-17 SI			12
1971568(Delco Remy)	Armature, 12 v, 10MT, Industrial 6 spline helix CW, 11.812" Shaft, 23 bar, DE=.500, CE=.560,	10/11/2005	\$30.30	2
1971639(Delco Remy)	Stator 72 Amp/12 Volt For: Delco 10SI Series 37-63 Amp; 10SI/Type 116, 136 Series 72 Amp			0
1971639-(Delco Remy)	Stator 42 Amp/12 Volt For: Delco 10SI Series 37-63 Amp; 10SI/Type 116, 136 Series 72 Amp			4
1971707(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
1971986(Delco Remy)	Stator 72 Amp/12 Volt For: Delco 10SI Series 37-63 Amp; 10SI/Type 116, 136 Series 72 Amp			4
1971993(Delco Remy)	Retainer, Brg			1
1971993(DR)	BRG RETAIN-DR 10-27SI S-1338 w/ felt seal			2
1972119(Delco Remy)	Switch, Mechanical, foot operated, 2 terminal, push post button,Like on Small engine			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1972157(Delco Remy)	Voltage Regulator, can use 12961, B type, 3 Unit 27-31amp 12 V, P or N			0
1972691(Delco Remy)	Screw, Hex 1/4"-20 x 5/8" , Solenoid attachment, 10MT			2
1972776(Delco Remy)	Screw Dim: 10-32 x 5/8 L Features: Slotted Pan Head Thread Cutting Zinc Plated			1
1972977(Delco Remy)	Oil Wick, CE, 1/2" OD x 1 15/16" long			3
1973350(Delco Remy)	Spacer, Fan, 17mm x 22.23mm x 9.5mmL			17
1974157(Delco Remy)	comm end plate, 10-20-27MT			0
1974183(Delco Remy)	field, 12 volt, CW rotation, low torque, 10MT			0
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	3/24/2004	\$26.44	1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	8/11/2003	\$26.44	1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	8/8/2003		1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	8/7/2003	\$26.44	1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	2/22/2003	\$26.44	1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	2/23/2002	\$26.44	1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	12/23/2001	\$26.44	1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	11/9/2001	\$26.44	1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	10/24/2000	\$26.44	1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	4/8/2000	\$26.44	1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	2/5/2000	\$26.44	1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	9/13/1999	\$26.44	1
1974375(Delco Remy)	field assy, 12V CCW, 10MT, 2 1/16" X 1 1/4"	11/22/1998	\$26.44	1
1974396(Delco Remy)	drive, 8MT ? corvair?	3/24/2004	\$9.94	0
1974396(Delco Remy)	drive, 8MT ? corvair?	8/11/2003	\$9.94	0
1974396(Delco Remy)	drive, 8MT ? corvair?	8/8/2003		0



OEM PN	OEM Description	Date Of Price	List	Quantity
1974396(Delco Remy)	drive, 8MT ? corvair?	8/7/2003	\$9.94	0
1974396(Delco Remy)	drive, 8MT ? corvair?	2/22/2003	\$9.94	0
1974396(Delco Remy)	drive, 8MT ? corvair?	2/23/2002	\$9.94	0
1974396(Delco Remy)	drive, 8MT ? corvair?	12/23/2001	\$9.94	0
1974396(Delco Remy)	drive, 8MT ? corvair?	11/9/2001	\$9.94	0
1974396(Delco Remy)	drive, 8MT ? corvair?	10/24/2000	\$9.94	0
1974396(Delco Remy)	drive, 8MT ? corvair?	4/8/2000	\$9.94	0
1974396(Delco Remy)	drive, 8MT ? corvair?	2/5/2000	\$9.94	0
1974396(Delco Remy)	drive, 8MT ? corvair?	9/13/1999	\$9.94	0
1974396(Delco Remy)	drive, 8MT ? corvair?	11/22/1998	\$9.94	0
1974778(Delco Remy)	Field Coils, CW, 12 V, 40MT			1
1974786(Delco Remy)	Armature			0
1974862(Delco Remy)	bearing, needle, .670 x .937 x .683 10SI type 116 & 136			10
1974920(Delco Remy)	fields fields			0
1974924(Delco Remy)	field, 12 volt, CW rotation, low torque, 10MT			0
1974929(Delco Remy)	fields, CW, 24 volt, Delco-Remy, 40MT			0
1975046(Delco Remy)	drive, 10 t, CW, 9/16" shaft, mini tork			0
1975112(Delco Remy)	drive, power tork, 11 tooth, CW, 5/8" shaft			0
1975127(DR)	INSUL-DR 20- 25MT CE frame			10
1975249*(Delco Remy)	Fields			1
1975313(Delco Remy)	Rectifier Assy, 15SI Neg Grnd, Regular fine fins, 25 amp diodes, 70-85 amp Units			2
1975322(Delco Remy)	needle bearing,15SI			7
1975325(Delco Remy)	spring, brush, CS-130, see 1989659			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1975325-(Delco Remy)				492
1975326(Delco Remy)	Thru Bolt w/ Extension Dim:			3
1975328(Delco Remy)	diode trio, 10-17 SI			12
1975333(Delco Remy)	Rotor 108 Amp/12 Volt			0
1975349(DR)	FAN, ALT 15SI 17SI CS144			1
1975350(Delco Remy)	Spacer, Fan, 17mm x 22.23mm x 9.5mmL			17
1975471(Delco Remy)	bat term kit, metric, 10-27SI,CS-144			0
1975471-(Delco Remy)				10
1975471-subpart(Delco Remy)	insulator, bat term, metric, 10-27SI,CS-144,			45
1975471-subpart1(Delco Remy)	hex nut w/ attached conical washer, 12-24 7/16"OD x .210, sub part			13
1975471-subpart2(Delco Remy)	battery terminal, part of kit oem 1975471,CS-130,external metric m6-			10
1975680(DR)	pulley 1V, .669 x 2.5"x.395(10MM)			4
1975736(Delco Remy)	Screw, Large fold over retainer head 10-24X1/2			95
1976128(Delco Remy)	C.S. Frame For: Delco 10MT, 20MT, 22MT, 25MT, 27MT, SD300 Series, Wet Clutch DD			3
1976474(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1976482(Delco Remy)	Screen, DE frame, marine, 10SI			2
1976832(Delco Remy)	insulator, pole shoe, 8-10MT			201
1976861(Delco Remy)	brushes, (R-95), flat surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided, used for			0
1976861-(Delco Remy)	brushes, (R-95), flat surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided, used for			0
1976861--(Delco Remy)	brushes, (R-95), concave surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided			4
1976882(Delco Remy)	Intermediate Plate			1
1976884(Delco Remy)	drive, ratchet, 40MT, 11 tooth, new, CW, 5/8" shaft			1
1977002(DR)	DRIVE-DR 9T CW, Massey Ferg			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1977004(Delco Remy)	drive 11 tooth, CCW, positork / ratchet, 40MT			0
1977005(Delco Remy)	drive 12 tooth, CW, 40MT			1
1977006(Delco Remy)	drive, Positork / ratchet, rarer 13 tooth, CW, 5/8" shaft			0
1977011(Delco Remy)	drive, Positork / ratchet, 12 tooth, Rarer CCW, 5/8" shaft			0
1977064(Delco Remy)	Diode TRio, 27SI Type 200			0
1977357(Delco Remy)	brush spring, 10DN, 10SI, 12SI, 27SI			292
1977674(Delco Remy)	bearing retainer, CS-144,CS-130			6
1978026(DR)	FAN, ALT 15SI 17SI CS144			1
1978057(Delco Remy)	Fan w/ depressed center hub			2
1978059(Delco Remy)	Spacer 16.5 wide DE to Fan, used with 1978057 for 1100204			0
1978064(Delco Remy)	spacer-pulley 1"ODx3/8"long,CS-130			15
1978065(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4
1978067(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4
1978123(Delco Remy)	Fields, 27MT, 12volt, 1.1 1.3mil ohm, clockwise			2
1978137(Delco Remy)	C.E. Frame For: Delco 22MT*, 27MT* Series DD; 15GR Series OSGR Starters			2
1978146(Delco Remy)	Capacitor, 15SI type 200, 12SI-27SI, 1.5Micro Farad			3
1978146-(Delco Remy)	similar			5
1978281(Delco Remy)	Spring, Plunger, 5-10, 20 etc MT			3
1978292(Delco Remy)	Frame, CE, Str			1
1978297(Delco Remy)	plunger, short, 5-8-10-15-20-22-27MT, used w/ sol 66-100			2
1978754(Delco Remy)	oil wick, DE housing			2
1978756(Delco Remy)	plug, oil			6
1978873(Delco Remy)	Rotor, Delco-Remy 27SI Type 200, 24 volt, 65 amp, for Lester 7197			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1979011(DR)	DE Frame,5.67" / 143.9mm Stator OD, 15SI			0
1979189(Delco Remy)	decal for OCP kit			0
1979364(Delco Remy)	solenoid cover plate repair kit, for solenoid 1115556			2
1979367(Delco Remy)	terminal plate, 50MT			2
1979368(Delco Remy)	insulator, 50 MT			1
1979369(Delco Remy)	Insulator - Terminal Plate For: Delco 40MT, 50MT Series DD Starters Note: Used in 66-106,			1
1979379(Delco Remy)	connector, 50 MT			3
1979385(Delco Remy)	screw, 10-32 hex x 1/2" solenoid caps			0
1979391(Delco Remy)	Brush Springs			19
1979413(Delco Remy)	solenoid kit			0
1979434(Delco Remy)	housing, shift lever, Jag style, 40MT			2
1979443(Delco Remy)	Discontinued by Delco 1997 - D.E. Housing Aluminum For: Delco 27MT Series DD Starters			0
1979451(Delco Remy)	nut, 50MT			10
1979498(Delco Remy)	solenoid kit			0
1979534(Delco Remy)	housing, shift lever, no Jag style, 40MT			0
1979600(Delco Remy)	lead wire, CE term to Sol, Sol to CE Ground stud.			7
1979635(Delco Remy)	hex nut w/ att washer, 10-32 x 3/8", Delco-Remy 40MT solenoid			10
1979721(Delco Remy)	Rectifier Assy, 15SI Neg Grnd, Regulator fine fins, 50 amp diodes, 70-105 amp units.			2
1979721-(Delco Remy)	can upgrade from 25 to 50 amp			2
1979773(DR)	SRE Frame 15SI			0
1979776-(Delco Remy)	terminal strap, 50MT, 1979776 is this plus motor term			2
1979776--(Delco Remy)	motor terminal, 50MT, 1979776 is this plus terminal strap			2
1979835(Delco Remy)	drive, power tork, 12 tooth, CW, 5/8" shaft			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1979836(Delco Remy)	drive, power tork, 11 tooth, CW, 5/8" shaft			0
1979861-Core(Delco Re	10SI Series Alternator for Delco 63 Amp, 12 Volt, CW Rotation			1
1979917(Delco Remy)	shaft/pin, for shift lever			2
1979995(Delco Remy)	Thru Bolt, 1/4-20 x 5 1/2", 3/8Hex head			4
1979996(Delco Remy)	C.E. Frame For: Delco 22MT*, 27MT* Series DD; 15GR Series OSGR Starters			2
1984000(Delco Remy)	screw, 10-32 hex x 1/2" solenoid caps			30
1984430(Delco Remy)	fan, 12SI			0
1984445(Delco Remy)	27-103 Stator 78 Amp/12 Volt For: Delco 12SI Series 56-78 Amp IR/EF Alternators			0
1984454(Delco Remy)	rectifier, 12SI 56-78 A, 25A/200Volt diodes			2
1984459(Delco Remy)	diode trio, 10-17 SI			12
1984460(Delco Remy)	Frame, 12 SI, DE			1
1984462(Delco Remy)	brush holder, CS-121,130			2
1984464(Delco Remy)	Frame, DE			2
1984466(Delco Remy)	rotor, 12SI, 94amp,lester 7294			1
1984476(Delco Remy)	Spacer, 1" OD x 9/32" (.281 + or-.010?), 12 SI, 17SI and other OEM's, not CS-144 1985999			16
1984501(Delco Remy)	shift lever, small type, small button, 1 7/16" fork			2
1984511(Delco Remy)	drive, short, 2.71" lg, 9 tooth, 3 spline, 5MT			1
1984527(Delco Remy)	grommet, field coil terminal, one pc, 5 MT			18
1984530(Delco Remy)	bushing, .474ID x .598OD x .500 lg, DE 5MT			20
1984563(DR)	CONTACT-DR 5-27MT 3/8-16 X 1-3/16 L; Solenoid B+			5
1984584(Delco Remy)	27-103 Stator 78 Amp/12 Volt For: Delco 12SI Series 56-78 Amp IR/EF Alternators			0
1984702(DR)	Stator			1
1984705(Delco Remy)	insulator, bat & motor terminal			2

OEM PN	OEM Description	Date Of Price	List	Quantity
1984826(Delco Remy)	resistor, w/ third plug in term, 17SI 200 Ohm			1
1984974(Delco Remy)	brush holder 50Mt late 6 brush			0
1985129(Delco Remy)	drive, 11 tooth, power tork, CW, 3/4" shaft			0
1985131(Delco Remy)	drive, power tork, 13 tooth, CW, 3/4" shaft			0
1985132(Delco Remy)	drive, power tork, 11 tooth, CCW, 3/4" shaft			0
1985138(Delco Remy)	Armature Delco-Remy SD210			1
1985150(Delco Remy)	use 10467601 for SD205/255. Thru bolt, SD205/SD255, caution-WAI says use the			0
1985235(DR)	BRAKE WASH 15/16 X 2-1/8			10
1985237(DR)	SHIFT LEVER-DR 37MT			1
1985243(Delco Remy)	Boot - Solenoid Plunger For: Delco 37MT, 41MT, 42MT Series DD			0
1985246(Delco Remy)	cup, oil			4
1985247(Delco Remy)	oil wick, lvr housing			3
1985249(Delco Remy)	armature, 12 v, 37MT 15.43"			0
1985262(Delco Remy)	drive, 12 tooth, 37MT			0
1985303(Delco Remy)	brush holder 37MT 4 brush 12-24v			0
1985304(Delco Remy)	Oring lever housing to sol			20
1985314(Delco Remy)	Brush Spring			4
1985320(Delco Remy)	Oring feild case to CE, 37,41,42MT,4.75"/120.6mmID x 5"/127mm OD			20
1985320-(DR)	oring			0
1985339(Delco Remy)	Nose housing, 5 MT, Lester 6311M & 6318			1
1985348(Delco Remy)	diode trio, 10-17 SI			12
1985445(Delco Remy)	capacitor, 20SI w/o brkt. 2" LL, 1.5UF, 9/32" Eye			1
1985445(DR)	capacitor, 20SI, 1.5Uf, 10si industrial, 9/32" eye, 2" Lead			1

OEM PN	OEM Description	Date Of Price	List	Quantity
1985476(Delco Remy)	28-101-9 Rotor 66 Amp/12 Volt For: Delco 12SI Series 56-66 Amp IR/EF Alternators Note:			0
1985495(Delco Remy)	Frame, SRE, Marine, 10SI			1
1985564(Delco Remy)	Starter Drive10-T, CW, 3-SPL For: Delco 15GR Series OSGR; 20MT, 25MT, 27MT Series DD			0
1985567(Delco Remy)	Discontinued by Delco 1997 - D.E. Housing Aluminum For: Delco 27MT Series DD Starters			0
1985617(Delco Remy)	washer, thrust, CE 42MT			1
1985622(Delco Remy)	Thru bolt 5 MT for 4.67" housing, w/ extension, 10-24 x 5 1/4"			4
1985741(Delco Remy)	drive, 9 tooth, CW, 3.876 l x .985 gear OD			1
1985801(Delco Remy)	rectifier, heavy duty, 17SI 97-108A, 50Amp 200 volt			0
1985947(Delco Remy)	armature, 12 v, 37MT 15.43"			0
1985964(Delco Remy)	Pulley, 6 groove, 2 1/4"			2
1985999(Delco Remy)	spacer, outside, 25.5mm x 5.9mm (.232 + or - .010?), CS-144, DR 1985999, not 1984476.			11
1986000(Delco Remy)	spacer, inside, 1"ODx3/8"lg,CS-144			15
1986019(Delco Remy)	Brush Spring, 20 & 27 MT			8
1986243(DR)	Field pole shoe screw with external ground stud for large frame units			2
1986244-(Delco Remy)	drive, 10 tooth, 37MT,CW improved double roller			0
1986244(DR)	TYPE Drive, S, BUSHING ID14., CLUTCH TYPE DOUBoller, GEAR OD39.,			0
1986466(Delco Remy)	oil wick			10
1986468(Delco Remy)	center plate, 10,20,22,25,27MT, industrial & marine aplications			3
1986470(Delco Remy)	brake washer, industrial/marine 10MT			9
1986583(Delco Remy)	brush, R130, 12SI			31
1986591(DR)	DE Frame,5.67" / 143.9mm Stator OD, 15SI			0
1986928(DelcoRemy)	RETAINER RING-DR 37MT			48
1987049(Delco Remy)	roll pin, 3/16" x 3/4" long (.200 x .808), used in delco starters			100

OEM PN	OEM Description	Date Of Price	List	Quantity
1987054(Delco Remy)	Frame, DE			2
1987061(Delco Remy)	rec assy 50A, 200V diodes, 12SI,94AMP ALTERNATOR			3
1987086(Delco Remy)	Nose housing, 5 MT, Lester 6311M & 6318			1
1987152(DR)	drive, 10 tooth, 37MT,CW			0
1987324(Delco Remy)	diode trio, Delco-Remy 20SI			3
1987373(Delco Remy)	gasket, solenoid DE Housing, 10,20-22-25-27MT			1
1987391(Delco Remy)	plunger, short, 5-8-10-15-20-22-27MT, used w/ sol 66-100			2
1987614(Delco Remy)	baffle, fan, cs-144			1
1987648(Delco Remy)	PULLEY, 4 groove, 2"OD			1
1987869(Delco Remy)	Plug - Regulator Terminals For: Delco 10SI, 21SI, 22SI, 27SI/Type 200, 202 Series IR/EF			11
1987989(Delco Remy)	armature, 42 MT 12 v 17 3/4"			0
1988096(Delco Remy)	bushing, lever housing, 40MT			1
1988097(DR)	SHIFT LEVER-DR 42MT			2
1988100(Delco Remy)	Insulator, field coil, 42MT			1
1988111(Delco Remy)	feild coil, 12 volt, 40MT			1
1988128(Delco Remy)	CE terminal assembly			1
1988137(Delco Remy)	nose housing, 40MT			1
1988138(Delco Remy)	oil wick, CE frame			0
1988139(DR)	PLUNGER ASSY-DR 37, 41, 42MT, conventional solenoid			10
1988140(DR)	PLUNGER ASSY-DR 37, 41, 42MT, conventional solenoid			10
1988204(Delco Remy)	Drive, excusive to Long tractor & hard to get			0
1988322(Delco Remy)	Armature, 37MT 24V			0
1988339(Delco Remy)	Insulator, Field Coil Terminal, 42 MT			21



OEM PN	OEM Description	Date Of Price	List	Quantity
1988340(Delco Remy)	INSulator, Field Coil Terminal, Outside 42MT			21
1988381(Delco Remy)	Connector, for 10SI Marine, used on 46-1455			0
1988414(Delco Remy)	Brushholder, 8-30 MT, Hi-impact plastic, tapped 8x32			9
1988435(Delco Remy)	Armature, 37MT 24V			0
1988674(Delco Remy)	bearing retainer, CS-144,CS-130			6
1988775(DR)	PLUNGER ASSY-DR 37, 41, 42MT, conventional solenoid			10
1988873(Delco Remy)	capacitor, 1.5 micro farad, 27SI late style			3
1988970(Delco Remy)	screw w/ insulator, 8-32 x 1 3/16", hex, washer, for capacitor, CS-			20
1988971(Delco Remy)	screw, hex w/ att washer, 8-32 x 1 1/8" w/ dog point, rect cs-144			50
1988972(Delco Remy)	capacitor, 1.5 micro farad, 17SI & 21SI 120Amp			2
1988976(Delco Remy)	Rectifier For: Delco 17SI Series 120 Amp; 21SI Series 65-115 Amp/12 Volt, 50-70 Amp/24 Volt			1
1988985(Delco Remy)	diode trio, 17SI - 120A, 21SI			1
1988988(Delco Remy)	voltage regulator, 12SI-27SI type 100, 12 v/ 7 amp field			2
1988988-(Delco Remy)	voltage regulator, 12SI-27SI type 100, 12 v/ 8 amp field			3
1989030(Delco Remy)	4-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, CS144 Series IR/EF Alternators Used On:			1
1989037(DR)	Capacitor, .5UF, 1/4" hole w/ 1 3/4"lead, 10 DN, 10SI, 27SI,29SI. Can use 46-1107 for better			5
198921(Delco Remy)	drive, PMGR, 9 tooth, 3 spline,lester 6405			0
1989232(Delco Remy)	Plunger Spring For: Delco PG100, PG150, PG200, PG250 Series PMGR; SD210, SD260			2
1989499(Delco Remy)	solenoid repair kit			1
1989581(Delco Remy)	CS-130 Fan, External			2
1989624(Delco Remy)	thru bolt, M5x0.8x66 or 67MM, E8 tork,CS-130,121			40
1989624-(Delco Remy)	thru bolt, repair 12-24 x 2 1/2" for M5x0.8x66 or 67MM, E8 tork,CS-130,121			10
1989628(Delco Remy)	lead cover, stator, CS-130			5

OEM PN	OEM Description	Date Of Price	List	Quantity
1989629(Delco Remy)	Spacer, rotor to DE frame CS-130, 3mm (.118)			8
1989630(Delco Remy)	spacer, CS-130, Fan to DE frame 25.5mm x 5.25 mm wide x 17mm ID (.672)			16
1989631(Delco Remy)	DE frame, long mount ears, straight thread adj ears, m8x1.25, CS-130			1
1989631-brg(Delco Rem	DE frame, long mount ears, straight thread adj ears, m8x1.25, CS-130			3
1989632(Delco Remy)	CS-130 rotor 85-105Amp,			2
1989640(Delco Remy)	Slip Ring, CS-130			1
1989646(Delco Remy)	6000 bearing, double sealed			8
1989647(Delco Remy)	terminal, battery, round, CS-130,CS-121			20
1989648(Delco Remy)	tolerance ring- SRE Bearing, metal,CS-130			18
1989649(Delco Remy)	nut, hex, w/washer, M5-.8 8mmOD x 4mm, CS-130			99
1989650(Delco Remy)	screw w/ washer attached, M4x0.7x22MM,E5 tork,see1989681,CS-130			91
1989651(Delco Remy)	brush holder assy, CS-121,130			0
1989652(Delco Remy)	insulator, bat term, CS-130			16
1989655(Delco Remy)	baffle, SRE, CS-130			3
1989656finned(Delco R	Frame, SRE, CS-130, Iceberg, 500% cooler per Dubois			2
1989658(Delco Remy)	CS-130,CS-121 rectifier assy,85-105amp with capacitor and zenners, 35A			84
1989658-(Delco Remy)	Rectifier, Heavy Duty, CS-130			0
1989658--(Delco Remy)				2
1989658-improved(Delc				1
1989658subpart-cap(De	capacitor, part of 1989658,CS-130			0
1989659(Delco Remy)	brush spring, CS-144,CS-130, ?see also 1975325			492
1989660(Delco Remy)	Brush high side, CS-130 R-133, w/ screw tab connector			27
1989661(DR)	BRUSH, DELCO CS121/130/144			7

OEM PN	OEM Description	Date Of Price	List	Quantity
1989662(Delco Remy)	Brush Holder Only, CS-130			1
1989663(DR)	BRUSH, DELCO CS144			19
1989681(Delco Remy)	screw w/ washer attached, M4x0.7x22MM,E5 tork,see 1989650CS-130			91
1989690(Delco Remy)	thru bolt, 10-24 x 2 1/2", cs-144,			8
1989699(Delco Remy)	screw insulated, hex washer head, 8-32 x 1", regulator, cs-144			9
1989702(Delco Remy)	brush holder assy complete, CS-144			10
1989702-subpart(Delco Remy)	brush, R-131, CS-144			19
1989703(Delco Remy)	capacitor, CS-144			0
1989705(Delco Remy)	Stator, Delco-Remy, 130 amp/12 volt, Delco-Remy 21SI 115-130amp & CS144 108-124 amp			1
1989706(Delco Remy)	CS-144 SRE frame			0
198971(Delco Remy)	should be 1989711			2
1989711(Delco Remy)	Bearing, CS-144, Ford 3G, 10 mm x 26mmOD x 8mm wide, w/ two Plastic Tol rings			2
1989774(Delco Remy)	rectifier assy CS-144			1
1989783(Delco Remy)	brush, R-131, CS-144			19
1989889(DR)	single roller s/s to 1986244 still single roller			0
1990315(Delco Remy)	Starter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020 1969-			0
1990318(Delco Remy)				0
1990456(Delco Remy)	40MT, 24 volt, 11 tooth			0
1990483(Delco Remy)	STR-DR 40MT 12V 11T 486 CW			0
1993754(Delco Remy)				0
1993829(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
1993881(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
1993998(Delco Remy)	retainer,spring plunger, Delco-Remy,37,42,50MT & others			13

OEM PN	OEM Description	Date Of Price	List	Quantity
1996497(Delco Remy)	Switch, Manual, starter, 2 terminal, 2 bolt, Remote mount ( non Starter Mount )			0
1998209(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1998218(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1998234(Delco Remy)	10MT, w/ short solenoid & 1 1/4" extension			0
1998294(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
1998299(DR)	Wisconsin Starter			0
1998301(DR)	Wisconsin Starter			0
1998314(DR)	Starter, PG260L, Mercury Marine			0
1998330(Delco Remy)	Starter, Like 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1998333(Delco Remy)	22MT starter, type 150, 12 volt, CCW, SR5 drive, 9 tooth, 235 degrees, unavailable from			0
1998334(Delco Remy)	Starter 22/27MT Like28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-			0
1998334-(Delco Remy)				0
1998335(Delco Remy)	22MT starter, type 150, 12 volt, CW, SR5 drive, 9 tooth, 225 degrees, unavailable from Delco-			0
1998336(Delco Remy)	Starter, Delco-Remy Like 28MT, A Retrofit for replacement Lester 6544, Is a 22/27MT			0
1998336-(Delco Remy)				0
1998338(Delco Remy)	Starter 22/27MT Like28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-			0
1998338-(Delco Remy)				0
1998339(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1998339-(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1998341(Delco Remy)	22MT starter, type 150, 12 volt, CW, SR5 drive, 10 tooth, 225 degrees, unavailable from Delco-			0
1998342(Delco Remy)	Starter, Like 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1998347(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1998347-(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1998349(Delco Remy)	22MT starter, type 150, 12 volt, CW, SR5 drive, 10 tooth, 225 degrees, unavailable from Delco-			0
1998350(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0
1998364(DR)	Starter			0
1998376(Delco Remy)	Starter, Like 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1998376-(Delco Remy)	Starter, 28MT, Used on Clark, Deutz, DMT, Ford New Hol, IHC, Jacobsen, Massey Ferg,			0
1998378(Delco Remy)	Starter 22/27MT Like28MT Series OSGR Starter 12 Volt, CW, 12-Tooth Pinion Used On: Allis-			0
1998378-(Delco Remy)				0
1998383(Delco Remy)	Starter, Delco-Remy Like 28MT, A Retrofit for replacement Lester 6544, Is a 22/27MT			0
1998383-(Delco Remy)				0
1998387(Delco Remy)	Starter, Delco-Remy Like 28MT, A Retrofit for replacement Lester 6544, Is a 22/27MT			0
1998387-(Delco Remy)				0
1998401(Delco Remy)	Delco-Remy starter, replace 27MT 1113590,1998401			0
1998401-(Delco Remy)	Delco-Remy starter, 28MT,C-6471 DE Frame,Chevy/GMC Trucks 6.2/6.5L diesel w/			0
1998408-(Delco Remy)	Early 27MT for Ford Diesel			0
1998424(DR)	Wisconsin Starter			0
1998441-Housing(Delco Remy)				1
1998455(Delco Remy)	Delco-Remy starter, Like 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1998455-(Delco Remy)	Delco-Remy starter, 28MT w/C-6476 DE Frame,Clark, Ford New Holland, Hyster,			0
1998457(Delco Remy)				0
1998457-(Delco Remy)				0
1998481(Delco Remy)	Starter, Delco-Remy Like 28MT, A Retrofit for replacement Lester 6544, Is a 22/27MT			0
1998481-(Delco Remy)				0
1998484(Delco Remy)	Starter, Like 28MT, C-6476 DE Frame, Used on Allis Chalmers, Ford New Holland, IHC, Lister-			0

OEM PN	OEM Description	Date Of Price	List	Quantity
1998490(Delco Remy)				0
1998490-(Delco Remy)				0
1998560(Delco Remy)	10MT, 12 volt, 4 x 4 sealed, our suburban is a match			0
21020761-(Delco Remy)	Starter, Saturn 1994-99 SC, SL, SW, 1.9L			0
21021366-(Delco Remy)	Starter, Saturn 1994-99 SC, SL, SW, 1.9L			0
210221648-(Delco Remy)	Starter, Saturn 1994-99 SC, SL, SW, 1.9L			0
23500396(Delco Remy)	Shim, Lester 3511,3571, 10MT metric, Dealer only, 10mm x .2mm, two hole, taper on one			0
23500832(Delco Remy)	Stud, Inlt for brackets etc			0
2541(Delco Remy)	Brush, Delco-Remy Generator, 1.00"L x 1.59W x .308T x 2.188LL			0
25766345(DR)	Alternator			0
265b(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
267d(dr)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
27SI-Core(DR)	27SI core PN not cataloged or unknown	2/1/2015	\$8.00	1
28MT Puller(Delco Rem)	modified for 28MT puller			1
299505(DR)	bearing, 25mmID x 52mmOD x 15mmW, many heavy duty			4
299506(DR)	Brg 30mmID x 62mmOD x 16or17?mmW			2
301(Delco Remy)	1-Groove Pulley For: Delco 10SI, 12SI, 15SI, 17SI, 27SI/Type 100, CS130, CS144 Series			4
30205(DR)	Washer, flat, bat ground 42MT .5 x .937 x .067			0
310(DR)	field coil set, Lester 9193, 12v, CW, Poleshoe 2 7/8" x 2 1/8", motor/generator w/ armature			2
321-1099(Delco Remy)	Alternator, CS130D 105 amp- see bul data			0
321-1434(Delco Remy)	Alternator, CS130D, 105 amp- see bulletin			0
321-323(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1
321-441(Delco Remy)	Alternator, 93 Buick LaSaber, CS130			1

OEM PN	OEM Description	Date Of Price	List	Quantity
321-674-(Delco Remy)	Alternator, 21SI Equivalent			0
321-687-(Delco Remy)	Alternator, 21SI Equivalent			0
321-731-(Delco Remy)	Alternator, 21SI Equivalent			0
321-732-(Delco Remy)	Alternator, 21SI Equivalent			0
321-733-(Delco Remy)	Alternator, 21SI Equivalent			0
321-734-(Delco Remy)	Alternator, 21SI Equivalent			0
321-738-(Delco Remy)	Alternator, 21SI Equivalent			0
321-739-(Delco Remy)	Alternator, 21SI Equivalent			0
323-112(Delco Remy)	Starter, Ford 4/12"			0
323-255(Delco Remy)	10MT, 12 volt, 4 x 4 sealed, our suburban is a match			0
323-367(Delco Remy)	SD300 (10MT) Series Starter for Delco 12 Volt, CW Rotation			0
323-411(Delco Remy)	Starter, Delco-Remy 5MT, 10455024, 323-411, Olds 1991...			0
323-529(Delco Remy)	SD210 Series Starter for Delco 1.3 kW, 12 Volt, CW Rotation Design: DD (Direct Drive) Drive			0
323-678(AC-Delco)	Lucas Case starter			0
323-681(Delco Remy)	LikeStarter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020			0
323-730(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
323-732(Delco Remy)	Starter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020 1969-			0
323-835(Delco Remy)	Starter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020 1969-			0
323-836(Delco Remy)	Starter, Delco-Remy 37MT 12 v, cw, 10t, 51-163 DE housing, 3/8" sol terms, JD 3020 1969-			0
323-869(Delco Remy)	37MT Series, 12 Volt Starter CW Rotation, 10-Tooth Pinion			0
329836(DR)	Brush 6Volt			20
340-40(Delco Remy)	Starter-Generator, Long Field case, CCW, 12 v, 15 ampDE frame pivot ofset slight to right			0
34846(DR)	Brush Spring on very old 6 brush series like 30MT			0

OEM PN	OEM Description	Date Of Price	List	Quantity
35058(DR)	bushing			28
35074(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
36518(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
38296(DR)	bushing, drive end, .503 ID x .565 x .780, 10-20-25-27MT			17
405C(Delco Remy)	Switch, Mechanical, foot operated, 2 terminal, push post button, Like on Small engine			0
425(Delco Remy)	regulator, CS series,			0
432229(Delco Remy)	nut, part of OCP kit 10457016			0
443344(Delco Remy)	Hex Nut For: Delco Heavy Duty Alternators, Leece-Neville Alternators Dim: 5/8-18 x 15/16			14
445639(DR)	Screw 10x24x.752			100
445639-(DR)	SCREW 10-24 X 3/4 pan head			0
446(Delco Remy)	Pulley, 5 groove, 2 5/8" OD, CS-121, 130			1
448(Delco Remy)	Frame, DE, Lester 8107 Saturn, w/ 303 larger brg, Requires 1 mm Spacer, Saddle mount,			0
448-(Delco Remy)	Frame, DE, Lester 8107 Saturn, w/o 303 larger brg installed, Requires 1 mm Spacer, Saddle			1
453323(Delco Remy)	Cotter Pin, Carbon Steel, 1/16" x 1"			0
453323-(Delco Remy)	Cotter Pin, Carbon Steel, Type 2 Class 3, Cad Plate,1/16" x 1"			0
453323--(Delco Remy)				96
453339(DR)	Screw, 10-32 x 5/8 for CE frame and De Frame			0
453340(Delco)	Screw, 10-32 x 3/4" Phil Head			5
453433(DR)	NUT 1/4-28 X 7/16, Brass			18
453434(Delco Remy)	nut, hex, 8-32 x 11/32"OD x .120, rectifier, cs-144			173
453435(Delco Remy)	lockwasher #10, cs-144, 11/32" OD			392
453468(Delco Remy)	Screw, 10-32x7/16"L, Hex Head, Thread cutting Triobular. For Solenoid Motor			101
453647(DR)	Brush Grnd Lead			0



OEM PN	OEM Description	Date Of Price	List	Quantity
453993(Delco Remy)	nut 1/4" - 20 x 7/16" hex x 7/32"T			100
453996(Delco Remy)	nut, hex, 8-32 x 11/32"OD x .120, rectifier, cs-144			173
454154(DR)	Screw For brush to holder			0
454311also?(DR)	Screw, 10-32 x 5/8 for CE frame and De Frame			0
456319(Delco Remy)	lockwasher, #10 - ext tooth, for solenoid 1114458			100
456413(Delco Remy)	lock washer, #6, coil screw 40-50MT solenoid			95
456652(Delco Remy)	Pin, field case, 42 MT, Split Roll Pin Dim:			20
5013413(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
5013735(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
5015850(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
5019597(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
515018(Delco Remy)	Thru Bolt			0
563451(Delco Remy)	Shim, Delco-Remy side mount, v shape, two slotted outter holes, one bottom of v not			0
5713(Delco Remy)	Belt, 30 1/2" x 1/2" x 38 degrades			1
61DR-173(DR)	Drive, 9T, CW, Roller, 25.4 GOD, 80.5 LOA, 3 spline 12mmID			0
624(Delco Remy)	Frame, DE, Lester 8107 Saturn, w/ 303 larger brg, Requires 1 mm Spacer, Saddle mount,			0
624-(Delco Remy)	Frame, DE, Lester 8107 Saturn, w/o 303 larger brg installed, Requires 1 mm Spacer, Saddle			1
627(Delco Remy)	Frame, SRE, Lester 8107, Saturn Saddle, w/o bushing in pivot hole			0
702(Delco Remy)	regulator CS130D			1
79071(DR)	insulator, top hat, 5/16" ID			11
7SIFan	Fan, 7SI			0
8000043(Delco Remy)	Starter PG260n used on Perkins Percat 3 & 4 cyl	6/2/2011	\$195.00	0
8000043(Delco Remy)	Starter PG260n used on Perkins Percat 3 & 4 cyl	2/2/2011	\$250.00	0

OEM PN	OEM Description	Date Of Price	List	Quantity
8000043-Sub(dr)	PG260N-2 believed a substitute			0
8000067(DR)	Starter PG260D			0
8000111(DR)				0
8000153(DR)	Starter Kawasaki Small engine PN21163-7021 s/s to 21163-7025			0
8000153-sub(DR)	Aftermarket Sub for Starter Kawasaki Small engine PN21163-7021 s/s to 21163-7025			0
8000277(DR)				0
8000344(DR)				0
8000381(DR)	PMG-260NS Model # 8000381 Made in Korea. Fits a Terex Mini Skidsteer Model # PT-30 with			0
8000417(DR)				0
8000509(DR)				0
8000531(DR)	Starter, perkins			0
8000532?(DR)	PG260N-2 believed a substitute			0
8000557(DR)				0
800066(Delco Remy)	drive, ratchet, 40MT, 11 tooth, new, CW, 5/8" shaft			1
800077(Delco Remy)	drive, 10 tooth, positork, CW rotation, 4.528 long, 5/8" shaft			1
800135(Delco Remy)	DE frame, 10 DN & 10SI			0
800212(Delco Remy)	armature, lester 88, Delco-Remy, 12 v, CW			1
800212Delco Remy(Delc	armature, lester 88, Delco-Remy, 12 v, CW			1
800213(DR)	CE Frame Generator/ Str/Gen , bushing style			2
800386(DR)	FRAME SRE, DELCO, 10 DN			2
800487(DR)	CONTACT-DR 5-27MTCONTACT-DR 5-27MT 3/8-16 X 1-3/16 L; Solenoid B+ 3/8-16 X 1-3/16			5
800594(Delco Remy)	Fan, Delco-Remy, 10 DN & 10SI, Ford			0
800983(Delco Remy)	Housing, DE nose, Lester 3505, 3696			1

OEM PN	OEM Description	Date Of Price	List	Quantity
801077(Delco Remy)	Boot, 50MT			10
801227(Delco Remy)	Housing, DE nose, Lester 3505, 3696			1
801433(Delco Remy)	shift lever, wide, 10MT			1
801466--(Delco Remy)	Brush Holder Assys. Features: Universal Design			15
801532(Delco Remy)	Cap, voltage adjuster, programmable.			1
801532Delco Remy(Delc	Cap, voltage adjuster, programmable.			1
801548(Delco Remy)	Block, voltage adjustment 27SI programable			1
801810(Delco Remy)	Thru Bolt, 1/4-20 x 2 1/2 (measures 2 1/4") 27SI			4
801815(Delco Remy)	Connector, B + to Rectifier			1
801826(Delco Remy)	insulator, bat tem, CS-144, part of 1975471			45
802730(Delco Remy)	Lockwasher, #6, Zinc Coated			95
802757(DR)	lockwasher, #12 x 3/8"			96
804076(Delco Remy)	Wick, Oil, Delco-Remy			0
805258(Delco Remy)	nut, copper coated, 3/8" - 16, 5/8" hex, posts, thinner than standard, part of kit S-866 and			8
809051(DR)	Insulating Washer, Fiber, 0.37" / 9.4mm ID, 0.56" / 14.2mm OD			98
809052(DR)	Insulating Washer, Fiber, 0.41" / 10.5mm ID, 0.75" / 19mm OD			104
809062(DR)	Pin, indexing, CE frame 10mt			0
809551(Delco Remy)	Washer, Rectangular for brush backer, #6 ID, for brush R-31 and others.-----No Source			0
809593(Delco Remy)	Locator Pin, 3/16" OD x 3/8 L			9
809644(Delco Remy)	Brush Spring, Generator	3/24/2004	\$0.36	20
809644(Delco Remy)	Brush Spring, Generator	8/11/2003	\$0.36	20
809644(Delco Remy)	Brush Spring, Generator	8/8/2003		20
809644(Delco Remy)	Brush Spring, Generator	8/7/2003	\$0.36	20

OEM PN	OEM Description	Date Of Price	List	Quantity
809644(Delco Remy)	Brush Spring, Generator	2/22/2003	\$0.36	20
809644(Delco Remy)	Brush Spring, Generator	2/23/2002	\$0.36	20
809644(Delco Remy)	Brush Spring, Generator	12/23/2001	\$0.36	20
809644(Delco Remy)	Brush Spring, Generator	11/9/2001	\$0.36	20
809644(Delco Remy)	Brush Spring, Generator	10/24/2000	\$0.36	20
809644(Delco Remy)	Brush Spring, Generator	4/8/2000	\$0.36	20
809644(Delco Remy)	Brush Spring, Generator	2/5/2000	\$0.36	20
809644(Delco Remy)	Brush Spring, Generator	9/13/1999	\$0.21	20
809644(Delco Remy)	Brush Spring, Generator	11/22/1998	\$0.21	20
809658(Delco Remy)	Brush Spring, Odd in 3 brush units			0
809763(DR)	thru bolt, generator			6
809945(Delco Remy)	Spacer, Generator, .67 x .090 thick	3/24/2004	\$0.18	7
809945(Delco Remy)	Spacer, Generator, .67 x .090 thick	8/11/2003	\$0.18	7
809945(Delco Remy)	Spacer, Generator, .67 x .090 thick	8/8/2003		7
809945(Delco Remy)	Spacer, Generator, .67 x .090 thick	8/7/2003	\$0.18	7
809945(Delco Remy)	Spacer, Generator, .67 x .090 thick	2/22/2003	\$0.18	7
809945(Delco Remy)	Spacer, Generator, .67 x .090 thick	2/23/2002	\$0.20	7
809945(Delco Remy)	Spacer, Generator, .67 x .090 thick	12/23/2001	\$0.20	7
809945(Delco Remy)	Spacer, Generator, .67 x .090 thick	11/9/2001	\$0.20	7
809945(Delco Remy)	Spacer, Generator, .67 x .090 thick	10/24/2000	\$0.20	7
809945(Delco Remy)	Spacer, Generator, .67 x .090 thick	4/8/2000	\$0.20	7
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	3/24/2004	\$0.09	6
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	8/11/2003	\$0.09	6

OEM PN	OEM Description	Date Of Price	List	Quantity
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	8/8/2003		6
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	8/7/2003	\$0.09	6
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	2/22/2003	\$0.09	6
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	2/23/2002	\$0.09	6
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	12/23/2001	\$0.09	6
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	11/9/2001	\$0.09	6
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	10/24/2000	\$0.09	6
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	4/8/2000	\$0.09	6
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	2/5/2000	\$0.09	6
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	9/13/1999	\$0.09	6
809961(Delco Remy)	Seal, Felt, 7/8"ID x 1 1/4" x .160 thick	11/22/1998	\$0.09	6
810226(DR)	brush holder, same as general, this PN aviation.			0
810620(Delco Remy)	bushing, comm end, .564ID x .629 x .750, 5-10-15-20-25-27MT, 15GR			28
810620-(Delco Remy)	bushing, comm end, .564ID x .629 x .750, 5-10-15-20-25-27MT. May be non oillite for oil cup.			28
810625(Delco Remy)	Armature 30 MT			0
810819(Delco Remy)	Welch Plug, 3/4" dia. for CE frame, early HD starters			0
810824(Delco Remy)	Capacitor, .5UF, 1/4" hole w/ 1 3/4"lead, 10 DN, 10SI, 27SI,29SI. Can use 46-1107 for better			5
811524(Delco Remy)	post, feild terminal, copper, 3/8"-16 x 11/16 x .175 slot	3/24/2004	\$0.90	3
811524(Delco Remy)	post, feild terminal, copper, 3/8"-16 x 11/16 x .175 slot	8/11/2003	\$0.90	3
811524(Delco Remy)	post, feild terminal, copper, 3/8"-16 x 11/16 x .175 slot	8/8/2003		3
811524(Delco Remy)	post, feild terminal, copper, 3/8"-16 x 11/16 x .175 slot	8/7/2003	\$0.90	3
811524(Delco Remy)	post, feild terminal, copper, 3/8"-16 x 11/16 x .175 slot	2/22/2003	\$0.90	3
811524(Delco Remy)	post, feild terminal, copper, 3/8"-16 x 11/16 x .175 slot	2/23/2002	\$0.90	3

OEM PN	OEM Description	Date Of Price	List	Quantity
811524(Delco Remy)	post, feild terminal, copper, 3/8"-16 x 11/16 x .175 slot	12/23/2001	\$0.90	3
811524(Delco Remy)	post, feild terminal, copper, 3/8"-16 x 11/16 x .175 slot	11/9/2001	\$0.90	3
811524-(Delco Remy)	post, stud,Delco-Remy early 6 volt with mechanical switch	2/5/2000	\$1.72	0
811524-(Delco Remy)	post, stud,Delco-Remy early 6 volt with mechanical switch	9/13/1999	\$1.72	0
811524-(Delco Remy)	post, stud,Delco-Remy early 6 volt with mechanical switch	11/22/1998	\$1.72	0
811553(Delco Remy)	brush, Delco-Remy 6 volt starter			56
811601(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
812016(DR)	Hindge Pin and Insulator for Brush Holder			0
812406(Delco Remy)	Fields, CCW, Early 6 V			1
812407(Delco Remy)	Fields, CCW, Early 6 V	3/24/2004	\$36.00	1
812407(Delco Remy)	Fields, CCW, Early 6 V	8/11/2003	\$36.00	1
812407(Delco Remy)	Fields, CCW, Early 6 V	8/8/2003		1
812407(Delco Remy)	Fields, CCW, Early 6 V	8/7/2003	\$36.00	1
812407(Delco Remy)	Fields, CCW, Early 6 V	2/22/2003	\$36.00	1
812407(Delco Remy)	Fields, CCW, Early 6 V	2/23/2002	\$36.00	1
812407(Delco Remy)	Fields, CCW, Early 6 V	12/23/2001	\$36.00	1
812407(Delco Remy)	Fields, CCW, Early 6 V	11/9/2001	\$36.00	1
812407(Delco Remy)	Fields, CCW, Early 6 V	10/24/2000	\$36.00	1
812407(Delco Remy)	Fields, CCW, Early 6 V	4/8/2000	\$36.00	1
812407(Delco Remy)	Fields, CCW, Early 6 V	2/5/2000	\$36.00	1
812622(Delco Remy)	Washer, 3/8" Steel			0
812823(DR)	Bushing - C.E., D.E. For: Delco Generators Unit Nos: Delco 1108551, 1109910, 1114604 Dim:			7
812970(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1

OEM PN	OEM Description	Date Of Price	List	Quantity
812971(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
813431(Dr)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
813521(Delco Remy)	Brush Spring, Early 6v Starters			96
815839(Delco Remy)	Frame, Cast Iron, CE Plate w/ 4 brush holders & support pins			0
816163(Delco Remy)	Armature 30 MT			0
816315(Delco Remy)	Oil Hole Plug			0
816340(DR)	band, brush cover, 1 5/8" x 14 1/2", clip and rolled end			6
817076(DR)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
817114(Delco Remy)	Band, early Delco-Remy 6 v, snap on			0
817114(DR)	band, brush cover, 1 3/8" x 14 1/4", clip and rolled end			1
817313(DR)	Hindge Pin, BH			0
818002(Delco Remy)	Armature 30 MT,VOLTS: 6/12 ROTATION: CW			0
818265(Delco Remy)	brake washer ( leather ), 9/16", 5-10MT,SD210,SD260, NLA			43
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	7/27/2006	\$6.94	3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	3/24/2004	\$4.51	3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	8/11/2003	\$4.51	3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	8/8/2003		3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	8/7/2003	\$4.51	3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	2/22/2003	\$4.51	3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	2/23/2002	\$4.51	3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	12/23/2001	\$4.51	3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	11/9/2001	\$4.51	3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	10/24/2000	\$4.46	3

OEM PN	OEM Description	Date Of Price	List	Quantity
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	4/8/2000	\$4.46	3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	2/5/2000	\$4.46	3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	9/13/1999	\$4.46	3
819362(Delco Remy)	Lead, Brush lead connection assembly ( Jumper )	11/22/1998	\$4.46	3
819688+819689(D R)	fld coil pair requires one each			0
820052(Delco Remy)	switch, Delco-Remy, mechanical			2
820148(Delco Remy)	Intermediate bushing			0
820149(Delco Remy)	center plate, 10,20,22,25,27MT, industrial & marine aplications			3
820153(Delco Remy)	Field Coil, 6 Volt, CW Rotation For: Delco 6 Volt Starters w/ Motor Connection			0
820154(Delco Remy)	Field Coil, 6 Volt, CW Rotation For: Delco 6 Volt Starters w/ Motor Connection			0
820402(Delco Remy)	Field Coil, 6 Volt, CW Rotation For: Delco 6 Volt Starters w/ Motor Connection			0
820403(Delco Remy)	Field Coil, 6 Volt, CW Rotation For: Delco 6 Volt Starters w/ Motor Connection			0
820404(Delco Remy)	Field Coil, 6 Volt, CW Rotation For: Delco 6 Volt Starters w/ Motor Connection			0
820845(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
821453(Delco Remy)	brake washer, fiber, 20MT			4
821453canuse(Delco Re				9
822187(Delco Remy)	Armature			0
823881(Delco Remy)	Armature, 10 MT, 6 Spline, Straight, 2 3/4" OD, .750 Spline, .560 Drive, .495 nose			1
825210(DR)	FLD COIL-DR DD 12V			0
826938(Delco Remy)	Motor Stud 3/8 - 16 x 1 3/8" x .176 slot			10
828448(Delco Remy)	brushes, Delco-Remy			10
8-297(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
830478(Delco Remy)	resistor, 40 Ohm, self excitation, 10-27SI type 100			8



OEM PN	OEM Description	Date Of Price	List	Quantity
83055(Delco Remy)	Armature, 35MT			0
830620(Delco Remy)	drive, ratchet, 40MT, 11 tooth, new, CW, 5/8" shaft			1
830621(Delco Remy)	drive 11 tooth, CCW, positork / ratchet, 40MT, rebuilt			0
830622(Delco Remy)	drive, 10 tooth, positork, CW rotation, 4.528 long, 5/8" shaft			1
830622???(Delco Remy)	drive, 10 tooth, positork, CW rotation, 4.528 long, 5/8" shaft			1
830803(Delco Remy)	Support - Brush Holder For: Delco 8MT, 10MT, 20MT*, 25MT*, SD300			4
830842(Delco Remy)	Armature			1
83085(Delco Remy)	armature, 12 v, 37MT 15.43"			0
836140(DR)	band, brush cover, 1 5/8" x 14 1/2", clip and rolled end			6
836340(DR)	band, brush cover, 1 5/8" x 14 1/2", clip and rolled end			6
84-1423(Delco Remy)	Bolt, 5/16-18 x 2 1/2"			8
8600308(DR)	DR 28SI Alt 12V, 160amp, J180, 28SI	2/4/2013	\$317.06	0
8600311(DR)	Alternator, 28SI, 12V, J180, 12:00, 5/16" stud, 180amp, 257degree, S, I, & R Terminals, but	9/8/2015	\$503.74	0
8-778(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
88501(Delco Remy)	Brg, Single Row, Rad, Con, 2 seals, Wide inner-Both sides(Shouldered to Shaft),	3/1/2008	\$41.61	1
88503(Delco Remy)	Brg, Single Row, Rad, Con, 2 seals, Wide inner-Both sides(Shouldered to Shaft),			1
88503X1C(DR)	Brg, Single Row, Rad, Con, 2 seals, Wide inner-Both sides(Shouldered to Shaft),			1
90000802(Delco Remy)	starter			0
9000590(Delco Remy)	regulator, Delco-Remy 20DN, 12 v neg			0
9000590-harness(Delco Remy)	harness, for regulator Delco-Remy 9000590, Transpo D590S, 20DN			0
9000719(Delco Remy)	Starter, DR PG 200			1
9000735(Delco Remy)	Starter, DR PG 200			1
9000762(DR)	Starter, PG260L, Mercury Marine			0

OEM PN	OEM Description	Date Of Price	List	Quantity
9000768(DR)	Starter, PG260L, Mercury Marine			0
9000789(DR)	Starter, PG260L, Mercury Marine			0
9000819(DR)	Starter, PG260L, Mercury Marine			0
9000821(Delco Remy)	PG260M			0
9000833(DR)	lester 6491 PG260F1			1
9000839(Delco Remy)	Yes, these should interchange. The 9000839 came with a 3 terminal			0
9000840(Delco Remy)				0
9000847(DR)	lester 6491 PG260F1			1
9000859(DR)	lester 6491 PG260F1			1
9000875(Delco Remy)	STR-DR PG260L 6490			0
9000875(DR)	Starter, DR PG260L, see extended			0
9000886(Delco Remy)	PG260L			0
9000901(DR)	Starter, PG260D series PMGR, pad mount, 9 th CW 1.2KW			1
9000926(Delco Remy)	STR-DR PG260L 6490			0
9000947(DR)	Starter, PG260D series PMGR, pad mount, 9 th CW 1.2KW with shield near battery post			1
9000966(Delco Remy)	STR-DR PG260L 6490			0
9000979(Delco Remy)	STR-DR PG260L 6490			0
9000980(Delco Remy)	STR-DR PG260L 6490			0
903202(Delco Remy)	bearing, 15mm(.590) x 35mm(1.378) x 11mm(.433), double sealed			12
904722(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
904755(DR)	bearing, 12mmID x 32mmOD x 10mmW, chinese select			3
907056(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
907187(Delco Remy)	Ball Bearing Dbl. Shielded (Ref. No. 6304) For: Leece-Neville, Nippondenso IR/EF Alternators			2

OEM PN	OEM Description	Date Of Price	List	Quantity
907351(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
907356(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
907502(Delco Remy)	bearing, 15mm(.590) x 35mm(1.378) x 11mm(.433), double sealed,select chinese			12
907689(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT Brand			2
907940(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty			2
908018(DR)	brg found on aviation 1100717 NLA DR			9
908055(Delco Remy)	bearing, shield, use -2RS, 25mmID x 62mmOD x 17mmW, many heavy duty			2
908055-(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty			2
908419(Delco Remy)	6203-2RS bearing17mmIDx40mmx12mmW, double rubber sealed			9
914777(DR)	Oil cup, 1/4" socket, metal			9
9411375(Delco Remy)	welch plug, 1 3/16", lever housing old HD starters			20
9414397(Delco Remy)	84-1427 Screw Dim: 1/4-20 x 1/2 L Features: Phillips Flat Head Zinc Plated			0
9414418(Delco Remy)	Hex Nut Dim: 1/2-13 x 3/4 F x 5/16 T Features: Zinc-Yellow Plated			7
9415235(Delco Remy)	snap ring, 40MT			95
9415318(DR)	Nut, Hex 3/8-16 x 5/8" , 1/4"thin, 10 MT solenoid			9
9416374(Delco Remy)	snap ring, 40MT			95
9417501(Delco Remy)	expansion plug, 40,50MT, 1 1/32"			12
9418881(Delco Remy)	Hex Nut For: Delco Heavy Duty Alternators, Leece-Neville Alternators Dim: 5/8-18 x 15/16			14
9419572(Delco Remy)	Expansion Plug For:			3
9421425(Delco Remy)	Lock Washer 3/8"ID, 10MT solenoid			0
9421427(Delco Remy)	lockwasher, 50MT, 1/2"			7
9422306(Delco Remy)	Hex Nut For: Delco Heavy Duty Alternators, Leece-Neville Alternators Dim: 5/8-18 x 15/16			14
9427815(Delco Remy)	screw, 10-32 hex x 1/2" solenoid caps, 10MT Motor/Solenoid connection			101

OEM PN	OEM Description	Date Of Price	List	Quantity
9427882(Delco Remy)	plug, 50MT			15
9436063(Delco Remy)	race, bearing inner, ?for8-107?, 25SI			2
9436064(Delco Remy)	needle bearing, 1" OD, 25SI, no com end			3
9436831(Delco Remy)	needle bearing, .669ID x .938 OD x .685W			5
9437171(Delco Remy)	needle bearing, .669ID x .938OD x 1.240"W, 20-27SI type 200-29SI&40SI			10
9439542(DR)	NDL BRG-DR 21SI			0
9439567(Delco Remy)	Hex Nut For: Delco Heavy Duty Alternators, Leece-Neville Alternators Dim: 5/8-18 x 15/16			14
9439570(Delco Remy)	bearing, shield, use -2RS, 25mmID x 62mmOD x 17mmW, many heavy duty			2
9439570-(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty			2
9439571(Delco Remy)	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty			2
9439624(Delco Remy)	Hex Nut Dim: 1/2-13 x 3/4 F x 5/16 T Features: Zinc-Yellow Plated			7
9439714(Delco Remy)	nut, part of OCP kit 10457016			0
9439734(Delco Remy)	screw			160
944023(Delco Remy)	needle brg, nose some Ford Mod I & II			1
9440917(Delco Remy)	screw, 1/4-20 x 1/2", hex head, 40MT solenoid mounting			100
9440923(DR)	Bearing, Needle Roller, ID1, OD1, WIDTH10			1
9440924(Delco Remy)	bearing			21
9441607(Delco Remy)	needle bearing - DE & CE 5MT SD260			2
9441934(Delco Remy)	Hex Nut Dim: 1/2-13 x 3/4 F x 5/16 T Features: Zinc-Yellow Plated			7
954143(Delco)	Brg, Single Row, Rad, Con, 2 seals, Wide inner-Both sides(Shouldered to Shaft),			1
954162(Delco Remy)	Brg, Single Row, Rad, Con, 2 seals, Wide inner-Both sides(Shouldered to Shaft),			1
9730(Delco Remy)	Voltage Regulator, for CS Series, w/ instrument cluster			0
9785608(Delco Remy)	Shim, .035			2

OEM PN	OEM Description	Date Of Price	List	Quantity
9785608-(Delco Remy)	Similar			20
9785608-.035(Delco Re	Shim, .035			2
9923274(Delco Remy)	brushes, Delco-Remy, .600 x .312 x .198 x 1.875			8
A906(Delco Remy)	Switch, Manual, starter, 2 terminal, 2 bolt, Remote mount ( non Starter Mount )			0
C-600(Delco Remy)	regulator, 12 volt, neg ground, mechanical, C-600, 1889960	3/24/2004	\$11.25	1
C-600(Delco Remy)	regulator, 12 volt, neg ground, mechanical, C-600, 1889960	8/11/2003	\$11.25	1
CS42S(AC)				7
D1634(DR)	Bushing - C.E., D.E. For: Delco Generators Unit Nos: Delco 1108551, 1109910, 1114604 Dim:			7
D1672(Delco Remy)	Bushing, Drive End			2
D1676(Delco Remy)	bushing, comm end, .564ID x .629 x .750, 5-10-15-20-25-27MT			28
D1679(Delco Remy)	Bushing			9
D1680(DR)	bushing, drive end, .503 ID x .565 x .780, 10-20-25-27MT			17
D1689(Delco Remy)	Bushing, non prefit, .462 ID x .633 x .740, often reamed to .4965, 20, 22, 25, 27MT			17
D1689-(Delco Remy)	Bushing, .501ID x .626OD x .725 L			10
D-1700(Delco Remy)	Regulator/Resistor Package			0
D1701(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
D1702(Delco Remy)	Generator cut-out, Use Transpo D100. 6-24V, 25amp, Pos or Neg Grnd			1
D1703(DR)	Generator cut-out, 6-24V, 25amp, Pos or Neg Grnd			1
D2000(Delco Remy)	Drive 9T CW 3.755LOA, 1.135 Gear OD, 3 StraightSpline, .562 bushing.			1
D2008(DR)	drive, reman, 5-10MT, 9 tooth, CW rotation			1
D2011(DR)	drive			0
D2014(Delco Remy)	drive, 5-10MT, 9 tooth, CW rotation			1
D-2017(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0

OEM PN	OEM Description	Date Of Price	List	Quantity
D2020(DR)	drive, reman, 5-10MT, 9 tooth, CW rotation			1
D-2026(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
D2027(Delco Remy)	Starter Drive10-T, CW, 3-SPL For: Delco 15GR Series OSGR; 20MT, 25MT, 27MT Series DD			0
D2037(DR)	Drive, 10 t, Spragg			0
D2037-spr(Delco Remy)	Starter Drive 10-T, CW, 3-SPL Spragg sub Type For: Delco 10MT, 20MT, 22MT, 25MT, 27MT,			0
D2045(DR)	drive, 10 tooth, 37MT,CW			0
D2047(Delco Remy)	drive, PMGR, 9 tooth, 3 spline,lester 6405			0
D2051(DR)	drive, reman, 5-10MT, 9 tooth, CW rotation			1
D-2107(Delco Remy)	strt drive, 12 teeth, CW, 3 spline Helix, gear OD 46.3 mm/1.823", bu			0
D3155(Delco Remy)	Rotor, 10SI, 42 amp			2
D3156(Delco Remy)	Rotor 108 Amp/12 Volt			0
D3158(Delco Remy)	28-101-9 Rotor 66 Amp/12 Volt For: Delco 12SI Series 56-66 Amp IR/EF Alternators Note:			0
D3159(Delco Remy)	Rotor 108 Amp/12 Volt			0
D3183(Delco Remy)	Rotor, Delco-Remy 21 SI, 12 volt, 130/145/160 amp, 1.7-1.8 Ohms, 6.7-7.1 amps, use w/ C-			0
D-3217(Delco Remy)	Fields, 12V, CW, 1 3/4" H x 2 1/8"W, 35Amp			0
D3330(Delco Remy)	CE Frame, 1954-1962 Open end, auto generators, use brg 6203, w/ 5/16" pivot hole.			4
D3441(Dr)	DE Frame,5.67" / 143.9mm Stator OD, 15SI			0
D3465(DR)	FRAME DE, CS144			0
D3910(Delco Remy)	Negative Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
D3911(Delco Remy)	Positive Diode 25 Amp/50 Volt, Press-Fit For: Delco 10DN Series ER/EF Alternators Dim: 1/2			0
D-3912(Delco Remy)	diode trio, 10-17 SI			12
D3919(Delco Remy)	Rectifier Assy, 15SI Neg Grnd, Regular fine fins, 25 amp diodes, 70-85 amp Units			2
D-3922(Delco Remy)	diode trio, 10-17 SI			12

OEM PN	OEM Description	Date Of Price	List	Quantity
D-3923(Delco Remy)	diode trio, 10-17 SI			12
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	3/24/2004	\$0.17	30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	8/11/2003	\$0.17	30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	8/8/2003		30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	8/7/2003	\$0.17	30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	2/22/2003	\$0.17	30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	2/23/2002	\$0.17	30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	12/23/2001	\$0.17	30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	11/9/2001	\$0.17	30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	10/24/2000	\$0.17	30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	4/8/2000	\$0.17	30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	2/5/2000	\$0.17	30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	9/13/1999	\$0.17	30
D-3950(Delco Remy)	Spring, Brush, 2 Brush Generator -1952-64	11/22/1998	\$0.17	30
D3978(DR)	RECTIFIER, 10DN			3
D3984(Delco Remy)	Brush Spring, 20 & 27 MT			8
D3987(Delco Remy)	Rectifier For: Delco 17SI Series 120 Amp; 21SI Series 65-115 Amp/12 Volt, 50-70 Amp/24 Volt			1
D3990(Delco Remy)	Rectifier For: Delco 17SI Series 120 Amp; 21SI Series 90-115 Amp/12 Volt, CS144 Series 108-			1
D4102(DR)	armature, starter CW			1
D4111(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
D4121(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
D4124(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
D4125(Delco Remy)	Armature, 12 v, 10MT, Industrial 6 spline helix CW, 11.812" Shaft, 23 bar, DE=.500, CE=.560,			2

OEM PN	OEM Description	Date Of Price	List	Quantity
D4151(Delco Remy)	armature, PMGR, 24 teeth			0
D4159(Delco Remy)	Armature, 12 Volt, CW Rotation, High Torque, For: Delco 10MT, SD300 Series DD Starters,			1
D42237(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
D-4232(Delco Remy)	field, 12 volt, CW rotation, low torque, 10MT			0
D4236(Delco Remy)	Fields			1
D4264(Delco Remy)	Field Coil 12 Volt, CW Rotation, High Torque			0
D4303(DR)	C.E. Frame cast iron, 10MT, 20MT*, 25MT*, DD Starters with Step Down Field Case			1
D445(Delco Remy)	Voltage Regulator, for CS Series, w/ instrument cluster	10/6/2006		0
D4908(Delco Remy)	Shift Fork, narrow. Ther are units that must use the narrow shift fork. 10,20,22,25,27MT &			11
D600A(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
D600A-(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
D635(Delco Remy)	Regulator 12 Volt, B-Circuit, 14.2 Vset, Neg. Grd.			0
D646(Delco Remy)	Voltage Regulator, 12 V, Pos/Neg, 2 unit, A type, 4 terminal, 2 bolt vibration mount			0
D648(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg grnd, A circuit			1
D649(Delco Remy)	volt reg, 12 v, gen mount, 2 unit, pos/neg grn, 3 terminal, can use 13913, and don't hook up			2
D-649(Delco Remy)	volt reg, 12 v, gen mount, 2 unit, pos/neg grn, 3 terminal, can use 13913, and don't hook up			2
D651(Delco Remy)	voltage regulator, generator, 12 volt, pos or neg, 48-52 amp			0
D651(DR)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.			1
D-655(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
D-656(Delco Remy)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration flat mount.	3/24/2004	\$53.00	1
D657(Delco Remy)	voltage regulator, generator, 6 volt, pos or neg grnd, A circuit			0
d657(DR)	Generator Regulator,6-Volt,The Ground Terminal is on the Backside of the Base			0
D663(Delco Remy)	Regulator 12 Volt, B-Circuit, 14.2 Vset, Neg. Grd.			0



OEM PN	OEM Description	Date Of Price	List	Quantity
D669(Delco Remy)	regulator, 12V 27SI truck			3
D672(Delco Remy)	Regulator, 12 volt, Webbed terminals w/ stud			2
D674(Delco Remy)	voltage regulator, 12SI-27SI type 100, 12 v/ 7 amp field			2
D675(Delco Remy)	Digital regulator, D675, P-L-F-S Terminals,external sense			6
D677(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
D677-(Delco Remy)	2.5 sec delay, internal temp comp, 14.7V, 14.7 remote set, no "L" term drive, 300 ohm I-L, no			0
D677--(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
D681(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
D681-(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
D681(DR)				5
D683(Delco Remy)	regulator, CS series,			0
D685(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
D685-(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
D688-not(DR)	believed a lester cross error			1
D698(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O	10/6/2006		5
D699(Delco Remy)	Digital regulator, D675, P-L-F-S Terminals,external sense	10/6/2006		6
D717(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .250T x 1.75LL			8
D721(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .250T x 1.75LL			8
D722(DR)	BRUSH HOLDER, 10DN			2
D752(DR)	BRUSH			56
D754(AC-Delco)	Brush 6Volt			20
D-759(Delco Remy)	brush, 30 & 35MT, 12 v, concave, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			21
D761(Delco Remy)	brush, 30 & 35MT, 12 volt, flat, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			12

OEM PN	OEM Description	Date Of Price	List	Quantity
D764(Delco Remy)	brush, 20,22,25,27MT, 12 volt, 3/4 x 3/4 x 5/16, 8mmT x 19mmW x 19mmL			12
D786(DR)	brush spring, CS-144,CS-130			492
D900(Delco Remy)	Switch, Manual, starter, 2 terminal, 2 bolt, Remote mount ( non Starter Mount )			0
D902(DelcoRemy)	switch, Delco-Remy, mechanical, 6-12 V, single terminal, Insulated base.			2
D-903(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
D-904(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
D-905(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
D906(Delco Remy)	Early 35/2x Solenoid, 3/8" B+, 5/16" motor, pointed plunger.			1
D-906(Delco Remy)	Switch, Starter manual operated, side aux term, curved starter mount, no pivot top			1
D-908(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
D-909(Delco Remy)	switch, Delco-Remy, mechanical, 6 volt, rocker operator not included, 1 terminal, insulated			2
D922A(Delco Remy)	solenoid, PMGR			1
D928(Delco Remy)	solenoid, 6 volt, Delco-Remy			1
D936A(Delco Remy)	Solenoid 12 Volt, 3-Terminal For: Delco PG200, PG250 Series PMGR; SD210, SD260 Series DD			1
D-968(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
D-969(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
D971(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
D980(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
D-981(Delco Remy)	solenoid, Long, 5-10MT, 132 turns for 20 MT			2
D985(Delco Remy)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal	10/6/2006		0
DR 35MT Int Rot Assy	fictitious PN for building an assembly			0
DR-76021(Delco Remy)	instruction sheet , part of OCP kit 10457016			0
G-6016(Delco Remy)	Fields, DR Generator			1

OEM PN	OEM Description	Date Of Price	List	Quantity
G-6042(Delco Remy)	Field Coils			0
G-6047(Delco Remy)	Fields, 24 v, 30 amp, 1 3/4" ht x 2 1/8 w			0
G-6054(Delco Remy)	Fields, 12V, CW, 1 3/4" H x 2 1/8"W, 35Amp			0
G-6067(Delco Remy)	field coil set, Lester 9193, 12v, CW, Polehoe 2 7/8" x 2 1/8", motor/generator w/ armature			2
G-6067R(Delco Remy)	Fields, Motor - generator, 12 V, CCW 2 7/8" HT x 2 1/8"W			0
G-6069(Delco Remy)	Fields			1
GRX-297(Delco Remy)	voltage regulator, generator, 4 terminal, (F, A, L, B), 12V, Pos or Neg grnd, 2 unit type, A			0
GRX-406(Delco Remy)	Voltage Reg, Delco-Remy Generator, 6 v Pos, A circuit, Round Mount, 3 Term			0
GRX-407(Delco Remy)	Voltage Reg, Delco-Remy Generator, 6 v Pos, A circuit, Round Mount, 3 Term			0
HighTorqueCore	10MT HT Core	2/1/2015	\$27.52	1
MP-1100-1(Delco Remy)	"position of original(clock) may be obtained by using protractor contained in MP-1100-1 kit."-			0
PF16(Delco Remy)	Oil Filter, Hydrylics			0
PG260M-Unknown(DR)	Believed earlier version of the also NLA PG260N			0
R-100(Delco Remy)	brush, R-100, 10 DN			20
R-102(Delco Remy)	brush, 7/8 x 13/16 x 3/8, 12 volt, 35MT, 6 sided			12
R-103(Delco Remy)	brush, 10SI alt, R-103			40
R-108(Delco Remy)	brush, R-108			4
R-116(Delco Remy)	Brushes, R-116, 5MT			22
R117(Delco Remy)	brush, R117, 10SI,15SI,21SI type 116 & 136			9
R-119(Delco Remy)	brush, R-119, 15SI & 17SI			14
R-120(Delco Remy)	brush, 20,22,25,27MT, 12 volt, 3/4 x 3/4 x 5/16, 8mmT x 19mmW x 19mmL			12
R130(Delco Remy)	brush, R130, 12SI			31
R-131(Delco Remy)	brush, R-131, CS-144			19

OEM PN	OEM Description	Date Of Price	List	Quantity
R-132(Delco Remy)	CS-121,130,144 Brush, ground w/ U thru screw connector, R-132, part			7
R-133(Delco Remy)	Brush high side, CS-130 R-133, w/ screw tab connector			27
R-43(Delco Remy)	Brush, Delco-Remy .781 L x .870w x .250T x 1.75LL			8
R43XL(AC Delco)				2
R69(Delco Remy)	brush, (Delco R-69), .750 x .750 x .375 x 1.90			30
R-70(Delco Remy)	brush, 24-32 volt, R-70 40MT			6
R-87-S(Delco Remy)	brush, 30 & 35MT, 12 volt, flat, 6 sided, 3/4 x 3/4 x 13/32", offset screw hole			12
R-95(Delco Remy)	brushes, (R-95), concave surfaced, .750 x .750 x .375, 12 volt 20 & 25MT, 6 sided			4
R-98(Delco Remy)	brush, 3/4 x 3/4 x 3/8, 24 volt, 20,22,27MT, centered hole, 4 sided			0
R-99(Delco Remy)	brush, r-99, 10 DN			2
RM00056(DR)	Remy Small Motor, MOTOR, LIFT GATE 12V, Snow Plows, etc			0
RS41082(DR)	Starter, 12 Volt For Steel Ring Gear w/ Steel Pinion , however, use 693552, higher torque,			2
RS41344(DR)	Starter, Kit, TVM125- TVM140; HSK50- HSK70; HSK365, 120 volt, Stepped feet design, see			1
S-126(Delco Remy)	Screw, 10-32 x 3/8", Slotted Fillister Head, Zinc	3/24/2004	\$0.15	18
S-1550(Delco Remy)	Insulator, Field Coil for Delco-Remy 42MT. 12 3/4"L x 1 1/2" wide			0
T152(DR)	Superseded From: J&N 121-12000, 500-12098			0
T437(Delco Remy)	Digital Regulator, 12V,9SI, CS-144,CS-130, P-L-I-S Terminals, when O			5
T730(Delco Remy)	digital volt regulator, cs-144,PLFS, replaces marked 413 or 430			0
T755(Delco Remy)	Digital regulator, D675, P-L-F-S Terminals, 2.5 sec LRC, Soft Start, field's rating 8 amps, Type			6
U930(DR)	Grounded Base, 10-32 I Terminal, Mounting Bracket Holes 9/32"x 3/8", 2-1/8" Center-to-			0
U939(DR)	Grounded Base, 10-32 I Terminal, Mounting Bracket Holes 9/32"x 3/8", 2-1/8" Center-to-			0
Z99503(DR)	6203-2RS bearing17mmIDx40mmx12mmW, double rubber sealed,			9