

OEM PN	OEM Description	Date Of Price Re	List	Quantity
01A-10069	added for successful searching-may be correct (0 vsO)			28
01A-10128	Bushing, .673 ID x .795OD x .790L			8
01A-10128(Ford)	Bushing, .673 ID x .795OD x .790L			8
01A-10202-Short	Insulator, "A" Terminal, Ford, (short version)			0
11A-10200Insulator	Insulator, washer, #10 oval ID for Post S-160, Ford Generator w/ post			18
11A-10211	Post, 10-32 x 1" with flat shank section			0
11A-10211(Ford)	Post, 10-32 x 1" with flat shank section			0
11A-10211Washer	Washer, Cad Plated, #12 x 9/16", generator posts			17
18055(Ford)	belt, 30 x 1/2", cloth covered.			1
18-10069	brushes, .795 x .775 x .281, Ford Generator			4
18-10070	brushes .795 x .775 x .219, Ford Generator			0
18-10088	dowl pin, round head, .123 OD, .180 L, plain finish, end frame indexing			0
18-11036	Washer, Thrust 5/8" .033 thick, fiber, ford Mod I & II			8
18-11055	Pos brush, old jeep starter,...			7
18-11055(Ford)	Pos brush, old jeep starter,...			7
18-11056	brush, high side, old jeep starter			20
18-11056(Ford)	brush, high side, old jeep starter			20
18-11094-A	Insulating Washer, 5/8"OD x 5/16"ID			9
18-11094-B-				9
18-11107-A	Insulating Bushing, 5/16" ID x 1/2" OD x 1/4" Long, Cardboard Tube			10
18-11107-B	Insulating Bushing, 5/16" ID x 1/2" OD			10
18-11107-B-	Insulating Bushing, 5/16" ID x 1/2" OD x 1/4" Long, Cardboard Tube			10

OEM PN	OEM Description	Date Of Price Re	List	Quantity
18-11107-B(Ford)	Insulating Bushing, 5/16" ID x 1/2" OD			10
308491(Ford)	belt, 3/8" x 31"			0
308506(Ford)	belt, 3/8" x 31"			0
309791	brushes .900 x .680 x 2.5 x .215 with lead, C40T			3
309791(Ford)	brushes .900 x .680 x 2.5 x .215 with lead, C40T			3
326217(Ford)	PoweRated Belts 5/8" x 81"			0
329184(Ford)	PoweRated Belts 1/2 x 84			0
336219(Ford)	belt, 30 x 1/2", cloth covered.			1
33923-S7	Nut, Copper, 5/16" - 24, 9/16" Hex			14
351124-S	nut, pulley, ford 70-100			11
351360-S	Washer, 5/16" x 5/8"OD, Steel, Plated			109
351875-58	Rivet, #4 x 3/8"L, Ford Brush Holder, Pan Head Steel			10
351875-58(Ford)	Rivet, #4 x 3/8"L, Ford Brush Holder, Pan Head Steel			10
358775-57	Rivet, #4 x 7/16"L, Pan Head Steel, semi tubular, .120"			10
378463-S8B-	Post, B+, 1/4-20 x 15/16 Knurled, Ford 1G			1
379251-S	Bolt, field term, 10 -32 x 3/4" Square head			1
379251-S(Ford)	Bolt, field term, 10 -32 x 3/4" Square head			1
380056-S8B-	Post, Ground #10-24 x 11/16" kurlled, Ford Rectifier (more			1
383256-S	nut, Ford, attached washer, 1/4-20x7/16"			5
383338-S2	screw, 10-32 hex x 1/2"			30
384279-S	screw, hex, 6-32 x 1/4", cap lead, Ford			0
384754-S7-8	screw, hex, 8-32 x 3/8", cap bracket, Ford			19

OEM PN	OEM Description	Date Of Price Re	List	Quantity
384756-S2	Screw, rectifier assy, Ford			7
385022-5100	Screw, B+ w/ washer attached, 1/4"- 20 x 7/8" Ford Mod I & II			0
3C3T10300(Ford)	Alternator, 6G110amp			0
40-10057	brush spring, Ford generator			10
40-10069	brushes, .795 x .775 x .281, Ford Generator			4
42	Switch, Manual, starter, 2 terminal, 2 bolt, Remote mount (non Starter			0
52- 11350BC(Ford)	drive			0
5825?- FldHousCore	Field housing core, Flat head.			1
5825?- FldHousCore(F	Field housing core, Flat head.			1
621039(Ford)	Brg			2
70-11083	Fields, 12 v, Series 2 Shunt			0
70-11085	Fields, 12 v, Series 2 Shunt			0
76EB-11K119- AA(Ford)	nut, hex, M8-1.25 x 13MMOD, bosch & CS-144 bat term			118
77BB-10316- AA	Regulator, French Motorola-Valeo, Audi, VW, Industrial			0
7RA-10094-A	bearing, 15mm(.590) x 35mm(1.378) x 11mm(.433), double			11
7RA-11095	Washer, Steel, 11/32" ID x 11/16" OD			0
8130940(ford)	drive, reman, 5-10MT, 9 tooth, CW rotation			1
81a- 10208(Ford)	Insulator, washer, #10 oval ID for Post S-160, Ford Generator w/ post			17
84AB-10316- AA(Ford)	REGULATOR, INT LUCAS 12V			2
8A- 10120(Ford)	Thru Bolt, 1/4-20 x 6 1/2"			8
8HA-11350A	Drive, CCW, 10 tooth			0
8HA-1135A	Drive, CCW, 10 tooth			0

OEM PN	OEM Description	Date Of Price Re	List	Quantity
8N-10130	Pulley, ford, Cast, 5/32" Key x 1/2" w x 3 11/16" x .670 B			1
8N-10130(Ford)	Pulley, ford, Cast, 5/32" Key x 1/2" w x 3 11/16" x .670 B			1
8N-11001(Ford)	early ford 8n starter			0
91A-10057	brush Spring NLA Substitute S-728			23
91A-10057-	brush Spring NLA Substitute S-728			23
9N-10005A(Ford)	armature, lester 541			0
9N-10005C(Ford)	armature, lester 541			0
9N-11001(Ford)	early ford 8n starter			0
9N-11002(Ford)	early ford 8n starter			0
A-10175-C	field coil assy, 6V, 3 brush generator, Ford 9N & 8N			1
A8AZ-10094B	6203-2RS bearing17mmIDx40mmx12mmW,			15
B-10070	brushes .795 x .775 x .219, Ford Generator			0
B-10141	metal oiler cup, .257OD x .185L			25
B-10175	field coil assy, 6V, 3 brush generator, Ford 9N & 8N			1
B-11052	Bushing - C.E. For: Prestolite MAW, MAX, MZ Series DD Starters Dim:			3
B1TZ-11126A	Band, Ford, inertia drive starter w/ stud notch & molded bolt clamp			1
B1TZ-11126-A	Band, Ford, inertia drive starter w/ stud notch & molded bolt clamp			1
B5A-10050-A	End Frame, Ford, Discontinued. Try C-34-E			0
B5A-11093-A	Washer, Steel, Oblong hole			0
B6A10005B-C	armature, generator, 12 v short Ford - Brg CE (8.625")			0
B6A-10175-B	Field Coil for short pole shoe in short frame 12 volt, 30 amp Ford			0
B6A-11102-B	Post, Field, X slot, Oblong shoulder			10

OEM PN	OEM Description	Date Of Price Re	List	Quantity
B6AZ-11450-A	solenoid, 12V, 4 terminal, common.			0
B8c-11390A(Ford)	Solenoid, New, ACE No. 13510 12 V, 4 Terminal			0
B8TZ-1034A	brush			15
B9AF-11135-A	Bushing, .627ID x .814OD x .700 L			7
B9AZ-10A303-A	Ball Bearing Dbl. Shielded (Ref. No. 6304) For: Leece-Neville,			2
B9TF-11082-A	Field Coils			1
C0DF-11105A	retaining sleeve, 4 1/2" early & mod I			5
C0DF-11105A(Ford)	retaining sleeve, 4 1/2" early & mod I			5
C0DF-11106A	retaining sleeve, 4 1/2" early & mod I & II			8
C0DF-11106A(Ford)	retaining sleeve, 4 1/2" early & mod I & II			8
C0DF-1156A	brush, start, ford, .480 x .750 x .344 x 4.25			14
C0DF-1156A(Ford)	brush, start, ford, .480 x .750 x .344 x 4.25			14
C1TF10005A	armature, generator, 12 v short Ford - Brg CE (8.625")			0
C2DF-11056A	brush, ground, Ford, starter, .475 x .605 x .312 x 1.75			8
C2DF-11056B	brush, starter, (F-34) .475 x .605 x .312 x 6.0			11
C2DF-11056B(Ford)	brush, starter, (F-34) .475 x .605 x .312 x 6.0			11
C2DF-1109-A	Thru Bolt, 1/4-20 x 5 1/2", 3/8Hex head			4
C2DF-11106A	retaining flange, 4" early & mod I & II			6
C2DF-11106A(Ford)	retaining flange, 4" early & mod I & II			6
C2DZ-10056B	brush, field side, w/o clip			2
C2DZ-10056B(Ford)	brush, field side, w/o clip			2
C2DZ-11105A	retaining sleeve, 4" early & mod I			6

OEM PN	OEM Description	Date Of Price Re	List	Quantity
C2DZ-11105A(Ford)	retaining sleeve, 4" early & mod I			6
C2DZ-11222-A	Stop Ring, C Retainer Ford Mod I&II, 1/2"			12
C2FT11350SP(Ford)	drive			0
C30Z-11049A	C.E. frame endplate, 4 1/2"			0
C30Z-11049A(Ford)	C.E. frame endplate, 4 1/2"			0
C3NF-10094-AFord	Bearing, Front, 6203			0
C3SZ-10328-A(Ford)	SLIP RING, FORD			1
C3SZ-10370-A	stop ring, Ford			200
C3TZ-11390-A	solenoid, 40/50MT old style heavy duty, oval face,12 volt			1
C5AF-10349-A	Brush Spring			2
C5AF-10A304A	Bearing, Rear, Needle			2
C5AF-10A304-A	Bearing, Rear, Needle			2
C5AF-10A304A-	needle bearing, .669ID x .938 OD x .685W			5
C5AF-11055A	brush, field side, w/ clip			32
C5AF-11055A(Ford)	brush, field side, w/ clip			32
C5AZ-10329A(Ford)	Insulator, Battery Terminal, 70-90-100 amp Ford			4
C5AZ-10329C	insulator, inside field terminal, Ford 40 -60			101
C5AZ-10329C(Ford)	insulator, inside field terminal, Ford 40 -60			101
C5AZ-10344	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
C5AZ-10344K	Pulley 3/8" belt x 2 5/8 OD 70-100amp			4
C5AZ-10344L	Pulley, 2 V 3/8" belt, 2 5/8" OD, Ford			0
C5AZ-10347A	brush, F-39			4

OEM PN	OEM Description	Date Of Price Re	List	Quantity
C5AZ-10347-A	Brush Set, Ford 1 G early style, pair of 38-201's			0
C5AZ-10347A-	brush, F-39			4
C5AZ-10347A(Ford)	brush, F-39			4
C5AZ-10351-A(Ford)	brush holder, Ford, 1G, Red			1
C5AZ-10A344B	spacer, outside, 7/8" OD x 3/16"Lg, CS-130			11
C5AZ-10A344-B	Spacer - Fan For: Ford 1G Series 40-65 Amp ER/EF, 2G Series IR/EF			1
C5AZ-10A360-A	stop collar, alternator rotor			19
C5NF-10045-A	6302-2RS bearing, 15mmID x 42mmOD x 13mmW			4
C5NF-10094-A(Ford)	bearing, 12.7mmID x 26.6mmOD x 8mm wide			1
C5NF-11001A	Starter, Ford 4/12"			0
C5NF-11001B	Starter, Ford 4/12"			0
C5NF11052A(Ford)	BushingBushing, 0.5" / 12.7mm ID, 0.75" / 19.13mm OD, 0.55" /			0
C5NF-11055-B	Brush, Insulated, M50 Lucas, Use both Pos & Neg.			8
C5NF-11067-A	Shift Lever For: Lucas M50 Series Starters Unit Nos: Lucas 26211,			1
C5NF-11135-B	Bushing, Top Hat Style, Intermediate Plate, For M50, M45G, M127,			2
C5NF17B282B(Ford)	TACH DRIVE			0
C5TF-10A352-K2(Ford)	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
C611503-0202	Repalcement for...D202, Alternator, Ford 1G, 28V, Ext Reg, 60Amp			0
C6AF18827A2	Capacitor			0
C6AF-18827-A2	Capacitor			0
C6AF18827A3	Capacitor			0
C6AF-18827-A3	Capacitor			0

OEM PN	OEM Description	Date Of Price Re	List	Quantity
C6AZ-18827A	capacitor, Ford 40-60 amp			13
C6AZ-18827A(Ford)	capacitor, Ford 40-60 amp			13
C6FF-10368-B	Stator, Ford/Cessna, 28 Volt, 60amp			1
C6FF-10368-C	Stator, Ford/Cessna, 28 Volt, 60amp			1
C6FF10A367A	Brush			0
C6FF10A367A(Ford)	Brush			0
C6FF-10A367-AFord	Brush, now of ES4118 kit			0
C6FF10A367aO	A or B PN is this brush/PMA required.			5
C6FF-10A367-BFord	Brush, now of ES4118 kit			0
C6FF-10B341-A-	Aviation kit - one each			5
C6FF-10B341-A--	Aviation Kit			5
C6FF-10B341-A(Ford)	Brush Kit			4
C6FF-10B341-AFord	Brush Kit			4
C6FF-10B346-A	Seal, Rotor Shaft, Gear Driven			0
C6FF-10B379-A	rectifier assy, 60 amp, 28 V Aviation Alternator, Ford 1G.			0
C6FF-10B379-B	rectifier assy, 60 amp, 28 V Aviation Alternator, Ford 1G.			0
C6VY-10347-A				0
C6VY-10347-A-	half of GB-111 kit			5
C6VY-10347-A--	Ford part is kit of 38-202&3			5
C6VY-10A367A-	Brush Kit			4
C6VY-11036-A	Washer, Thrust Drive Retainer, Ford Mod I&II			9
C7AF-10329-B-FAA	Insulator, field post, Ford 1 G Aviation			4

OEM PN	OEM Description	Date Of Price Re	List	Quantity
C7AF-10329-D	Insulator, field post, Ford 1 G Aviation			4
C7AF-10A303-A	Bearing, Front, 6203			0
C7AF-11350A	drive, Ford, 9 tooth, CW			1
C7NF-11001A	Starter, Ford 4/12"			0
C7TZ-10A396-A	Thru bolt, Ford 12-24 x 3"			0
C8FF-10A369-A				0
C8FF-10A396-A				0
C8FF-10B383-A	Retainer			13
C8VF-11350B	drive, Ford, 9 tooth, CW			1
C9SZ-10A383A	insulator, inside and outside, staor terminal, red and black, #10 ID			0
C9SZ-10A383A(Ford)	insulator, inside and outside, staor terminal, red and black, #10 ID, Ford			0
C9SZ-10A383A part of	insulator, outside, stator terminal, black, #10 ID, Ford 40-60			99
C9SZ-10A383A part of	insulator, outside, stator terminal, black, #10 ID, Ford 40-60			99
C9SZ-10A383A part of	insulator, inside staor terminal, red, #10 ID, Ford 40-60			100
C9SZ-10A383A part of	insulator, inside staor terminal, red, #10 ID, Ford 40-60			100
C9ZF-10A303-A	Bearing, Front, 6203			0
C9ZF-10A303-A1	Bearing, Front, 6203			0
C9ZZ-10094-A	6203-2RS bearing 17mm ID x 40mm x 12mm W,			15
CKPN-11A018A(Ford)	Brake Kit, M50, Lucas			2
D0AF-11135-B	Bushing, DE Ford Model I & II Starters			9
D0FF10300B	Alternator, Ford 1G, 28V, Ext Reg, 60Amp			0
D0FF-10300B	Alternator, Ford 1G, 28V, Ext Reg, 60Amp			0

OEM PN	OEM Description	Date Of Price Re	List	Quantity
D0NN-11052-A	Field Coil Set, M50 Lucas			0
D12F-11056A	brush, ground, Ford, starter, .475 x .605 x .312 x 1.75			8
D12F-11056A(Ford)	brush, ground, Ford, starter, .475 x .605 x .312 x 1.75			8
D12F-11056CA	brush, ground, w/ unthreaded hole			6
D12F-11056CA(Ford)	brush, ground, w/ unthreaded hole			6
D1NN-11001A	Starter, Ford 4/12"			0
D20Z-10344A	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
D27Z-11390-A	Solenoid 12 Volt, 4-Terminal For: Nippondenso DD Starters Used On:			1
D27Z-11390-B	Solenoid 12 Volt, 4-Terminal For: Nippondenso DD Starters Used On:			1
D2AF-11131-CA	DE HSG-FD 4-1/2			1
D2AZ-10344-A	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
D2FF-10B379-AA	rectifier assy, 60 amp, 28 V Aviation Alternator, Ford 1G.			0
D202-10A344A	Spacer, Fan			17
D20F-10A304A	Bearing, Rear, Needle			2
D20Z-10304A	Rectifier, Ford 70-100 amp, 70 amp unit			2
D20Z-10328-A	Slip ring			1
D20Z-10336A	stator, ford 70-100 amp, lester 7072, 70amp unit			1
D20Z-10347-B	brush holder assy, Ford 70-100amp			1
D20Z-10383-A	stator terminal			10
D20Z-10A355A	Brg Retainer, Late style for 5 spoke DE Frame, Ford 1G			2
D20Z-10A396A	thru bolt, 1/4" - 20 x 2"			6
D20Z-18827A	capacitor, ford 70-100			2

OEM PN	OEM Description	Date Of Price Re	List	Quantity
D2OZ-18827-A	capacitor, ford 70-100			2
D3AZ-11052-A	Bushing, CE Ford Mod I & II, .629 x .753 x .455lg			10
D3JL-10130-D1	Pulley, .670 1 - 1/2"-V, 3 3/8" OD			1
D3OF-10300AA	alternator, 70 amp, ford 1G type 70-100 ER/EF			0
D3OZ-10333B	Frame, DE Straight, Ford			2
D3VY-10333A	SRE frame, Ford 70-100 amp			2
D3VY-10A383A	insulator, rectifier, ford 70-100			2
D4OZ-11082A	Fields			1
D4TZ-10316-A	Voltage regulator, Old can style, with updated solid state, Ford			0
D4ZZ-11126A	Band, Ford 4"OD			0
D4ZZ-11126A(Ford)	Band, Ford 4"OD			0
D5AF-11350AA	drive, Ford, 9 tooth, CW			1
D5AF-11350AA(Ford)	drive, Ford, 9 tooth, CW			1
D6AZ-10304A	rectifier assy, wire form type			0
D6AZ-10304-A	rectifier assy, Heavy duty, wire form type, Ford			0
D6AZ-10304-A-				0
D6AZ-10304A-				0
D6AZ-10304A(Ford)	rectifier assy, wire form type			0
D6AZ-1030AA	recifier assy, Ford, circuit board type			0
D6AZ-11223-A	Retainer Stop Ring, Ford Mod I&II			10
D6AZ-19562-B(ford)	Black Silicone RTV Oxime Formula Hi Temp (650 F), Oxy sensor safe, Non-			3
D7OZ-11082A	Fields			1

OEM PN	OEM Description	Date Of Price Re	List	Quantity
D77Z-11390-A	Solenoid 12 Volt, 4-Terminal For: Nippondenso DD Starters Used On:			1
D77Z-11390-B	Solenoid 12 Volt, 4-Terminal For: Nippondenso DD Starters Used On:			1
D7AF-10300	alternator, 40 amp, 15 volt			0
D7AF-10A304AA	Bearing, Rear, Needle			2
D7VZ-10334A	SRE frame, Ford 70-100 amp			0
D8AF-11055BA	brush, field side, w/ clip			36
D8AF-11055BA(Ford)	brush, field side, w/ clip			36
D8AF-11056AA	brush, Ford			3
D8DZ-11450-A(Ford)	Grounded Base, 10-32 I Terminal, Mounting Bracket Holes 9/32"x			0
D8HZ-10316A(Ford)	VR-LN JB 12V OE AC TURN-ON			0
D8HZ-11350-A(Ford)	drive, reman, 5-10MT, 9 tooth, CW rotation			1
D8ZF-10300FA	Alternator, Ford 70 amp, 12V, IR, 3 ohm rotor			0
D8ZZ-10335A	Rotor, Ford, 55-60 amp, 12V			3
D9AZ-10A310A	fan			0
D9ZZ-10A310A	Fan, Delco-Remy, 10 DN &10SI,Ford			0
DBVY-1140A	solenoid, late stlye w/ diode enc			0
DBVY-1140A(Ford)	solenoid, late stlye w/ diode enc			0
DBVY-11450A	solenoid, grounded base, late style			0
DBVY-11450A(Ford)	solenoid, grounded base, late style			0
DOFF-10300B	Alternator, Ford 1G, 28V, Ext Reg, 60Amp	7/26/2009	\$483.00	0
DOFF10300D				0
DOFF10300E				0

OEM PN	OEM Description	Date Of Price Re	List	Quantity
DOFF10300F	Alternator, 15V 60amp 3 bolt c flange mount, internal plastic fan,			0
DOFF10300J	Alternator, Aviation, 15V 60 Amp, Belt driven, External Regulated.			0
e1af-11130-ba(Ford)				1
E1AF-11131-BA(Ford)				1
E1FZ-11067-A(Ford)	shift lever, Ford 4" Mod I			1
E1FZ-11067-B	shift lever, 4" Mod I, Ford			1
E1HZ-11390B	solenoid, 40,50MT, 24 volt, Square face			0
E1VZ-10335A	rotor, ford 70 amp			0
E1VZ-10335A(Ford)	rotor, ford 70 amp			0
E2BA-11055A				7
E2BF-11056A	brush, ground w/ untapped hole			12
E2BF-11056A(Ford)	brush, ground w/ untapped hole			12
E2BZ-11049A(Ford)	CE end plate, ford 4" Mod II			1
E2BZ-11062-A	Insulator, CE sheet, brush holder Model II			2
E2BZ-11067-A	Shift lever, Ford 4" mod II, III, IV			1
E2BZ-11071-A	Thru bolt, 1/4"-20 x 6 3/8", Ford 4" starter			8
E2BZ-11071-A(Ford)	Thru bolt, 1/4"-20 x 6 3/8", Ford 4" starter			8
E2BZ-11091-A	thru bolt, 1/4-20 x 6-5/8, Ford			8
E2FZ-11130-A	DE Housing, Ford Lester 3179M & 3181M			0
E2HF-10346BA	Ford Truck Alternator, Blue Back, 12V, 90A			0
E2HF-10346BA--	original 7712 was 90A			0
E2HZ-10A303-A	bearing, 25mmID x 62mmOD x 17mmW, many heavy duty,FLT			2

OEM PN	OEM Description	Date Of Price Re	List	Quantity
E2PF-10316-A	Voltage regulator, Ford, External/firewall, Solid state			0
E2PZ-11134-A	Contact Kit, Mod II Ford			0
E2PZ-11350-A	Drive, 9 tooth, 2.75" long			1
E3AZ-11105A	retaining sleeve, 4" mod I & II			4
E3AZ-11105A(Ford)	retaining sleeve, 4" mod I & II			4
E3FZ-11091-A	Thru Bolt, Ford 4" MII 1/4" - 20 x 5 7/8" Insulated			0
E3PZ-11062-A	Fields, 27MT, 12volt, 1.1 1.3mil ohm, clockwise			2
E4321034A	rectifier			0
E4321034A(Ford)	rectifier			0
E43Z-10344A	Pulley 5/16 - 3/8 2V, 2 9/16" OD .670 Bore			1
E4EF-11130-BA	DE Housing, Ford Lester 3179M & 3181M			0
E4FZ-11103-A	Spring, Plunger, 5-10, 20 etc MT			3
E53Z-10344A	Pulley 5/16 - 3/8 2V, 2 9/16" OD .670 Bore			1
E5PF-11434-AA	brush holder w/ neg brush, (use WAI 68-83800 holder & negative			2
E5PZ-11005-A	armature, Lester 4507, 17037, Ford, Mitsubishi, 12 v			0
E5PZ-11060-A	brush holder w/ neg brush, (use WAI 68-83800 holder & negative			2
E5PZ-11135A	6003 bearing, double sealed			37
E5PZ-11390A	solenoid, ford mit			0
E5SZ-10A310A	Fan, Delco-Remy, 10 DN &10SI,Ford			0
E60Z-10304A	rectifier, ford truck			0
E60Z-10304A(Ford)	rectifier			0
E6DZ-10304	recitifier, Ford,70 amp diodes			2

OEM PN	OEM Description	Date Of Price Re	List	Quantity
E6DZ-10304A	recitifier, Ford,70 amp diodes			2
E6DZ-11049-A(Ford)	CE FRAME-FD 4 MOD			1
E6DZ-11130-B(Ford)	DE HSG-FD MOD			1
E6EF-11001-AA	Starter, Ford, 1986-88 cars with 1.9L engines, 10 tooth drive, WAI DE			0
E6EF-11130-AA	DE Housing, Ford Lester 3196			0
E6FZ-11002-A	Starter, Ford, 1986-88 cars with 1.9L engines, 10 tooth drive, WAI DE			0
E6SF-104352-BA				2
E6SZ-10344-A(Ford)	Pulley, 2 V 3/8" belt, 2 5/8" OD x .670 bore			0
E6SZ-10A310-A	Fan, Delco-Remy, 10 DN &10SI,Ford			0
E6TZ-10316A	Voltage regulator, Ford, IAR			0
E6TZ-10316-A	Voltage regulator, Ford, External/firewall, Solid state			0
E7DF-11130-AA(Ford)	DE HSG-FD MOD II 4"			1
E7GZ-10A303-A	6302-2RS bearing, 15mmID x 42mmOD x 13mmW			4
E8AZ-195-62-A(Ford)	Black Silicone RTV Oxime Formula Hi Temp (650 F), Oxy sensor safe, Non-			3
E8FZ-10A310-A	Fan, Delco-Remy, 10 DN &10SI,Ford			0
E8GY-10347-A	brushes, ford			10
E8GY-10347-A(Ford)	brushes, ford			10
E8PZ-10A304A	Bearing, 8mmID x 23mmOD x 14mmW, 2 teflon rings, Mando &			3
E8TF-11000AA	starter, ND replacement for Mitsubishi E8TF-11000AA, Lester			0
E8TZ-11002-A	Starter, Ford Mit, OSGR 1985-94 Ford Series E Van, F Series P/U, 12			0
E902-11350-A	drive, PMGR 10 tooth, 12 splines, CW			0
E902-11350-A(Ford)	drive, PMGR 10 tooth, 12 splines, CW			0

OEM PN	OEM Description	Date Of Price Re	List	Quantity
E90F-11000-AA	solenoid, w/ diode, ford PMGR			0
E90Z-11005A(Ford)	armature, PMGR,			1
E90Z11390	solenoid, PMGR			0
E90Z11390(Ford)	solenoid, PMGR			0
E90Z-11A171A	Grommet, Pivot Pad, Shift Fork, Ford PMGR			1
E93CQ9(Ford)	PINION-LU M45G 11T CW			0
E9DF-10A367-AA	Brush For: Ford 3G Series IR/IF Alternators			18
E90Z-11005-A	Armature, 12 volt, Ford/Motorcraft, Lester's 17191, 3204, 3205, 3213,			0
E90Z-11075-A(Ford)	FLD HSG ASSY-FD PMGR ZINC-YEL			1
E90Z11355A(Ford)	Drive Shaft, Old version w/ 18mm deeper armature cavity. New			1
E90Z-11390-A	solenoid, w/ diode, ford PMGR			0
E90Z-11390-B	solenoid, w/ diode, ford PMGR			0
E9SZ-11002B	PMGR			0
EE4AZ-11061-A(Ford)	BH-FD 4 MOD			2
F02Z-10304-A	Rectifier For: Mitsubishi 70 Amp IR/IF Alternators Used On: (1998-89)			0
F02Z-10316-A	Regulator / Brush Holder Assy. 12 Volt, A-Circuit, S L Terminals For:			0
F02Z-10316-A(Ford)	Regulator / Brush Holder Assy. 12 Volt, A-Circuit, S L Terminals For:			0
F02Z-11390-A	solenoid, w/ diode, ford PMGR			0
F0AU-10316-BA	Voltage regulator, Ford, External/firewall, Solid state			0
F0AZ-10316-A	Voltage regulator, Ford, External/firewall, Solid state			0
F0DU-10329-BA?-(Ford)	ext plus cap maybe??			2
F0FZ-11350-A	drive, PMGR 9 tooth, 12 spline - CW			0

OEM PN	OEM Description	Date Of Price Re	List	Quantity
F0FZ-11350-A(Ford)	drive, PMGR 9 tooth, 12 spline - CW			0
F0PU-10316-AA	Voltage regulator, Ford, External/firewall, Solid state			0
F1DZ-10347A	Brush Holder, Ford 3G Late Style uses 85-1202 Self taping screws. See			2
F1DZ-10347-A	Brush Holder, Ford 3G Late Style uses 85-1202 Self taping screws. See			2
F1HU-10A352-AB	Pulley, V-belt, 2 groove, 75mm/2.953"OD,16mm/.236			0
F1HU-10A352-AB(Ford)	Pulley, V-belt, 2 groove, 75mm/2.953"OD,16mm/.236			0
F1HZ-10344-A	Pulley, V-belt, 2 groove, 75mm/2.953"OD,16mm/.236			0
F2TZ-11135-A	bushing, pmgr, 4", 4 1/2", D.E., .472id x .63 od x.400"L			7
F2TZ-11135-A(Ford)	bushing, pmgr, 4", 4 1/2", D.E., .472id x .63 od x.400"L			7
F2UU-10A352	Pulley, V-belt, 2 groove, 72mm/2.835"OD,17.03mm/.236"			0
F2UU-10A352(Ford)	Pulley, V-belt, 2 groove, 72mm/2.835"OD,17.03mm/.236"			0
F2UZ-10344-A	Pulley, V-belt, 2 groove, 72mm/2.835"OD,17.03mm/.236"			0
F2VY11350A(Ford)	Drive, PMGR, 12 tooth, Green Ring			1
F3-0600(JustParts)	Insulator, washer, #10 oval ID for Post S-160, Ford Generator w/ post			17
F-39Ford	brush, F-39			4
F3DU-10335-AA(Ford)	Rotor, Ford 3G, 12 v, 95 amp			0
F3RZ-11390-A(Ford)	Solenoid12 Volt, 3-Terminal For: Ford PMGR Starters Used On: Ford			0
F3RZ-11390-B	Solenoid12 Volt, 3-Terminal For: Ford PMGR Starters Used On: Ford			0
F3VU-11390-AA	Solenoid - CAUTION SEE BULLETIN REGARDING USE OF SPACER			0
F-42	brush, late style 40 60 amp ford (F-42)			5
F4RU-10321-AA	Mounting Bushing - S.R.E. Frame For:			0
F4TZ-11002-A	Starter, Mitsubishi on Ford, 1994-97 Ford F series P/U, 95-97 Ford E			0

OEM PN	OEM Description	Date Of Price Re	List	Quantity
F4TZ-11002-B	Starter, 12 volt, CW, 12 tooth, 1994 Ford F series P/U wo/ turbo, Original			0
F4ZU-10316-AA	Regulator, 94 Taurus 3.0&3.9L 130amp alt #F4DZ-10346E-			0
F4ZU-10316-AA(Ford)	Regulator, 94 Taurus 3.0&3.9L 130amp alt #F4DZ-10346E-			0
F50U-10300-FA	4G Series Alternator for Ford 130 Amp, 12 Volt, CW Rotation Reg.			0
F50U-10300-FA(Ford)	4G Series Alternator for Ford 130 Amp, 12 Volt, CW Rotation Reg.			0
F50U-10300-FB	4G Series Alternator for Ford 130 Amp, 12 Volt, CW Rotation Reg.			0
F50U-10A304-AA(Ford)	6203-2RS bearing17mmIDx40mmx12mmW,			15
F50Y-10346-A	4G Series Alternator for Ford 130 Amp, 12 Volt, CW Rotation Reg.			0
F5CU-11350-A	Drive, Black ring, 9 tooth			0
F5DU-11350-AA	Drive, 10 tooth PMGR, White Ring			0
F5OU-11000-AA	Ford Side Mount PMGR Starter			0
F5OY-11002-A	Ford Side Mount PMGR Starter			0
F5RU10316AA	RegulatorFord 3G with Load Response Control (6 sec delayramp			1
F5RU-10316-AA	RegulatorFord 3G with Load Response Control (6 sec delayramp			1
F5RU10316AA(Ford)	RegulatorFord 3G with Load Response Control (6 sec delayramp			1
F5RU-11350-AA	Drive, PMGR, 10 tooth, Pink Ring, 27 MM OD gear			0
F5RZ-10316-A	RegulatorFord 3G with Load Response Control (6 sec delayramp			1
F5RZ-10316-B	RegulatorFord 3G with Load Response Control (6 sec delayramp			1
F5VU-11350-AA	Drive, PMGR, 12 tooth, Green Ring			1
F-600-M	Voltage Regulator, can use 12961, B type, 3 Unit 27-31amp 12 V, P or N			0
F-606-M	Voltage Regulator, can use 12961, B type, 3 Unit 27-31amp 12 V, P or N			0
F-67Ford	Brush For: Ford 3G Series IR/IF Alternators			10

OEM PN	OEM Description	Date Of Price Re	List	Quantity
F-68Ford	Brush For: Ford 3G Series IR/IF Alternators			18
F68U-10300-AD	4G Series Alternator for Ford 130 Amp, 12 Volt, CW Rotation Reg.			0
F68Z-10346-AD	4G Series Alternator for Ford 130 Amp, 12 Volt, CW Rotation Reg.			0
F6DU-10300-BB	4G Series Alternator for Ford 130 Amp, 12 Volt, CW Rotation Reg.			0
F6DZ-10346-B	4G Series Alternator for Ford 130 Amp, 12 Volt, CW Rotation Reg.			0
F6LU-10300-CA	4G Series Alternator for Ford 130 Amp, 12 Volt, CW Rotation Reg.			0
F6LY-10346-A	4G Series Alternator for Ford 130 Amp, 12 Volt, CW Rotation Reg.			0
F77U-10300-AB	4G Series Alternator for Ford 130 Amp, 12 Volt, CW Rotation Reg.			0
F81U-10329-AA				10
F81U-10A351-AA(Ford)	FRAME DE, FORD 6G			1
F81U-10A352-BA(Ford)	PULLEY, 8GRV FORD, .669 ID x 2.70D			1
F8AU-10C372-BA?-(Ford)	may be ext plus cover			12
F8WU-10335BB(Ford)	ROTOR-FD 6G 110A			0
F8WU10A366A Al(Ford)	RECT., 6G FORD(W/70A DIODES)			1
F8WU-10C359-AB	Regulator/Brushholder, Type A, Non-LRC,Non Soft Start, W/ OV			0
FAB-11350A	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x			0
FAC-11350A	Drive, follow Thru Rubber, 15.9mmID x 29mm OD x (1.167") x			0
FAD-11350A(Ford)	Spring drive, 10 t, CW, 4.565LOA, 1.57" G, original spring - special low			0
FCV-10050-A	End Frame, Ford, Discontinued. Try C-34-E			0
FOZZ-11390-A	Solenoid - CAUTION SEE BULLETIN REGARDING USE OF SPACER			0
Gar-73	Wick, Oil, Ford/Autolite			0
GB-102	Brush Set, Ford 1 G early style, pair of 38-201's			0

OEM PN	OEM Description	Date Of Price Re	List	Quantity
GB102-	kit contains two F-39			4
GB-102(Ford)	Brush Set, Ford 1 G early style, pair of 38-201's			0
GB-111	brush set, late style 40 60 amp ford (F-42 & F-43)			0
GB-111-	half of GB-111 kit			5
GB-111(F-42)	brush, late style 40 60 amp ford (F-42)			5
GB-111(F-42)(Ford)	brush, late style 40 60 amp ford (F-42)			5
GB-111(F-43)	brush, late style 40 60 amp ford (F-43)			5
GB-111(F-43)(Ford)	brush, late style 40 60 amp ford (F-43)			5
GB-111(Ford)	brush set, late style 40 60 amp ford (F-42 & F-43)			0
GB-14-	Brush Kit			4
GEE-316	Bearing, 15mm x 47mmOD x 14mmW Mitsubishi IR/IF DE			1
GEE-317	Bearing, 8mmID x 23mmOD x 14mmW, 2 teflon rings, Mando &			3
GM18	armature, generator, 12 v short Ford - Brg CE (8.625")			0
GM20	armature, generator, 12 v short Ford - Brg CE (8.625")			0
GM9	armature, generator, 12 v short Ford - Brg CE (8.625")			0
GP-511	Pulley, 3/8" belt, 3 3/8" OD x .670 bore 1/8" & 5/32" Key			2
GP-688	Pulley, V-belt, 2 groove, 75mm/2.953"OD,16mm/.236			0
GP-689	Pulley, V-belt, 2 groove, 72mm/2.835"OD,17.03mm/.236"			0
GR540A	regulator, external, short circuit protected			0
GR-540A	regulator, external, short circuit protected			0
GR-540A(Ford)	regulator, external, short circuit protected			0
GR784	regulator, integral			0

OEM PN	OEM Description	Date Of Price Re	List	Quantity
GR-784	regulator, integral			0
GR-784(Ford)	regulator, integral			0
GR-801	regulator 75-130 amp 3G			0
GR-801(Ford)	regulator 75-130 amp 3G			0
GR-818	RegulatorFord 3G with Load Response Control (6 sec delayramp			1
GR-819	RegulatorFord 3G with Load Response Control (6 sec delayramp			1
GRX262(Ford)	Voltage Regulator, 12 v, Pos or Neg, 3 Unit, 15-18 amp, 3 Screw vibration			1
GY1351	rectifier, internal			0
GY-1351	rectifier, ford truck			0
GY-1360	recitifier, Ford,70 amp diodes			2
MC-209-A	Bushing, DE Ford Model I & II Starters			9
MC-220	Bushing, CE Ford Mod I & II, .629 x .753 x .455lg			10
MC-445	bushing, pmgr, 4", 4 1/2", D.E., .472id x .63 od x.400"L			7
MCE-435	6003 bearing, double sealed			37
MCX203(Ford)	bushing, comm end, .564ID, 5-10-15-20-25-27MT			28
MZ-1034	ground brush, model A & ford tractor			17
MZ-1034(Ford)	ground brush, model A & ford tractor			17
MZ-12(Ford)	brush, possitive side, model A & 8/9 tractor, Ford			15
MZ-2053	Armature, Lester 1957, Ford, long shaft, no spline (12 1/8")			0
N805403-S100(Ford)	Nut, M8 1.25x13mmx5mmT. Solenoid post, DR SD series & PM			4
N805404-S	Retainer, External E-Ring Dim: .6 ID x .060 T Note: For 5/8 Dia. Shafts,			10
N805910-S101	Thru bolt, Ford 3G, M6-0.8 x 71mm Hex washer head			20

OEM PN	OEM Description	Date Of Price Re	List	Quantity
N805910-S101(Ford)	Thru bolt, Ford 3G, M6-0.8 x 71mm Hex washer head			20
N805911-S7M	Screw m4 x .7 x 13mm Internal Torque			8
N806776-S36	Nut, M6 x 1.0 mm x 12 mm, Ford6 G			10
O1A-10069	brush, generator, .875 x 1.00 x .291 x .975 (F-14)			28
O1A-10069(Ford)	brush, generator, .875 x 1.00 x .291 x .975 (F-14)			28
O1A-10175(Ford)	Fields			0
SA-818	Ford Side Mount PMGR Starter			0
SA-888	Ford Side Mount PMGR Starter			0
SB337(Ford)	Brush Holder Assy, Early Style, (w/Brushes), Ford PMGR			1
SBA18508-6321(Ford)	Lester 17300 Starter, Perkins			0
SBA185816240	Solenoid, 38mm Radius bolt circle, 6mm Mount Screws.			1
SBX206(Ford)	Brush 6Volt			20
SC-1	Field Coils			1
SD310(Ford)	drive, reman, 5-10MT, 9 tooth, CW rotation			1
SD5A(Ford)	Drive,CCW ID:0.626in / 15.9mm Number of Teeth:9 Gear			0
SD7	Drive, CCW, 10 tooth			0
SD8	Drive, CCW, 10 tooth			0
SE-278	DE Housing, Ford Lester 3179M & 3181M			0
SE-290	DE Housing, Ford Lester 3196			0
SH220(Ford)	CE FRAME-FD PMGR			1
SM475(FORD)	armature, PMGR,			1
SM476(Ford)	STATIONARY GEAR-FD PMGR			1

OEM PN	OEM Description	Date Of Price Re	List	Quantity
SW1287(Ford)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			1
SW1507B(Ford)	Grounded Base, 10-32 I Terminal, Mounting Bracket Holes 9/32"x			0
SW-1533A	solenoid, late stlye w/ diode enc			0
SW-1951	solenoid, grounded base, late style			0
SW-2188Ford	solenoid, PMGR			0
SW-3	solenoid, 12V, 4 terminal, common.			0
SW-3(Ford)	solenoid, 12V, 4 terminal, common.			0
SZ667(Fiord)	solenoid, 40/50MT old style heavy duty, oval face,12 volt			1
SZ730-(Ford)	Stop Ring, C Retainer Ford Mod I&II, 1/2"(set of two pcs.)			12
SZ730--(Ford)	2 pc's set			10
SZ847(Ford)	J&N, Shift Lever, Plastic, 1.68" / 42.6mm ID			1
SZ848(Ford)	Thrust Washer for planetary gear track			1
SZ849(Ford)	BOLT M5 X 0.8 X 126MM HEX - Exposed Thru bolt on some ND			14
SZE-825(Ford)	Shift Fork, Misubishi			2
VP4F1U-10C359-AA	Regulator, Ford 6G, Type A, FR-SIG-A terminals also designated LI-RC-AS,			1
VP4L3U-10C359-AA	Regulator, Ford 6G, Type A, FR-SIG-A terminals also designated LI-RC-AS,			1
VP4LIU-10C359-AA	Regulator, Ford 6G, Type A, 14.4 set point,Vsec 14.6, Soft start, OV			0
W-740	C.E. frame endplate, 4 1/2"			0
WSE-M46320-A2(ford)	Black Silicone RTV Oxime Formula Hi Temp (650 F), Oxy sensor safe, Non-			3
XW4U-10C359-AB	Regulator, Ford 6G, Type A, FR-SIG-A terminals also designated LI-RC-AS,			1
YF1U-11000-BA	Ford Side Mount PMGR Starter			0
YF1Z-11002-BA	Ford Side Mount PMGR Starter			0